

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 1. Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and gender)**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	11.5	( 7.6 - 15.4 )	14.0	( 7.4 - 20.5 )	8.7	( 5.5 - 11.9 )
<b>Age</b>	15 or younger	15.2	( 7.5 - 22.9 )	18.5	( 6.4 - 30.6 )	12.0	( 1.9 - 22.2 )
	16 or 17	8.9	( 5.3 - 12.4 )	9.4	( 2.1 - 16.7 )	8.3	( 4.4 - 12.3 )
	18 or older	15.0	( 9.8 - 20.2 )	20.0	( 12.2 - 27.9 )	7.3	( 3.4 - 11.2 )
<b>Grade</b>	9th	17.9	( 2.5 - 33.3 )	.	.	.	.
	10th	14.0	( 5.5 - 22.5 )	13.0	( 4.2 - 21.8 )	15.0	( 0.8 - 29.3 )
	11th	8.0	( 3.5 - 12.5 )	10.7	( 2.9 - 18.6 )	5.2	( 1.1 - 9.3 )
	12th	11.6	( 7.0 - 16.3 )	15.2	( 7.0 - 23.3 )	7.2	( 0.4 - 13.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	8.8	( 1.2 - 16.5 )	11.9	( 0.0 - 24.0 )	4.8	( 0.0 - 9.9 )
	White Hispanic	13.0	( 7.1 - 18.8 )	16.0	( 7.4 - 24.5 )	9.9	( 4.2 - 15.5 )
	Other	14.3	( 1.4 - 27.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 2. Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and gender)**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		13.0	( 9.2 - 16.7 )	11.7	( 5.7 - 17.8 )	14.4	( 9.5 - 19.3 )
<b>Age</b>	15 or younger	14.8	( 7.1 - 22.4 )	13.3	( 3.8 - 22.8 )	16.2	( 3.2 - 29.2 )
	16 or 17	14.0	( 9.9 - 18.1 )	12.5	( 6.0 - 18.9 )	15.6	( 8.3 - 22.9 )
	18 or older	10.0	( 4.3 - 15.6 )	9.7	( 1.0 - 18.4 )	10.4	( 4.2 - 16.5 )
<b>Grade</b>	9th	11.0	( 2.8 - 19.2 )	.	.	.	.
	10th	14.8	( 6.3 - 23.2 )	12.3	( 1.1 - 23.6 )	17.2	( 3.2 - 31.3 )
	11th	10.7	( 4.9 - 16.4 )	5.6	( 0.0 - 11.2 )	15.9	( 8.2 - 23.6 )
	12th	14.2	( 7.3 - 21.0 )	14.0	( 5.5 - 22.6 )	14.3	( 5.7 - 23.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	10.3	( 5.7 - 14.9 )	10.2	( 4.9 - 15.4 )	10.5	( 3.3 - 17.7 )
	White Hispanic	14.7	( 11.0 - 18.4 )	12.7	( 4.1 - 21.3 )	16.8	( 10.5 - 23.2 )
	Other	21.8	( 10.9 - 32.7 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 3. Percentage of students who were overweight or obese (i.e., at or above the 85th percentile for body mass index, by age and gender)**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	24.5	( 18.3 - 30.7 )	25.7	( 17.3 - 34.0 )	23.1	( 16.6 - 29.6 )
<b>Age</b>	15 or younger	30.0	( 16.2 - 43.8 )	31.8	( 14.6 - 49.0 )	28.2	( 10.7 - 45.8 )
	16 or 17	22.8	( 16.6 - 29.1 )	21.8	( 14.2 - 29.5 )	23.9	( 15.1 - 32.7 )
	18 or older	24.9	( 18.3 - 31.6 )	29.8	( 19.4 - 40.1 )	17.7	( 10.5 - 24.8 )
<b>Grade</b>	9th	28.9	( 7.8 - 50.0 )	.	.	.	.
	10th	28.8	( 17.5 - 40.0 )	25.3	( 9.5 - 41.2 )	32.3	( 8.5 - 56.1 )
	11th	18.7	( 9.4 - 28.0 )	16.4	( 5.5 - 27.3 )	21.1	( 10.6 - 31.5 )
	12th	25.8	( 18.4 - 33.2 )	29.2	( 18.9 - 39.5 )	21.5	( 14.4 - 28.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	19.2	( 7.7 - 30.6 )	22.1	( 8.3 - 35.9 )	15.3	( 4.8 - 25.8 )
	White Hispanic	27.7	( 22.6 - 32.8 )	28.6	( 21.4 - 35.9 )	26.7	( 18.1 - 35.4 )
	Other	36.1	( 22.0 - 50.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 4. Percentage of students who were underweight (i.e., below the 5th percentile for body mass index, by age and gender)**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		4.6	( 0.8 - 8.3 )	6.5	( 0.3 - 12.6 )	2.4	( 0.8 - 4.0 )
<b>Age</b>	15 or younger	1.0	( 0.0 - 2.6 )	0.0	( 0.0 - 0.0 )	2.0	( 0.0 - 4.7 )
	16 or 17	3.0	( 0.1 - 6.0 )	4.5	( 0.6 - 8.4 )	1.5	( 0.0 - 3.3 )
	18 or older	9.5	( 1.5 - 17.6 )	12.7	( 0.0 - 26.3 )	4.8	( 0.0 - 9.9 )
<b>Grade</b>	9th	1.7	( 0.0 - 4.8 )	.	.	.	.
	10th	1.5	( 0.0 - 4.8 )	2.9	( 0.0 - 9.4 )	0.0	( 0.0 - 0.0 )
	11th	6.2	( 0.7 - 11.7 )	8.8	( 1.4 - 16.1 )	3.6	( 0.0 - 8.3 )
	12th	5.4	( 0.9 - 10.0 )	7.8	( 0.0 - 15.7 )	2.4	( 0.0 - 6.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	8.3	( 2.1 - 14.5 )	12.0	( 1.0 - 23.0 )	3.5	( 0.1 - 6.9 )
	White Hispanic	2.0	( 0.9 - 3.1 )	2.5	( 0.3 - 4.6 )	1.5	( 0.1 - 3.0 )
	Other	4.4	( 0.0 - 9.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 5. Percentage of students who most often speak a language other than English at home**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		27.5	( 2.1 - 52.9 )	24.1	( 3.5 - 44.7 )	32.3	( 1.7 - 62.8 )
<b>Age</b>	15 or younger	41.7	( 4.8 - 78.6 )	.	.	.	.
	16 or 17	21.9	( 1.5 - 42.4 )	18.3	( 6.3 - 30.2 )	25.3	( 0.0 - 56.4 )
	18 or older	30.3	( 0.0 - 71.5 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	24.9	( 0.0 - 60.8 )	.	.	.	.
	11th	27.4	( 3.3 - 51.5 )	.	.	35.3	( 8.9 - 61.7 )
	12th	28.1	( 0.0 - 56.9 )	24.3	( 6.5 - 42.2 )	36.9	( 0.0 - 80.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	2.6	( 0.0 - 8.2 )	.	.	.	.
	White Hispanic	46.7	( 26.4 - 67.1 )	39.8	( 20.8 - 58.8 )	53.1	( 32.7 - 73.4 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 6. Percentage of students who identified themselves as gay, lesbian, or bisexual**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	12.6	( 7.1 - 18.1 )	4.8	( 1.5 - 8.2 )	20.6	( 6.0 - 35.3 )
<b>Age</b>	15 or younger	7.8	( 0.0 - 16.5 )	3.5	( 0.0 - 12.9 )	12.2	( 0.0 - 26.4 )
	16 or 17	13.9	( 4.9 - 23.0 )	3.2	( 0.0 - 7.1 )	26.7	( 5.8 - 47.7 )
	18 or older	13.2	( 7.3 - 19.1 )	9.0	( 0.0 - 20.3 )	.	.
<b>Grade</b>	9th	8.4	( 0.0 - 20.9 )	.	.	.	.
	10th	15.6	( 0.0 - 31.1 )	6.1	( 0.0 - 14.5 )	24.7	( 0.0 - 53.0 )
	11th	12.0	( 5.6 - 18.4 )	2.5	( 0.0 - 6.1 )	23.3	( 3.2 - 43.4 )
	12th	13.1	( 8.3 - 17.9 )	6.0	( 0.0 - 12.1 )	19.0	( 1.3 - 36.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	14.7	( 8.8 - 20.6 )	5.9	( 2.8 - 9.0 )	22.6	( 0.3 - 44.9 )
	White Hispanic	9.6	( 2.7 - 16.4 )	4.0	( 0.0 - 9.6 )	15.6	( 2.3 - 28.9 )
	Other	15.4	( 5.5 - 25.2 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 7. Among students who drove a car or other vehicle during the past 30 days, the percentage who drove one or more times when they had been using marijuana**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		21.3	( 9.3 - 33.4 )	20.9	( 9.1 - 32.8 )	16.1	( 3.3 - 29.0 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	21.8	( 7.5 - 36.1 )	16.0	( 7.2 - 24.9 )	22.1	( 0.0 - 44.6 )
	18 or older	27.3	( 6.4 - 48.2 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	25.4	( 3.7 - 47.1 )	.	.	.	.
	12th	24.4	( 9.1 - 39.8 )	27.0	( 9.8 - 44.2 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	.	.	.	.	.	.
	White Hispanic	16.4	( 3.4 - 29.4 )	24.6	( 8.7 - 40.4 )	7.7	( 0.0 - 18.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 8. Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	91.9	( 86.2 - 97.5 )	94.6	( 90.9 - 98.3 )	88.3	( 79.0 - 97.6 )
<b>Age</b>	15 or younger	88.6	( 75.3 - 100.0 )	.	.	.	.
	16 or 17	93.4	( 88.4 - 98.4 )	95.9	( 91.3 - 100.0 )	89.8	( 79.2 - 100.0 )
	18 or older	91.6	( 82.8 - 100.0 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	93.0	( 85.4 - 100.0 )	.	.	.	.
	11th	91.5	( 83.7 - 99.4 )	.	.	.	.
	12th	93.7	( 87.0 - 100.0 )	96.1	( 90.9 - 100.0 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	90.7	( 81.0 - 100.0 )	.	.	.	.
	White Hispanic	94.7	( 92.8 - 96.6 )	94.3	( 91.5 - 97.1 )	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 9. Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		14.0	( 9.2 - 18.8 )	20.0	( 13.7 - 26.2 )	6.7	( 1.8 - 11.6 )
<b>Age</b>	15 or younger	5.3	( 0.0 - 10.6 )	.	.	.	.
	16 or 17	16.5	( 10.6 - 22.4 )	25.4	( 16.3 - 34.5 )	6.9	( 0.3 - 13.6 )
	18 or older	14.9	( 6.9 - 22.9 )	19.7	( 6.4 - 33.0 )	6.3	( 0.0 - 18.7 )
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	11.6	( 0.0 - 25.0 )	.	.	.	.
	11th	18.5	( 7.6 - 29.3 )	24.5	( 4.4 - 44.6 )	11.9	( 0.0 - 23.9 )
	12th	13.2	( 9.0 - 17.5 )	21.6	( 12.6 - 30.7 )	2.6	( 0.0 - 8.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	16.8	( 10.3 - 23.3 )	24.7	( 9.9 - 39.5 )	.	.
	White Hispanic	9.1	( 1.5 - 16.8 )	14.2	( 1.9 - 26.6 )	4.2	( 1.8 - 6.5 )
	Other	18.6	( 3.5 - 33.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 10. Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	27.4	( 21.0 - 33.9 )	28.0	( 21.4 - 34.5 )	26.1	( 15.1 - 37.1 )
<b>Age</b>	15 or younger	18.7	( 12.7 - 24.8 )	25.7	( 17.3 - 34.0 )	11.8	( 0.0 - 25.9 )
	16 or 17	29.6	( 21.3 - 37.9 )	26.2	( 17.4 - 35.1 )	31.5	( 18.9 - 44.2 )
	18 or older	28.9	( 20.8 - 37.0 )	32.5	( 23.6 - 41.5 )	25.5	( 13.9 - 37.1 )
<b>Grade</b>	9th	19.6	( 5.4 - 33.8 )	.	.	.	.
	10th	31.3	( 19.1 - 43.6 )	30.0	( 16.4 - 43.6 )	32.8	( 9.5 - 56.0 )
	11th	27.6	( 18.2 - 37.0 )	21.8	( 8.5 - 35.0 )	33.6	( 18.2 - 49.0 )
	12th	27.1	( 19.3 - 34.9 )	30.9	( 21.0 - 40.8 )	21.6	( 9.8 - 33.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	35.9	( 18.3 - 53.5 )	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	20.1	( 16.0 - 24.2 )	17.7	( 8.2 - 27.2 )	22.6	( 9.9 - 35.4 )
	White Hispanic	30.0	( 17.4 - 42.6 )	35.2	( 26.2 - 44.1 )	24.4	( 7.7 - 41.1 )
	Other	48.7	( 37.6 - 59.8 )	54.8	( 36.1 - 73.4 )	42.2	( 26.5 - 57.9 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 11. Among students who drove a car or other vehicle during the past 30 days, the percentage who drove one or more times when they had been drinking alcohol**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		13.3	( 7.7 - 18.9 )	17.2	( 10.3 - 24.1 )	6.8	( 2.2 - 11.3 )
<b>Age</b>	15 or younger	9.7	( 0.0 - 23.8 )	.	.	.	.
	16 or 17	11.2	( 5.1 - 17.2 )	10.6	( 2.8 - 18.4 )	8.5	( 1.0 - 16.0 )
	18 or older	18.5	( 9.3 - 27.7 )	26.7	( 13.7 - 39.7 )	7.5	( 0.0 - 17.5 )
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	11.8	( 3.2 - 20.3 )	14.9	( 1.2 - 28.6 )	.	.
	11th	9.7	( 0.0 - 19.6 )	10.5	( 0.0 - 23.3 )	9.0	( 0.0 - 23.0 )
	12th	16.9	( 10.3 - 23.5 )	22.3	( 13.3 - 31.4 )	7.3	( 0.9 - 13.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	12.5	( 2.0 - 23.1 )	13.8	( 2.3 - 25.2 )	.	.
	White Hispanic	13.4	( 6.6 - 20.2 )	21.4	( 11.6 - 31.2 )	4.6	( 1.4 - 7.9 )
	Other	18.0	( 3.5 - 32.5 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 12. Among students who drove a car or other vehicle during the past 30 days, the percentage who texted or e-mailed while driving on one or more days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		35.8	( 28.6 - 42.9 )	44.7	( 35.5 - 53.9 )	25.3	( 10.9 - 39.8 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	26.9	( 17.0 - 36.8 )	29.3	( 21.7 - 36.9 )	23.5	( 3.2 - 43.7 )
	18 or older	52.5	( 46.9 - 58.2 )	62.8	( 47.9 - 77.7 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	28.2	( 8.8 - 47.7 )	.	.	.	.
	12th	40.9	( 32.3 - 49.5 )	51.9	( 40.3 - 63.5 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	34.5	( 14.0 - 55.0 )	.	.	.	.
	White Hispanic	34.1	( 20.5 - 47.8 )	43.0	( 25.4 - 60.5 )	24.9	( 12.1 - 37.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 13. Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been using marijuana**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		41.1	( 24.6 - 57.7 )	41.5	( 26.2 - 56.8 )	39.1	( 15.5 - 62.7 )
<b>Age</b>	15 or younger	33.5	( 0.0 - 67.4 )	.	.	.	.
	16 or 17	42.1	( 24.3 - 59.8 )	38.7	( 25.3 - 52.0 )	43.0	( 14.9 - 71.0 )
	18 or older	44.0	( 33.7 - 54.3 )	51.9	( 31.1 - 72.7 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	44.3	( 25.1 - 63.5 )	.	.	.	.
	11th	40.7	( 16.0 - 65.3 )	.	.	40.3	( 1.8 - 78.8 )
	12th	41.5	( 28.4 - 54.6 )	43.5	( 26.7 - 60.3 )	35.7	( 14.6 - 56.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	45.6	( 36.3 - 54.9 )	.	.	.	.
	White Hispanic	34.4	( 14.0 - 54.8 )	33.3	( 19.4 - 47.2 )	34.5	( 0.2 - 68.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 14. Percentage of students who purposefully hurt themselves without wanting to die in the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		19.4	( 13.5 - 25.3 )	14.9	( 9.4 - 20.3 )	24.2	( 13.8 - 34.5 )
<b>Age</b>	15 or younger	21.9	( 12.7 - 31.0 )	.	.	.	.
	16 or 17	19.6	( 5.0 - 34.2 )	10.9	( 2.2 - 19.6 )	28.3	( 4.9 - 51.6 )
	18 or older	17.5	( 9.7 - 25.4 )	20.4	( 9.4 - 31.5 )	13.3	( 3.5 - 23.0 )
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	25.1	( 4.8 - 45.5 )	.	.	.	.
	11th	22.2	( 4.6 - 39.9 )	12.6	( 0.0 - 28.9 )	31.9	( 0.0 - 65.7 )
	12th	17.9	( 13.0 - 22.7 )	18.4	( 8.3 - 28.6 )	17.2	( 5.9 - 28.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	26.0	( 19.7 - 32.4 )	20.8	( 10.6 - 31.0 )	.	.
	White Hispanic	15.8	( 11.5 - 20.1 )	10.9	( 6.2 - 15.6 )	19.9	( 11.5 - 28.3 )
	Other	28.5	( 17.7 - 39.4 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 15. Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		22.8	( 11.6 - 34.0 )	31.9	( 15.8 - 47.9 )	12.4	( 3.8 - 21.0 )
<b>Age</b>	15 or younger	17.1	( 6.6 - 27.7 )	25.5	( 3.8 - 47.3 )	9.5	( 2.7 - 16.3 )
	16 or 17	27.4	( 9.2 - 45.5 )	38.8	( 15.1 - 62.5 )	14.7	( 0.7 - 28.6 )
	18 or older	17.5	( 10.1 - 24.8 )	22.9	( 14.9 - 31.0 )	9.5	( 0.0 - 20.2 )
<b>Grade</b>	9th	18.1	( 4.7 - 31.5 )	23.0	( 0.0 - 46.4 )	.	.
	10th	24.4	( 5.2 - 43.5 )	28.6	( 3.3 - 53.9 )	20.0	( 0.0 - 41.5 )
	11th	29.0	( 0.0 - 58.1 )	46.3	( 10.6 - 82.0 )	11.2	( 0.0 - 24.7 )
	12th	20.0	( 13.8 - 26.2 )	27.8	( 19.5 - 36.0 )	9.3	( 1.6 - 17.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	32.4	( 16.0 - 48.8 )	43.6	( 15.4 - 71.9 )	16.6	( 2.5 - 30.8 )
	White Hispanic	15.3	( 9.3 - 21.2 )	24.0	( 18.7 - 29.3 )	7.0	( 1.8 - 12.2 )
	Other	32.0	( 17.1 - 46.9 )	37.9	( 18.3 - 57.4 )	26.8	( 0.0 - 60.7 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 16. Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	8.2	( 1.2 - 15.2 )	11.3	( 1.3 - 21.2 )	5.0	( 0.0 - 10.8 )
<b>Age</b>	15 or younger	5.6	( 0.0 - 15.9 )	10.1	( 0.0 - 31.0 )	1.6	( 0.0 - 3.1 )
	16 or 17	10.3	( 0.0 - 21.9 )	13.9	( 0.0 - 31.0 )	6.7	( 0.0 - 15.4 )
	18 or older	5.8	( 0.0 - 12.3 )	7.1	( 0.0 - 14.3 )	3.9	( 0.0 - 11.1 )
<b>Grade</b>	9th	5.5	( 0.0 - 18.4 )	10.4	( 0.0 - 32.9 )	.	.
	10th	11.3	( 2.6 - 20.0 )	11.7	( 0.0 - 25.0 )	10.9	( 0.0 - 26.3 )
	11th	13.2	( 0.0 - 30.1 )	20.6	( 0.0 - 41.7 )	5.5	( 0.0 - 15.0 )
	12th	5.4	( 0.8 - 10.0 )	6.9	( 1.4 - 12.3 )	3.7	( 0.0 - 9.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	10.3	( 0.0 - 21.2 )	15.9	( 0.1 - 31.6 )	3.9	( 0.0 - 9.6 )
	White Hispanic	4.5	( 0.9 - 8.1 )	6.8	( 0.0 - 13.5 )	2.3	( 0.1 - 4.5 )
	Other	15.0	( 0.3 - 29.7 )	14.5	( 0.0 - 32.4 )	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 17. Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	6.8	( 3.1 - 10.5 )	6.3	( 1.1 - 11.6 )	6.5	( 0.8 - 12.2 )
<b>Age</b>	15 or younger	4.0	( 0.0 - 9.5 )	2.0	( 0.0 - 5.2 )	6.0	( 0.0 - 15.9 )
	16 or 17	7.2	( 3.8 - 10.7 )	6.7	( 1.3 - 12.2 )	7.1	( 0.2 - 13.9 )
	18 or older	7.7	( 2.4 - 13.1 )	8.1	( 0.0 - 17.3 )	5.9	( 0.0 - 14.5 )
<b>Grade</b>	9th	3.5	( 0.0 - 10.9 )	0.7	( 0.0 - 2.2 )	.	.
	10th	11.0	( 0.1 - 21.9 )	8.1	( 0.0 - 17.4 )	13.9	( 0.0 - 35.8 )
	11th	5.9	( 2.6 - 9.3 )	6.7	( 0.0 - 14.6 )	5.1	( 0.4 - 9.9 )
	12th	6.3	( 1.2 - 11.5 )	7.2	( 0.0 - 16.9 )	4.5	( 0.0 - 10.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	21.6	( 13.5 - 29.7 )	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	5.8	( 1.8 - 9.7 )	5.3	( 0.0 - 13.1 )	5.5	( 0.3 - 10.7 )
	White Hispanic	4.9	( 0.4 - 9.5 )	6.1	( 0.0 - 12.3 )	3.8	( 0.0 - 8.6 )
	Other	9.2	( 2.5 - 16.0 )	6.4	( 0.0 - 16.0 )	11.7	( 0.6 - 22.8 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 18. Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	7.9	( 3.1 - 12.7 )	9.7	( 3.4 - 16.1 )	5.3	( 0.1 - 10.5 )
<b>Age</b>	15 or younger	2.1	( 0.1 - 4.2 )	4.2	( 1.3 - 7.1 )	0.0	( 0.0 - 0.0 )
	16 or 17	9.3	( 2.4 - 16.2 )	12.7	( 0.9 - 24.6 )	4.4	( 1.0 - 7.7 )
	18 or older	8.8	( 1.2 - 16.3 )	7.4	( 1.1 - 13.8 )	11.5	( 0.2 - 22.8 )
<b>Grade</b>	9th	1.1	( 0.0 - 3.0 )	0.6	( 0.0 - 1.7 )	.	.
	10th	5.3	( 0.0 - 10.9 )	10.6	( 1.0 - 20.1 )	0.0	( 0.0 - 0.0 )
	11th	12.7	( 4.4 - 21.0 )	19.1	( 6.7 - 31.5 )	5.9	( 0.0 - 12.0 )
	12th	7.0	( 2.6 - 11.4 )	7.2	( 1.6 - 12.8 )	6.8	( 0.0 - 13.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	24.4	( 16.1 - 32.7 )	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	7.2	( 1.7 - 12.7 )	9.8	( 0.4 - 19.2 )	4.0	( 0.0 - 9.0 )
	White Hispanic	5.3	( 0.2 - 10.5 )	6.1	( 0.0 - 12.5 )	4.2	( 0.0 - 10.4 )
	Other	13.4	( 3.6 - 23.3 )	23.0	( 6.1 - 39.9 )	2.6	( 0.0 - 7.8 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 19. Percentage of students who were in a physical fight one or more times during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		30.4	( 18.8 - 42.0 )	33.2	( 22.5 - 43.9 )	26.5	( 12.3 - 40.8 )
<b>Age</b>	15 or younger	34.1	( 16.4 - 51.8 )	41.5	( 27.4 - 55.5 )	26.6	( 6.4 - 46.8 )
	16 or 17	31.1	( 16.1 - 46.1 )	30.3	( 17.7 - 42.9 )	30.2	( 9.7 - 50.6 )
	18 or older	26.7	( 19.3 - 34.1 )	33.9	( 22.3 - 45.5 )	18.2	( 9.0 - 27.4 )
<b>Grade</b>	9th	26.8	( 15.4 - 38.2 )	29.0	( 9.2 - 48.8 )	.	.
	10th	41.7	( 18.1 - 65.3 )	44.0	( 20.0 - 67.9 )	39.5	( 4.1 - 74.8 )
	11th	33.7	( 18.4 - 49.1 )	39.5	( 24.3 - 54.8 )	27.3	( 10.6 - 44.0 )
	12th	24.1	( 13.5 - 34.7 )	27.3	( 14.9 - 39.7 )	19.2	( 4.6 - 33.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	45.0	( 24.0 - 66.0 )	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	28.0	( 22.0 - 34.0 )	33.6	( 25.4 - 41.8 )	20.0	( 12.4 - 27.6 )
	White Hispanic	30.0	( 13.7 - 46.3 )	33.1	( 17.9 - 48.3 )	27.0	( 6.7 - 47.3 )
	Other	31.6	( 19.6 - 43.6 )	30.4	( 19.5 - 41.2 )	33.7	( 4.4 - 63.1 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 20. Among students who dated or went out with someone during the past 12 months, the percentage who had been physically hurt on purpose by someone they were dating or going out with one or more times during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	11.4	( 5.5 - 17.3 )	8.4	( 4.2 - 12.6 )	15.4	( 5.0 - 25.9 )
<b>Age</b>	15 or younger	10.8	( 0.0 - 25.3 )	11.8	( 0.0 - 30.0 )	.	.
	16 or 17	14.4	( 5.8 - 22.9 )	9.3	( 4.6 - 14.1 )	20.9	( 3.2 - 38.5 )
	18 or older	6.1	( 2.4 - 9.8 )	5.1	( 0.0 - 10.3 )	7.7	( 1.1 - 14.2 )
<b>Grade</b>	9th	8.2	( 1.7 - 14.7 )	.	.	.	.
	10th	9.3	( 0.7 - 17.9 )	5.6	( 0.1 - 11.1 )	.	.
	11th	7.4	( 2.5 - 12.4 )	5.7	( 0.0 - 11.5 )	9.7	( 0.1 - 19.3 )
	12th	15.1	( 5.5 - 24.6 )	11.2	( 4.8 - 17.7 )	21.0	( 4.8 - 37.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	11.5	( 5.8 - 17.3 )	7.6	( 0.0 - 18.0 )	.	.
	White Hispanic	9.9	( 0.6 - 19.3 )	7.6	( 0.3 - 14.9 )	12.7	( 0.0 - 26.6 )
	Other	20.1	( 6.5 - 33.7 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 21. Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		11.8	( 4.9 - 18.6 )	8.7	( 2.5 - 15.0 )	15.7	( 3.9 - 27.5 )
<b>Age</b>	15 or younger	10.2	( 2.2 - 18.3 )	12.3	( 0.0 - 28.4 )	8.0	( 3.4 - 12.7 )
	16 or 17	12.6	( 4.5 - 20.7 )	6.2	( 2.0 - 10.4 )	20.7	( 0.0 - 41.8 )
	18 or older	11.1	( 4.7 - 17.5 )	11.6	( 0.6 - 22.7 )	.	.
<b>Grade</b>	9th	4.4	( 0.0 - 10.1 )	.	.	.	.
	10th	8.3	( 1.9 - 14.6 )	6.7	( 0.0 - 14.6 )	9.8	( 0.0 - 20.8 )
	11th	11.4	( 4.7 - 18.2 )	5.2	( 0.0 - 11.4 )	18.9	( 0.5 - 37.3 )
	12th	14.6	( 0.5 - 28.7 )	12.2	( 0.0 - 25.2 )	18.0	( 0.0 - 36.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	12.1	( 4.8 - 19.5 )	6.1	( 0.0 - 13.9 )	20.2	( 7.2 - 33.2 )
	White Hispanic	9.4	( 0.7 - 18.2 )	7.6	( 0.7 - 14.4 )	11.6	( 0.0 - 23.8 )
	Other	24.3	( 5.1 - 43.4 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 22. Percentage of students who had been threatened or injured as a result of gang activity in the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		8.4	( 2.9 - 13.9 )	11.4	( 2.6 - 20.3 )	4.5	( 0.0 - 9.3 )
<b>Age</b>	15 or younger	11.8	( 0.0 - 25.9 )	.	.	.	.
	16 or 17	5.2	( 3.1 - 7.3 )	5.9	( 1.2 - 10.6 )	4.4	( 0.0 - 10.3 )
	18 or older	11.8	( 2.7 - 21.0 )	17.6	( 2.6 - 32.6 )	1.7	( 0.0 - 5.3 )
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	9.7	( 1.1 - 18.2 )	.	.	.	.
	11th	6.4	( 1.2 - 11.5 )	11.6	( 0.0 - 23.8 )	0.4	( 0.0 - 1.5 )
	12th	9.5	( 2.2 - 16.8 )	14.2	( 0.0 - 29.1 )	3.1	( 0.0 - 8.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	4.0	( 0.0 - 9.8 )	4.9	( 0.0 - 15.1 )	.	.
	White Hispanic	7.9	( 2.0 - 13.9 )	9.6	( 2.7 - 16.6 )	6.3	( 0.0 - 15.3 )
	Other	24.7	( 0.1 - 49.4 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 23. Percentage of students who had ever been bullied on school property during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		10.0	( 4.0 - 16.0 )	5.2	( 2.1 - 8.3 )	13.8	( 6.9 - 20.6 )
<b>Age</b>	15 or younger	8.6	( 3.6 - 13.6 )	6.5	( 0.0 - 16.0 )	10.7	( 4.4 - 16.9 )
	16 or 17	10.0	( 3.6 - 16.5 )	4.9	( 0.0 - 9.7 )	15.3	( 6.7 - 24.0 )
	18 or older	10.8	( 1.8 - 19.9 )	5.1	( 2.1 - 8.0 )	12.7	( 1.2 - 24.2 )
<b>Grade</b>	9th	8.0	( 3.3 - 12.6 )	4.0	( 0.0 - 9.9 )	.	.
	10th	8.9	( 0.4 - 17.4 )	4.3	( 0.0 - 9.0 )	13.6	( 0.0 - 27.7 )
	11th	8.3	( 2.9 - 13.7 )	0.0	( 0.0 - 0.0 )	17.4	( 5.0 - 29.8 )
	12th	10.9	( 3.0 - 18.8 )	7.0	( 3.2 - 10.8 )	12.6	( 2.5 - 22.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	12.9	( 0.0 - 26.3 )	3.3	( 0.0 - 7.8 )	22.2	( 8.4 - 36.0 )
	White Hispanic	6.5	( 3.8 - 9.3 )	4.3	( 0.0 - 9.8 )	8.8	( 4.7 - 13.0 )
	Other	17.6	( 0.0 - 35.5 )	21.3	( 0.0 - 48.7 )	12.4	( 0.3 - 24.4 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 24. Percentage of students who had ever been electronically bullied during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		12.4	( 7.0 - 17.8 )	8.8	( 4.2 - 13.4 )	16.2	( 9.0 - 23.3 )
<b>Age</b>	15 or younger	11.0	( 2.5 - 19.5 )	8.5	( 0.0 - 20.2 )	13.4	( 1.0 - 25.7 )
	16 or 17	13.6	( 5.4 - 21.8 )	8.6	( 3.0 - 14.3 )	18.8	( 6.3 - 31.3 )
	18 or older	10.9	( 5.6 - 16.2 )	9.2	( 2.5 - 16.0 )	12.3	( 8.1 - 16.4 )
<b>Grade</b>	9th	6.7	( 0.0 - 16.2 )	0.6	( 0.0 - 1.7 )	.	.
	10th	11.9	( 3.3 - 20.5 )	7.3	( 0.7 - 13.8 )	16.7	( 2.1 - 31.3 )
	11th	14.3	( 7.8 - 20.7 )	9.7	( 3.8 - 15.6 )	19.3	( 5.6 - 33.1 )
	12th	12.6	( 6.4 - 18.9 )	11.1	( 1.6 - 20.6 )	14.5	( 7.7 - 21.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	16.5	( 4.5 - 28.4 )	11.5	( 1.8 - 21.2 )	23.4	( 9.3 - 37.4 )
	White Hispanic	8.8	( 2.4 - 15.1 )	4.8	( 0.0 - 10.7 )	12.8	( 2.4 - 23.2 )
	Other	10.9	( 2.6 - 19.1 )	11.4	( 0.0 - 27.4 )	9.5	( 0.0 - 20.7 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 25. Percentage of students who had been teased or name called because of race or ethnic background in the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		9.9	( 5.5 - 14.3 )	12.1	( 5.2 - 19.0 )	7.4	( 3.6 - 11.3 )
<b>Age</b>	15 or younger	5.4	( 1.0 - 9.8 )	.	.	.	.
	16 or 17	9.0	( 3.1 - 14.9 )	8.9	( 2.2 - 15.6 )	9.2	( 1.3 - 17.2 )
	18 or older	14.0	( 6.8 - 21.2 )	19.7	( 6.0 - 33.3 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	10.2	( 2.9 - 17.4 )	.	.	.	.
	11th	8.3	( 0.0 - 21.2 )	8.3	( 0.0 - 19.1 )	8.4	( 0.0 - 25.6 )
	12th	12.0	( 7.8 - 16.3 )	17.8	( 7.3 - 28.3 )	5.2	( 0.0 - 11.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	11.2	( 0.4 - 22.0 )	16.4	( 1.6 - 31.2 )	.	.
	White Hispanic	8.0	( 5.1 - 10.9 )	6.0	( 0.9 - 11.1 )	9.9	( 3.8 - 16.0 )
	Other	17.7	( 0.0 - 42.7 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 26. Percentage of students who had been teased or name called because of perceived sexual orientation in the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		6.0	( 1.4 - 10.6 )	4.7	( 0.0 - 10.3 )	7.7	( 0.0 - 15.4 )
<b>Age</b>	15 or younger	9.0	( 0.0 - 25.6 )	.	.	.	.
	16 or 17	7.1	( 2.1 - 12.1 )	2.6	( 0.3 - 4.9 )	12.2	( 0.0 - 25.7 )
	18 or older	1.9	( 0.0 - 5.9 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	8.3	( 0.0 - 21.5 )	.	.	.	.
	11th	9.5	( 1.8 - 17.1 )	.	.	.	.
	12th	4.4	( 0.0 - 12.4 )	5.9	( 0.0 - 15.7 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	8.3	( 2.0 - 14.6 )	4.0	( 0.0 - 14.9 )	.	.
	White Hispanic	2.7	( 0.2 - 5.2 )	1.4	( 0.0 - 3.8 )	4.0	( 0.0 - 11.5 )
	Other	14.0	( 0.0 - 30.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 27. Percentage of students who reported their mental health as not good one or more days during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		59.8	( 50.6 - 68.9 )	49.6	( 41.5 - 57.6 )	71.6	( 60.9 - 82.2 )
<b>Age</b>	15 or younger	50.5	( 39.6 - 61.5 )	.	.	.	.
	16 or 17	63.5	( 53.8 - 73.3 )	51.0	( 40.1 - 61.8 )	76.9	( 62.4 - 91.3 )
	18 or older	58.9	( 38.1 - 79.7 )	54.9	( 33.9 - 75.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	56.5	( 42.7 - 70.3 )	.	.	.	.
	11th	68.3	( 56.8 - 79.9 )	57.2	( 39.6 - 74.7 )	80.6	( 68.5 - 92.7 )
	12th	61.1	( 46.0 - 76.3 )	55.1	( 36.4 - 73.7 )	68.1	( 53.2 - 82.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	67.9	( 52.5 - 83.3 )	65.3	( 53.8 - 76.9 )	.	.
	White Hispanic	53.8	( 47.2 - 60.3 )	36.5	( 30.1 - 42.9 )	70.4	( 62.9 - 77.9 )
	Other	60.9	( 29.7 - 92.2 )	.	.	.	.

\*Non-Hispanic.

. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 28. Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	32.3	( 25.9 - 38.8 )	22.9	( 14.5 - 31.3 )	43.7	( 33.8 - 53.5 )
<b>Age</b>	15 or younger	31.3	( 19.0 - 43.6 )	20.6	( 2.8 - 38.5 )	41.7	( 21.0 - 62.4 )
	16 or 17	33.4	( 23.1 - 43.7 )	22.2	( 10.8 - 33.5 )	46.1	( 26.2 - 66.1 )
	18 or older	30.9	( 24.1 - 37.7 )	25.5	( 15.7 - 35.2 )	39.3	( 26.4 - 52.1 )
<b>Grade</b>	9th	25.7	( 8.8 - 42.6 )	.	.	.	.
	10th	36.8	( 25.8 - 47.8 )	26.1	( 8.2 - 44.0 )	47.3	( 28.0 - 66.6 )
	11th	36.0	( 18.6 - 53.3 )	24.4	( 9.0 - 39.9 )	48.3	( 12.8 - 83.8 )
	12th	30.3	( 23.5 - 37.1 )	24.4	( 17.3 - 31.5 )	39.4	( 30.9 - 47.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	33.2	( 25.8 - 40.6 )	24.9	( 8.9 - 40.9 )	46.0	( 27.2 - 64.8 )
	White Hispanic	31.6	( 22.9 - 40.2 )	21.8	( 12.5 - 31.1 )	41.6	( 25.5 - 57.8 )
	Other	32.9	( 18.6 - 47.3 )	25.1	( 10.3 - 39.9 )	43.0	( 21.5 - 64.6 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 29. Percentage of students who seriously considered attempting suicide during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		15.0	( 10.5 - 19.4 )	10.1	( 4.2 - 15.9 )	20.8	( 12.7 - 28.9 )
<b>Age</b>	15 or younger	11.3	( 4.5 - 18.0 )	2.5	( 0.0 - 6.0 )	19.8	( 7.4 - 32.2 )
	16 or 17	18.6	( 10.4 - 26.8 )	14.6	( 3.0 - 26.1 )	23.9	( 10.5 - 37.3 )
	18 or older	10.1	( 6.4 - 13.8 )	6.0	( 0.0 - 12.8 )	14.7	( 9.0 - 20.5 )
<b>Grade</b>	9th	11.4	( 1.8 - 21.1 )	1.3	( 0.0 - 4.1 )	.	.
	10th	20.9	( 7.7 - 34.2 )	11.5	( 1.5 - 21.5 )	30.5	( 7.1 - 53.9 )
	11th	19.6	( 5.7 - 33.4 )	13.0	( 0.0 - 26.4 )	26.9	( 5.1 - 48.8 )
	12th	11.5	( 8.8 - 14.2 )	10.5	( 5.2 - 15.7 )	12.6	( 8.5 - 16.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	19.0	( 13.7 - 24.4 )	13.0	( 6.6 - 19.3 )	27.3	( 15.3 - 39.2 )
	White Hispanic	11.3	( 8.3 - 14.4 )	7.1	( 0.7 - 13.5 )	15.8	( 11.9 - 19.7 )
	Other	14.8	( 9.2 - 20.4 )	16.8	( 7.2 - 26.4 )	11.6	( 0.0 - 24.2 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 30. Percentage of students who made a plan about how they would attempt suicide during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		13.8	( 10.6 - 16.9 )	9.1	( 5.3 - 13.0 )	19.3	( 13.3 - 25.3 )
<b>Age</b>	15 or younger	14.4	( 4.8 - 24.0 )	10.0	( 0.0 - 26.1 )	18.7	( 5.4 - 32.0 )
	16 or 17	16.2	( 11.8 - 20.6 )	10.9	( 7.7 - 14.0 )	23.0	( 12.1 - 33.8 )
	18 or older	8.6	( 6.1 - 11.2 )	5.4	( 1.1 - 9.7 )	11.8	( 6.0 - 17.5 )
<b>Grade</b>	9th	13.0	( 3.7 - 22.3 )	2.8	( 0.0 - 8.6 )	.	.
	10th	16.5	( 2.6 - 30.3 )	6.1	( 0.0 - 13.2 )	27.1	( 3.1 - 51.0 )
	11th	16.6	( 10.5 - 22.8 )	10.2	( 1.2 - 19.2 )	24.0	( 4.7 - 43.2 )
	12th	12.1	( 8.3 - 15.8 )	11.1	( 3.8 - 18.4 )	13.0	( 8.2 - 17.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	14.4	( 7.7 - 21.2 )	7.9	( 0.0 - 17.4 )	22.9	( 14.6 - 31.3 )
	White Hispanic	11.2	( 8.5 - 13.8 )	7.0	( 1.0 - 13.0 )	15.6	( 11.6 - 19.6 )
	Other	14.7	( 6.0 - 23.3 )	15.3	( 5.1 - 25.6 )	13.2	( 2.6 - 23.7 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 31. Percentage of students who actually attempted suicide one or more times during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		9.4	( 5.0 - 13.9 )	6.6	( 2.7 - 10.6 )	13.0	( 5.0 - 21.0 )
<b>Age</b>	15 or younger	7.8	( 0.0 - 18.3 )	5.9	( 0.0 - 18.6 )	9.6	( 0.0 - 26.7 )
	16 or 17	12.7	( 4.6 - 20.8 )	8.4	( 0.9 - 15.9 )	18.2	( 3.9 - 32.4 )
	18 or older	4.1	( 0.1 - 8.1 )	3.8	( 0.0 - 8.7 )	4.3	( 0.0 - 8.9 )
<b>Grade</b>	9th	8.1	( 0.0 - 19.7 )	0.0	( 0.0 - 0.0 )	.	.
	10th	13.2	( 1.2 - 25.1 )	7.0	( 0.0 - 16.1 )	19.5	( 0.0 - 44.6 )
	11th	11.0	( 2.6 - 19.5 )	3.6	( 0.0 - 9.1 )	19.3	( 0.0 - 40.5 )
	12th	8.0	( 4.0 - 11.9 )	9.7	( 2.8 - 16.5 )	6.0	( 0.9 - 11.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	13.4	( 8.6 - 18.1 )	9.9	( 3.1 - 16.7 )	19.1	( 11.6 - 26.5 )
	White Hispanic	5.6	( 1.4 - 9.8 )	4.4	( 0.0 - 12.0 )	7.0	( 2.0 - 12.0 )
	Other	11.5	( 2.6 - 20.5 )	12.6	( 2.9 - 22.3 )	10.5	( 0.0 - 21.9 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 32. Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	4.0	( 1.4 - 6.6 )	2.9	( 0.2 - 5.7 )	5.3	( 0.8 - 9.8 )
<b>Age</b>	15 or younger	5.2	( 0.0 - 13.1 )	6.1	( 0.0 - 19.0 )	4.4	( 0.0 - 12.5 )
	16 or 17	4.8	( 1.3 - 8.4 )	3.4	( 0.0 - 7.5 )	6.6	( 0.0 - 14.6 )
	18 or older	1.6	( 0.0 - 3.8 )	0.1	( 0.0 - 0.4 )	3.0	( 0.0 - 7.4 )
<b>Grade</b>	9th	3.7	( 0.0 - 9.4 )	.	.	.	.
	10th	6.8	( 0.0 - 15.9 )	0.0	( 0.0 - 0.0 )	13.5	( 0.0 - 34.7 )
	11th	3.3	( 0.0 - 7.5 )	2.4	( 0.0 - 5.9 )	4.4	( 0.0 - 11.3 )
	12th	3.5	( 0.1 - 7.0 )	4.8	( 0.0 - 11.3 )	1.8	( 0.0 - 4.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	4.3	( 0.0 - 8.7 )	3.3	( 0.0 - 10.0 )	6.0	( 0.7 - 11.2 )
	White Hispanic	3.1	( 0.0 - 6.3 )	2.8	( 0.0 - 8.7 )	3.3	( 0.2 - 6.5 )
	Other	2.6	( 0.0 - 5.6 )	3.2	( 0.0 - 7.3 )	2.1	( 0.0 - 6.4 )

\*Non-Hispanic.

. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 33. Percentage of students who have ever smoked a whole cigarette**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		50.6	( 30.9 - 70.3 )	59.3	( 41.9 - 76.7 )	40.5	( 19.1 - 61.8 )
<b>Age</b>	15 or younger	36.1	( 15.4 - 56.8 )	50.0	( 26.2 - 73.8 )	21.8	( 4.2 - 39.4 )
	16 or 17	50.3	( 28.6 - 72.0 )	55.1	( 38.4 - 71.8 )	44.1	( 17.2 - 71.1 )
	18 or older	60.0	( 46.9 - 73.1 )	72.0	( 55.3 - 88.7 )	46.2	( 31.5 - 60.8 )
<b>Grade</b>	9th	35.7	( 9.8 - 61.6 )	43.4	( 10.6 - 76.1 )	.	.
	10th	44.7	( 22.1 - 67.2 )	56.1	( 34.6 - 77.6 )	33.1	( 13.0 - 53.2 )
	11th	55.3	( 24.5 - 86.1 )	63.8	( 41.1 - 86.4 )	46.3	( 7.7 - 85.0 )
	12th	53.9	( 39.9 - 67.9 )	63.0	( 48.0 - 78.1 )	43.2	( 27.6 - 58.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	63.8	( 53.5 - 74.0 )	74.7	( 67.4 - 82.0 )	50.5	( 34.5 - 66.5 )
	White Hispanic	42.8	( 19.0 - 66.6 )	51.6	( 29.9 - 73.4 )	33.5	( 10.1 - 56.9 )
	Other	55.6	( 40.3 - 70.8 )	57.8	( 27.8 - 87.8 )	54.2	( 28.8 - 79.7 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 34. Percentage of students who smoked a whole cigarette for the first time before age 13 years**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	19.4	( 9.0 - 29.8 )	25.2	( 14.7 - 35.8 )	12.5	( 4.2 - 20.9 )
<b>Age</b>	15 or younger	18.9	( 1.7 - 36.1 )	32.4	( 10.0 - 54.7 )	5.0	( 0.0 - 12.9 )
	16 or 17	23.2	( 9.1 - 37.4 )	28.0	( 13.5 - 42.5 )	17.4	( 3.9 - 30.9 )
	18 or older	12.3	( 4.5 - 20.0 )	16.1	( 5.0 - 27.2 )	7.3	( 1.3 - 13.3 )
<b>Grade</b>	9th	16.2	( 0.0 - 37.5 )	22.7	( 0.0 - 53.8 )	.	.
	10th	22.2	( 5.1 - 39.3 )	32.3	( 13.3 - 51.3 )	11.8	( 0.0 - 28.1 )
	11th	24.5	( 3.6 - 45.4 )	34.2	( 7.2 - 61.2 )	13.6	( 3.2 - 24.0 )
	12th	16.3	( 6.8 - 25.7 )	19.1	( 10.0 - 28.2 )	13.4	( 1.8 - 25.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	24.3	( 10.4 - 38.1 )	30.2	( 18.2 - 42.1 )	18.3	( 5.9 - 30.7 )
	White Hispanic	14.9	( 4.6 - 25.3 )	21.7	( 7.9 - 35.5 )	7.3	( 1.1 - 13.4 )
	Other	21.7	( 12.7 - 30.8 )	28.1	( 18.6 - 37.6 )	14.7	( 0.0 - 39.7 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 35. Percentage of students who smoked cigarettes on one or more of the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		34.6	( 16.3 - 52.9 )	43.3	( 23.7 - 62.9 )	24.0	( 6.1 - 41.9 )
<b>Age</b>	15 or younger	19.4	( 3.7 - 35.0 )	28.0	( 11.2 - 44.9 )	10.7	( 0.0 - 24.8 )
	16 or 17	37.2	( 15.6 - 58.9 )	44.4	( 23.6 - 65.2 )	28.2	( 4.3 - 52.0 )
	18 or older	38.9	( 23.0 - 54.8 )	49.8	( 26.9 - 72.7 )	25.0	( 12.0 - 38.0 )
<b>Grade</b>	9th	22.0	( 1.9 - 42.1 )	24.1	( 0.1 - 48.0 )	.	.
	10th	25.0	( 5.0 - 45.0 )	38.4	( 19.4 - 57.3 )	11.7	( 0.0 - 30.5 )
	11th	41.5	( 12.3 - 70.7 )	48.5	( 19.4 - 77.5 )	34.6	( 0.0 - 71.2 )
	12th	36.6	( 22.0 - 51.3 )	47.1	( 29.1 - 65.0 )	23.0	( 12.6 - 33.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	53.6	( 44.5 - 62.7 )	63.5	( 50.4 - 76.5 )	41.0	( 24.7 - 57.2 )
	White Hispanic	22.0	( 5.9 - 38.1 )	30.6	( 12.6 - 48.6 )	13.1	( 0.0 - 27.1 )
	Other	31.1	( 14.5 - 47.8 )	38.8	( 13.2 - 64.3 )	23.0	( 9.1 - 36.9 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 36. Percentage of students who smoked cigarettes on 20 or more of the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		20.2	( 4.4 - 36.0 )	25.1	( 5.9 - 44.3 )	13.8	( 0.0 - 27.8 )
<b>Age</b>	15 or younger	5.9	( 0.0 - 14.5 )	7.1	( 0.0 - 16.6 )	4.6	( 0.0 - 12.8 )
	16 or 17	24.0	( 4.7 - 43.4 )	28.9	( 7.3 - 50.4 )	17.1	( 0.0 - 34.5 )
	18 or older	21.5	( 7.1 - 35.9 )	28.2	( 9.5 - 46.9 )	13.5	( 0.0 - 28.9 )
<b>Grade</b>	9th	8.4	( 0.0 - 21.2 )	9.4	( 0.0 - 25.3 )	.	.
	10th	13.1	( 0.6 - 25.6 )	20.1	( 6.3 - 33.9 )	6.1	( 0.0 - 18.2 )
	11th	29.5	( 1.9 - 57.2 )	38.3	( 3.4 - 73.1 )	20.5	( 0.0 - 48.4 )
	12th	19.3	( 6.0 - 32.6 )	23.1	( 6.2 - 40.0 )	13.8	( 2.5 - 25.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	37.3	( 27.0 - 47.5 )	42.8	( 30.5 - 55.0 )	30.5	( 12.8 - 48.3 )
	White Hispanic	8.8	( 0.0 - 18.4 )	14.4	( 0.0 - 28.9 )	2.8	( 0.0 - 6.4 )
	Other	7.6	( 1.8 - 13.4 )	12.5	( 5.2 - 19.8 )	2.1	( 0.0 - 4.9 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 37. Percentage of students who smoked cigarettes or cigars, used chewing tobacco, snuff, or dip on one or more of past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		37.3	( 18.3 - 56.3 )	48.1	( 29.3 - 66.8 )	25.1	( 4.0 - 46.2 )
<b>Age</b>	15 or younger	26.4	( 0.0 - 53.0 )	.	.	.	.
	16 or 17	39.8	( 15.6 - 64.0 )	52.1	( 26.7 - 77.4 )	27.1	( 3.5 - 50.6 )
	18 or older	39.2	( 22.3 - 56.1 )	43.9	( 25.5 - 62.3 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	30.4	( 2.2 - 58.6 )	.	.	.	.
	11th	44.7	( 17.4 - 72.1 )	55.3	( 24.4 - 86.2 )	33.5	( 0.0 - 71.6 )
	12th	36.2	( 20.8 - 51.6 )	44.1	( 24.2 - 64.0 )	27.3	( 7.7 - 46.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	62.5	( 50.1 - 74.9 )	78.2	( 56.2 - 100.0 )	.	.
	White Hispanic	18.8	( 2.8 - 34.9 )	25.5	( 8.0 - 43.1 )	12.5	( 0.0 - 27.7 )
	Other	28.5	( 11.9 - 45.2 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 38. Percentage of students who feel it would be sort of easy or very easy to get cigarettes if they wanted**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		78.7	( 66.6 - 90.9 )	80.5	( 71.6 - 89.4 )	75.8	( 57.9 - 93.7 )
<b>Age</b>	15 or younger	60.8	( 39.2 - 82.3 )	.	.	.	.
	16 or 17	79.2	( 66.7 - 91.6 )	81.4	( 73.6 - 89.2 )	76.6	( 56.3 - 97.0 )
	18 or older	87.9	( 79.2 - 96.7 )	93.8	( 86.9 - 100.0 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	80.0	( 50.8 - 100.0 )	.	.	.	.
	11th	85.2	( 77.8 - 92.7 )	.	.	86.6	( 72.3 - 100.0 )
	12th	77.8	( 66.7 - 88.9 )	83.9	( 75.1 - 92.7 )	65.3	( 47.3 - 83.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	88.5	( 76.2 - 100.0 )	.	.	.	.
	White Hispanic	73.0	( 58.7 - 87.3 )	84.7	( 72.0 - 97.4 )	59.8	( 41.8 - 77.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 39. Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	16.1	( 5.3 - 27.0 )	14.6	( 1.0 - 28.1 )	12.9	( 0.1 - 25.6 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	15.3	( 4.0 - 26.6 )	12.9	( 0.0 - 26.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	8.9	( 0.0 - 20.0 )	.	.	.	.
	12th	.	.	.	.	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	9.9	( 0.0 - 20.3 )	.	.	.	.
	White Hispanic	19.4	( 2.4 - 36.4 )	.	.	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.

. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 40. Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		68.7	( 57.6 - 79.8 )	63.7	( 45.9 - 81.5 )	.	.
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	64.5	( 46.2 - 82.9 )	.	.	.	.
	18 or older	.	.	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	.	.	.	.	.	.
	12th	.	.	.	.	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	.	.	.	.	.	.
	White Hispanic	.	.	.	.	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 41. Among students who reported current cigarette use, the percentage of students who want to quit smoking either eventually or soon**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		76.6	( 61.0 - 92.2 )	73.8	( 58.3 - 89.4 )	.	.
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	.	.	.	.	.	.
	18 or older	.	.	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	.	.	.	.	.	.
	12th	.	.	.	.	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	.	.	.	.	.	.
	White Hispanic	.	.	.	.	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 42. Percentage of students who would definitely or probably smoke a cigarette offered by a friend**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	30.2	( 14.0 - 46.3 )	35.4	( 20.7 - 50.2 )	24.2	( 2.9 - 45.5 )
<b>Age</b>	15 or younger	24.3	( 3.0 - 45.6 )	.	.	.	.
	16 or 17	32.7	( 9.8 - 55.7 )	41.3	( 15.7 - 66.9 )	23.8	( 2.3 - 45.3 )
	18 or older	29.1	( 10.9 - 47.4 )	25.5	( 11.6 - 39.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	25.7	( 6.2 - 45.2 )	.	.	.	.
	11th	37.4	( 13.0 - 61.9 )	45.9	( 20.3 - 71.5 )	28.5	( 0.0 - 64.2 )
	12th	29.7	( 16.0 - 43.5 )	31.0	( 16.5 - 45.6 )	28.4	( 8.1 - 48.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	50.5	( 37.4 - 63.5 )	59.1	( 43.3 - 75.0 )	.	.
	White Hispanic	16.9	( 3.6 - 30.1 )	19.2	( 2.9 - 35.5 )	14.7	( 1.2 - 28.1 )
	Other	19.0	( 5.7 - 32.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 43. Percentage of students who think they would definitely or probably smoke a cigarette over the next 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		32.1	( 16.6 - 47.7 )	38.8	( 25.6 - 52.0 )	24.6	( 4.1 - 45.1 )
<b>Age</b>	15 or younger	24.9	( 2.7 - 47.1 )	.	.	.	.
	16 or 17	35.1	( 13.7 - 56.5 )	45.4	( 24.0 - 66.7 )	24.4	( 2.8 - 45.9 )
	18 or older	31.2	( 13.3 - 49.1 )	29.9	( 16.1 - 43.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	27.8	( 7.3 - 48.2 )	.	.	.	.
	11th	39.1	( 15.2 - 63.0 )	46.7	( 20.9 - 72.5 )	31.1	( 0.0 - 65.8 )
	12th	32.0	( 18.8 - 45.3 )	35.9	( 20.6 - 51.2 )	27.7	( 8.1 - 47.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	53.0	( 39.8 - 66.1 )	63.6	( 49.8 - 77.3 )	.	.
	White Hispanic	18.1	( 6.1 - 30.1 )	20.6	( 4.1 - 37.0 )	15.8	( 3.7 - 27.9 )
	Other	20.6	( 4.4 - 36.8 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 44. Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		10.5	( 2.0 - 18.9 )	16.6	( 1.5 - 31.7 )	3.0	( 0.0 - 6.8 )
<b>Age</b>	15 or younger	4.5	( 0.0 - 12.3 )	8.2	( 0.0 - 21.9 )	1.0	( 0.0 - 3.5 )
	16 or 17	11.0	( 0.0 - 22.6 )	18.7	( 0.0 - 38.6 )	1.3	( 0.0 - 3.3 )
	18 or older	12.8	( 3.1 - 22.5 )	17.0	( 2.3 - 31.8 )	8.1	( 0.0 - 19.3 )
<b>Grade</b>	9th	1.4	( 0.0 - 4.8 )	.	.	.	.
	10th	2.0	( 0.0 - 4.6 )	4.2	( 0.0 - 8.7 )	0.0	( 0.0 - 0.0 )
	11th	14.5	( 0.0 - 37.3 )	26.7	( 0.0 - 65.4 )	1.7	( 0.0 - 4.6 )
	12th	13.4	( 6.1 - 20.7 )	19.7	( 7.3 - 32.1 )	4.5	( 0.0 - 10.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	21.0	( 6.2 - 35.9 )	32.2	( 6.1 - 58.4 )	5.7	( 0.0 - 13.4 )
	White Hispanic	3.0	( 0.0 - 6.3 )	5.1	( 0.0 - 11.2 )	0.7	( 0.0 - 2.4 )
	Other	7.5	( 4.1 - 11.0 )	10.1	( 3.5 - 16.7 )	4.8	( 0.0 - 12.2 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 45. Percentage of students who smoked a cigar, cigarillo, or little cigar during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		20.8	( 12.8 - 28.9 )	29.0	( 19.0 - 38.9 )	11.5	( 3.1 - 19.8 )
<b>Age</b>	15 or younger	16.4	( 0.0 - 35.0 )	.	.	.	.
	16 or 17	22.4	( 14.5 - 30.2 )	30.8	( 19.1 - 42.4 )	13.6	( 1.2 - 25.9 )
	18 or older	20.6	( 9.6 - 31.7 )	27.4	( 10.4 - 44.5 )	10.4	( 2.0 - 18.8 )
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	20.3	( 0.0 - 41.7 )	.	.	.	.
	11th	24.7	( 10.6 - 38.7 )	28.5	( 12.6 - 44.3 )	20.8	( 0.0 - 50.0 )
	12th	18.9	( 9.3 - 28.6 )	27.6	( 9.7 - 45.5 )	8.8	( 2.8 - 14.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	31.0	( 21.0 - 40.9 )	42.7	( 32.6 - 52.9 )	.	.
	White Hispanic	12.0	( 1.7 - 22.3 )	17.4	( 3.1 - 31.7 )	6.7	( 0.0 - 15.2 )
	Other	15.3	( 0.0 - 31.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 46. Percentage of students who think people who smoke one or more packs of cigarettes per day have a moderate/great risk of harming themselves**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		75.7	( 67.4 - 84.0 )	71.7	( 62.7 - 80.8 )	78.1	( 66.9 - 89.4 )
<b>Age</b>	15 or younger	76.8	( 60.6 - 93.1 )	.	.	.	.
	16 or 17	76.9	( 67.3 - 86.4 )	75.5	( 64.3 - 86.8 )	76.8	( 57.6 - 96.0 )
	18 or older	72.9	( 64.2 - 81.6 )	70.8	( 54.4 - 87.1 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	73.3	( 47.2 - 99.5 )	.	.	.	.
	11th	85.8	( 79.6 - 91.9 )	.	.	87.0	( 78.6 - 95.4 )
	12th	72.0	( 58.2 - 85.8 )	73.7	( 57.0 - 90.3 )	64.9	( 45.0 - 84.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	78.3	( 62.6 - 94.0 )	.	.	.	.
	White Hispanic	76.0	( 63.9 - 88.1 )	80.8	( 73.3 - 88.2 )	70.3	( 42.3 - 98.4 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 47. Percentage of students who think their parents would feel it is wrong/very wrong if they smoked cigarettes**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		77.7	( 63.4 - 92.0 )	74.8	( 57.4 - 92.2 )	82.0	( 67.3 - 96.7 )
<b>Age</b>	15 or younger	91.8	( 81.5 - 100.0 )	.	.	.	.
	16 or 17	76.1	( 61.2 - 91.0 )	75.5	( 57.7 - 93.4 )	77.9	( 58.3 - 97.4 )
	18 or older	73.1	( 57.8 - 88.4 )	61.0	( 43.7 - 78.3 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	74.9	( 52.8 - 97.0 )	.	.	.	.
	11th	79.5	( 60.3 - 98.6 )	.	.	80.4	( 53.8 - 100.0 )
	12th	75.2	( 62.6 - 87.8 )	69.8	( 52.1 - 87.6 )	85.6	( 75.9 - 95.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	59.0	( 46.2 - 71.8 )	.	.	.	.
	White Hispanic	89.3	( 81.5 - 97.1 )	86.3	( 74.5 - 98.2 )	91.9	( 84.4 - 99.5 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 48. Percentage of students who think adults in their neighborhood would feel it is wrong/very wrong if they smoked cigarettes**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		63.6	( 48.4 - 78.8 )	61.0	( 47.2 - 74.9 )	66.3	( 44.4 - 88.2 )
<b>Age</b>	15 or younger	73.0	( 55.3 - 90.8 )	.	.	.	.
	16 or 17	65.6	( 51.1 - 80.1 )	66.2	( 51.3 - 81.0 )	65.5	( 42.3 - 88.7 )
	18 or older	53.9	( 31.5 - 76.3 )	43.7	( 25.2 - 62.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	58.2	( 36.5 - 79.9 )	.	.	.	.
	11th	63.1	( 45.9 - 80.3 )	.	.	73.4	( 53.5 - 93.3 )
	12th	65.6	( 51.1 - 80.1 )	63.9	( 50.5 - 77.3 )	69.7	( 45.3 - 94.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	53.9	( 36.1 - 71.7 )	.	.	.	.
	White Hispanic	72.8	( 62.2 - 83.5 )	63.6	( 50.2 - 77.0 )	81.6	( 66.7 - 96.5 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 49. Percentage of students who have ever tried hookah**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		55.7	( 42.2 - 69.1 )	61.7	( 46.8 - 76.6 )	48.7	( 35.1 - 62.4 )
<b>Age</b>	15 or younger	29.6	( 13.1 - 46.0 )	.	.	.	.
	16 or 17	61.0	( 48.3 - 73.6 )	67.5	( 54.0 - 80.9 )	54.4	( 39.2 - 69.7 )
	18 or older	61.8	( 40.8 - 82.8 )	67.8	( 43.7 - 91.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	54.3	( 30.1 - 78.6 )	.	.	.	.
	11th	63.2	( 47.9 - 78.4 )	68.1	( 62.3 - 74.0 )	58.3	( 28.7 - 87.8 )
	12th	58.4	( 45.5 - 71.3 )	63.5	( 41.3 - 85.7 )	52.0	( 42.3 - 61.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	63.3	( 39.4 - 87.3 )	75.0	( 56.8 - 93.2 )	.	.
	White Hispanic	53.1	( 38.6 - 67.5 )	56.6	( 42.5 - 70.6 )	50.0	( 34.8 - 65.2 )
	Other	52.3	( 17.6 - 86.9 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 50. Percentage of students who have ever tried snus**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		10.4	( 1.1 - 19.7 )	16.8	( 4.7 - 28.9 )	3.1	( 0.0 - 9.7 )
<b>Age</b>	15 or younger	0.5	( 0.0 - 1.6 )	.	.	.	.
	16 or 17	11.3	( 1.1 - 21.6 )	20.3	( 4.8 - 35.8 )	1.9	( 0.0 - 6.0 )
	18 or older	14.6	( 0.0 - 34.9 )	19.0	( 0.0 - 42.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	6.8	( 0.0 - 15.5 )	.	.	.	.
	11th	11.1	( 0.0 - 25.3 )	21.0	( 0.0 - 43.0 )	0.0	( 0.0 - 0.0 )
	12th	13.0	( 0.0 - 27.2 )	20.1	( 1.2 - 39.1 )	4.9	( 0.0 - 14.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	22.4	( 9.8 - 34.9 )	33.7	( 19.9 - 47.4 )	.	.
	White Hispanic	3.0	( 0.0 - 6.6 )	6.2	( 0.1 - 12.3 )	0.0	( 0.0 - 0.0 )
	Other	6.1	( 2.2 - 10.1 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 51. Percentage of students who have ever tried dissolvables**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		5.8	( 0.0 - 12.6 )	6.0	( 0.0 - 13.3 )	5.6	( 0.0 - 13.5 )
<b>Age</b>	15 or younger	6.5	( 0.0 - 19.5 )	.	.	.	.
	16 or 17	5.1	( 0.0 - 13.7 )	5.7	( 0.0 - 11.8 )	4.6	( 0.0 - 15.8 )
	18 or older	6.5	( 0.0 - 13.8 )	2.9	( 0.0 - 8.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	1.6	( 0.0 - 5.0 )	.	.	.	.
	11th	4.0	( 0.0 - 10.8 )	7.5	( 0.0 - 18.5 )	0.0	( 0.0 - 0.0 )
	12th	6.8	( 0.0 - 14.0 )	2.3	( 0.0 - 6.8 )	12.0	( 0.0 - 27.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	10.0	( 3.5 - 16.5 )	6.9	( 0.2 - 13.7 )	.	.
	White Hispanic	1.1	( 0.0 - 2.9 )	1.3	( 0.0 - 3.1 )	0.8	( 0.0 - 2.9 )
	Other	22.3	( 0.0 - 60.9 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 52. Percentage of students who have ever tried e-cigarettes**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		28.9	( 9.3 - 48.4 )	37.1	( 16.0 - 58.2 )	19.6	( 2.5 - 36.7 )
<b>Age</b>	15 or younger	17.3	( 0.0 - 37.5 )	.	.	.	.
	16 or 17	31.5	( 5.9 - 57.2 )	40.0	( 11.8 - 68.2 )	22.7	( 0.3 - 45.1 )
	18 or older	31.1	( 10.3 - 51.9 )	36.9	( 13.9 - 59.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	26.0	( 3.2 - 48.9 )	.	.	.	.
	11th	40.1	( 13.7 - 66.4 )	46.5	( 16.4 - 76.6 )	33.4	( 0.0 - 67.9 )
	12th	25.4	( 8.3 - 42.4 )	31.6	( 11.3 - 51.9 )	18.3	( 3.1 - 33.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	51.9	( 36.3 - 67.6 )	67.2	( 54.0 - 80.5 )	.	.
	White Hispanic	14.2	( 4.6 - 23.7 )	17.1	( 7.6 - 26.5 )	11.4	( 0.8 - 22.1 )
	Other	28.2	( 7.8 - 48.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 53. Percentage of students who have ever tried bidis**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		0.4	( 0.0 - 1.3 )	0.8	( 0.0 - 2.3 )	0.0	( 0.0 - 0.0 )
<b>Age</b>	15 or younger	0.0	( 0.0 - 0.0 )	.	.	.	.
	16 or 17	0.4	( 0.0 - 1.2 )	0.9	( 0.0 - 2.1 )	0.0	( 0.0 - 0.0 )
	18 or older	0.7	( 0.0 - 2.1 )	1.1	( 0.0 - 3.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	0.0	( 0.0 - 0.0 )	.	.	.	.
	11th	1.5	( 0.0 - 4.7 )	2.8	( 0.0 - 8.7 )	0.0	( 0.0 - 0.0 )
	12th	0.0	( 0.0 - 0.0 )	0.0	( 0.0 - 0.0 )	0.0	( 0.0 - 0.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	0.5	( 0.0 - 1.6 )	0.9	( 0.0 - 2.7 )	.	.
	White Hispanic	0.3	( 0.0 - 1.2 )	0.7	( 0.0 - 2.4 )	0.0	( 0.0 - 0.0 )
	Other	1.2	( 0.0 - 3.5 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 54. Percentage of students who have never tried any of these types of tobacco: hookah, snus, dissolvables, e-cigarettes, bidis**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		21.8	( 8.2 - 35.3 )	17.1	( 6.2 - 28.1 )	26.9	( 8.8 - 44.9 )
<b>Age</b>	15 or younger	39.0	( 25.3 - 52.8 )	.	.	.	.
	16 or 17	19.6	( 5.0 - 34.1 )	16.9	( 6.2 - 27.6 )	21.9	( 0.0 - 44.1 )
	18 or older	15.2	( 1.7 - 28.6 )	12.0	( 0.0 - 27.3 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	35.3	( 18.5 - 52.0 )	.	.	.	.
	11th	17.5	( 4.7 - 30.3 )	14.1	( 2.4 - 25.8 )	20.4	( 0.0 - 46.0 )
	12th	17.1	( 5.2 - 29.0 )	14.3	( 1.0 - 27.6 )	20.5	( 3.7 - 37.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	16.7	( 3.4 - 30.1 )	5.7	( 0.0 - 13.6 )	.	.
	White Hispanic	25.8	( 8.8 - 42.8 )	26.6	( 14.5 - 38.6 )	24.6	( 1.3 - 47.9 )
	Other	17.1	( 8.9 - 25.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 55. Percentage of students who don't know what any of these types of tobacco are: hookah, snus, dissolvables, e-cigarettes, bidis**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		18.7	( 10.7 - 26.7 )	15.9	( 5.3 - 26.4 )	22.2	( 13.6 - 30.7 )
<b>Age</b>	15 or younger	21.6	( 6.3 - 37.0 )	.	.	.	.
	16 or 17	17.7	( 10.9 - 24.5 )	13.1	( 3.7 - 22.4 )	22.8	( 13.2 - 32.5 )
	18 or older	18.7	( 5.3 - 32.2 )	17.7	( 1.2 - 34.1 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	8.4	( 0.0 - 20.8 )	.	.	.	.
	11th	16.1	( 9.3 - 22.9 )	13.2	( 3.1 - 23.4 )	19.6	( 3.1 - 36.0 )
	12th	23.1	( 9.0 - 37.3 )	21.1	( 0.0 - 42.3 )	25.8	( 9.3 - 42.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	13.5	( 2.6 - 24.4 )	10.6	( 0.0 - 22.2 )	.	.
	White Hispanic	21.7	( 13.4 - 29.9 )	19.6	( 13.6 - 25.6 )	23.8	( 10.9 - 36.8 )
	Other	6.5	( 0.3 - 12.7 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 56. Percentage of students who were inside their home while someone was smoking a cigarette, cigar, or pipe during the past 7 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		26.8	( 15.9 - 37.7 )	26.1	( 16.1 - 36.1 )	27.9	( 14.9 - 40.9 )
<b>Age</b>	15 or younger	32.7	( 14.9 - 50.6 )	.	.	.	.
	16 or 17	28.6	( 16.7 - 40.5 )	27.3	( 18.0 - 36.5 )	30.1	( 14.2 - 46.1 )
	18 or older	20.2	( 3.9 - 36.6 )	20.4	( 5.1 - 35.8 )	20.3	( 0.4 - 40.2 )
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	34.0	( 21.1 - 46.9 )	.	.	.	.
	11th	23.3	( 9.8 - 36.9 )	21.7	( 3.2 - 40.3 )	25.4	( 15.9 - 34.9 )
	12th	25.7	( 8.1 - 43.2 )	24.0	( 9.2 - 38.8 )	27.9	( 5.3 - 50.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	35.6	( 13.4 - 57.9 )	37.6	( 16.2 - 59.0 )	.	.
	White Hispanic	21.1	( 10.9 - 31.3 )	17.5	( 10.3 - 24.8 )	24.6	( 6.5 - 42.7 )
	Other	19.6	( 9.9 - 29.4 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 57. Percentage of students who were inside a car while someone their age was smoking a cigarette, cigar, or pipe during the past 7 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		39.3	( 16.8 - 61.7 )	41.8	( 23.4 - 60.2 )	36.4	( 9.2 - 63.5 )
<b>Age</b>	15 or younger	24.2	( 2.2 - 46.2 )	.	.	.	.
	16 or 17	41.4	( 19.4 - 63.5 )	40.4	( 23.7 - 57.2 )	42.1	( 11.0 - 73.3 )
	18 or older	44.4	( 14.7 - 74.1 )	49.2	( 17.2 - 81.2 )	38.0	( 6.9 - 69.1 )
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	37.5	( 4.9 - 70.2 )	.	.	.	.
	11th	39.6	( 10.2 - 69.0 )	37.8	( 5.7 - 69.9 )	40.9	( 9.9 - 71.8 )
	12th	45.8	( 21.1 - 70.6 )	48.4	( 23.7 - 73.0 )	43.3	( 16.6 - 69.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	63.7	( 42.0 - 85.5 )	68.8	( 52.2 - 85.4 )	.	.
	White Hispanic	25.3	( 9.3 - 41.4 )	24.5	( 10.3 - 38.8 )	25.6	( 6.1 - 45.2 )
	Other	22.6	( 1.2 - 44.0 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 58. Percentage of students who were inside a car while their parent was smoking a cigarette, cigar, or pipe during the past 7 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		23.7	( 12.5 - 34.9 )	18.6	( 11.0 - 26.2 )	29.4	( 13.1 - 45.8 )
<b>Age</b>	15 or younger	23.3	( 4.8 - 41.8 )	.	.	.	.
	16 or 17	26.6	( 10.7 - 42.6 )	18.3	( 9.8 - 26.7 )	35.1	( 11.0 - 59.2 )
	18 or older	18.8	( 6.6 - 31.1 )	21.0	( 8.1 - 33.8 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	19.8	( 9.0 - 30.7 )	.	.	.	.
	11th	27.5	( 10.5 - 44.5 )	20.9	( 6.5 - 35.3 )	33.8	( 8.2 - 59.3 )
	12th	22.7	( 8.3 - 37.2 )	19.8	( 6.8 - 32.8 )	26.5	( 8.7 - 44.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	36.6	( 17.8 - 55.4 )	27.4	( 13.1 - 41.7 )	.	.
	White Hispanic	13.4	( 3.9 - 22.8 )	8.4	( 0.3 - 16.6 )	17.6	( 3.1 - 32.0 )
	Other	14.9	( 5.4 - 24.5 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 59. Percentage of students who think breathing second hand smoke has a moderate or great risk**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		70.9	( 61.4 - 80.4 )	69.0	( 60.0 - 78.0 )	73.3	( 59.6 - 87.0 )
<b>Age</b>	15 or younger	73.7	( 57.7 - 89.6 )	.	.	.	.
	16 or 17	72.9	( 64.4 - 81.4 )	74.0	( 58.6 - 89.4 )	71.6	( 57.9 - 85.3 )
	18 or older	65.8	( 46.6 - 85.1 )	66.2	( 47.5 - 84.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	74.7	( 60.6 - 88.8 )	.	.	.	.
	11th	70.5	( 56.3 - 84.8 )	70.4	( 46.4 - 94.3 )	70.3	( 52.9 - 87.7 )
	12th	67.9	( 48.5 - 87.3 )	68.4	( 51.2 - 85.6 )	67.9	( 42.2 - 93.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	72.7	( 61.3 - 84.2 )	77.3	( 61.8 - 92.8 )	.	.
	White Hispanic	74.9	( 63.0 - 86.8 )	69.4	( 57.8 - 81.0 )	80.1	( 68.0 - 92.2 )
	Other	51.6	( 25.4 - 77.8 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 60. Percentage of students who had at least one drink of alcohol on one or more days during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		73.3	( 65.2 - 81.4 )	76.3	( 67.9 - 84.6 )	70.5	( 59.7 - 81.2 )
<b>Age</b>	15 or younger	66.6	( 55.1 - 78.0 )	61.0	( 47.6 - 74.4 )	71.8	( 55.8 - 87.9 )
	16 or 17	74.3	( 67.2 - 81.4 )	77.1	( 70.9 - 83.3 )	70.6	( 61.2 - 80.0 )
	18 or older	75.7	( 62.7 - 88.7 )	82.9	( 68.4 - 97.3 )	69.3	( 44.6 - 94.0 )
<b>Grade</b>	9th	67.6	( 43.2 - 91.9 )	.	.	.	.
	10th	74.4	( 66.6 - 82.2 )	71.8	( 59.8 - 83.8 )	77.2	( 58.1 - 96.2 )
	11th	78.4	( 69.4 - 87.3 )	75.3	( 67.2 - 83.5 )	81.1	( 67.2 - 95.0 )
	12th	71.9	( 61.8 - 81.9 )	81.3	( 69.6 - 92.9 )	61.3	( 45.8 - 76.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	80.5	( 70.5 - 90.6 )	84.9	( 77.3 - 92.5 )	77.3	( 55.4 - 99.1 )
	White Hispanic	71.3	( 63.1 - 79.5 )	71.6	( 62.4 - 80.8 )	70.5	( 61.3 - 79.7 )
	Other	77.5	( 60.9 - 94.0 )	84.2	( 70.3 - 98.0 )	71.0	( 49.5 - 92.5 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 61. Percentage of students who had their first drink of alcohol other than a few sips before age 13 years**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	22.8	( 13.8 - 31.7 )	27.2	( 12.5 - 41.9 )	17.8	( 12.3 - 23.2 )
<b>Age</b>	15 or younger	31.0	( 18.7 - 43.3 )	29.8	( 14.7 - 44.9 )	32.3	( 13.8 - 50.8 )
	16 or 17	22.0	( 9.6 - 34.4 )	27.3	( 11.2 - 43.4 )	15.7	( 6.6 - 24.8 )
	18 or older	19.4	( 6.8 - 32.1 )	25.7	( 3.1 - 48.4 )	11.7	( 6.6 - 16.8 )
<b>Grade</b>	9th	29.9	( 16.9 - 42.8 )	.	.	.	.
	10th	25.3	( 15.1 - 35.5 )	31.9	( 7.2 - 56.5 )	18.4	( 5.5 - 31.3 )
	11th	25.9	( 6.9 - 44.9 )	30.5	( 13.6 - 47.3 )	20.9	( 0.0 - 42.0 )
	12th	18.3	( 10.3 - 26.4 )	25.9	( 9.6 - 42.1 )	9.8	( 5.3 - 14.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	26.9	( 11.7 - 42.1 )	32.7	( 9.3 - 56.1 )	21.1	( 15.5 - 26.8 )
	White Hispanic	21.1	( 12.9 - 29.3 )	24.6	( 13.0 - 36.3 )	17.1	( 9.6 - 24.6 )
	Other	18.2	( 4.6 - 31.9 )	30.3	( 3.8 - 56.8 )	4.7	( 0.0 - 11.5 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 62. Percentage of students who began drinking alcohol regularly (at least once or twice per month) before the age of 13**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		5.6	( 0.2 - 10.9 )	5.9	( 0.0 - 13.2 )	4.4	( 0.0 - 11.5 )
<b>Age</b>	15 or younger	8.5	( 0.0 - 23.6 )	.	.	.	.
	16 or 17	6.9	( 0.0 - 14.9 )	9.8	( 0.0 - 21.9 )	2.1	( 0.0 - 5.6 )
	18 or older	1.1	( 0.0 - 3.7 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	9.4	( 0.0 - 21.8 )	.	.	.	.
	11th	4.6	( 0.7 - 8.6 )	.	.	.	.
	12th	2.9	( 0.0 - 7.9 )	5.0	( 0.0 - 13.3 )	0.3	( 0.0 - 0.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	2.4	( 0.0 - 6.1 )	.	.	.	.
	White Hispanic	7.9	( 0.0 - 17.0 )	7.3	( 0.0 - 16.8 )	8.9	( 0.0 - 24.7 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 63. Percentage of students who had at least one drink of alcohol on one or more of the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		46.2	( 34.0 - 58.3 )	48.3	( 38.5 - 58.0 )	43.3	( 27.5 - 59.1 )
<b>Age</b>	15 or younger	31.9	( 20.0 - 43.8 )	27.5	( 17.3 - 37.7 )	36.1	( 17.2 - 54.9 )
	16 or 17	48.6	( 35.5 - 61.6 )	49.4	( 42.6 - 56.2 )	46.4	( 27.1 - 65.7 )
	18 or older	50.5	( 36.7 - 64.4 )	58.0	( 38.2 - 77.9 )	42.1	( 25.3 - 58.8 )
<b>Grade</b>	9th	31.3	( 10.4 - 52.1 )	.	.	.	.
	10th	47.4	( 30.7 - 64.0 )	47.8	( 33.7 - 61.8 )	47.1	( 22.3 - 71.8 )
	11th	48.1	( 31.9 - 64.2 )	41.6	( 28.2 - 55.0 )	54.4	( 27.2 - 81.6 )
	12th	47.9	( 38.8 - 57.0 )	55.4	( 42.2 - 68.5 )	38.0	( 26.7 - 49.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	55.4	( 43.1 - 67.7 )	55.6	( 41.6 - 69.7 )	55.7	( 38.7 - 72.6 )
	White Hispanic	42.4	( 29.2 - 55.7 )	46.4	( 35.6 - 57.3 )	37.7	( 23.1 - 52.2 )
	Other	50.0	( 32.6 - 67.3 )	.	.	49.2	( 31.8 - 66.6 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 64. Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		29.8	( 18.2 - 41.4 )	35.0	( 23.3 - 46.6 )	23.1	( 10.0 - 36.3 )
<b>Age</b>	15 or younger	11.6	( 0.0 - 23.3 )	10.6	( 2.8 - 18.4 )	12.5	( 0.0 - 29.5 )
	16 or 17	35.4	( 20.1 - 50.8 )	40.1	( 28.6 - 51.5 )	28.4	( 9.9 - 46.9 )
	18 or older	29.7	( 21.1 - 38.3 )	38.4	( 24.0 - 52.7 )	19.6	( 9.9 - 29.3 )
<b>Grade</b>	9th	16.2	( 0.0 - 32.8 )	.	.	.	.
	10th	26.0	( 14.4 - 37.7 )	37.0	( 14.7 - 59.3 )	15.9	( 4.8 - 27.0 )
	11th	34.0	( 11.6 - 56.4 )	32.8	( 18.6 - 46.9 )	35.2	( 0.0 - 71.3 )
	12th	31.5	( 22.1 - 41.0 )	40.0	( 25.2 - 54.8 )	20.1	( 12.6 - 27.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	37.5	( 31.9 - 43.2 )	42.8	( 31.2 - 54.5 )	31.5	( 15.0 - 48.0 )
	White Hispanic	26.6	( 10.9 - 42.4 )	32.8	( 17.6 - 48.0 )	19.1	( 5.8 - 32.5 )
	Other	25.8	( 10.5 - 41.1 )	21.2	( 3.4 - 38.9 )	31.7	( 16.9 - 46.6 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 65. Percentage of students who drank on school property during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		6.2	( 0.7 - 11.8 )	4.4	( 0.3 - 8.4 )	8.7	( 0.0 - 18.8 )
<b>Age</b>	15 or younger	3.9	( 0.0 - 14.0 )	.	.	.	.
	16 or 17	8.7	( 0.0 - 17.5 )	6.4	( 0.0 - 13.2 )	11.8	( 0.0 - 26.5 )
	18 or older	2.5	( 0.0 - 5.2 )	2.6	( 0.3 - 5.0 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	8.1	( 0.0 - 19.5 )	.	.	.	.
	11th	4.2	( 0.0 - 8.9 )	.	.	6.3	( 0.0 - 15.9 )
	12th	7.3	( 0.0 - 17.9 )	6.6	( 0.0 - 15.1 )	9.5	( 0.0 - 26.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	1.7	( 0.0 - 5.2 )	.	.	.	.
	White Hispanic	7.8	( 0.0 - 19.3 )	5.2	( 0.0 - 14.9 )	10.6	( 0.0 - 27.2 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 66. Percentage of students who think a typical student drank 1+ days in the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		57.1	( 47.2 - 67.0 )	49.3	( 35.3 - 63.2 )	63.1	( 52.8 - 73.3 )
<b>Age</b>	15 or younger	47.6	( 29.2 - 65.9 )	.	.	.	.
	16 or 17	57.8	( 45.6 - 70.0 )	51.5	( 33.1 - 69.9 )	62.7	( 47.7 - 77.8 )
	18 or older	61.3	( 46.4 - 76.2 )	54.3	( 42.6 - 65.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	60.0	( 39.2 - 80.7 )	.	.	.	.
	11th	48.9	( 34.1 - 63.7 )	.	.	.	.
	12th	64.2	( 52.7 - 75.6 )	61.0	( 45.6 - 76.4 )	63.2	( 44.9 - 81.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	65.7	( 45.4 - 85.9 )	.	.	.	.
	White Hispanic	53.0	( 41.4 - 64.7 )	52.7	( 33.8 - 71.5 )	52.9	( 35.1 - 70.7 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 67. Percentage of students who think a typical student binge drank 1+ days in the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		52.1	( 37.8 - 66.4 )	40.1	( 30.0 - 50.2 )	62.9	( 42.6 - 83.1 )
<b>Age</b>	15 or younger	46.1	( 27.5 - 64.6 )	.	.	.	.
	16 or 17	49.0	( 37.3 - 60.7 )	38.1	( 24.2 - 52.0 )	59.2	( 38.2 - 80.3 )
	18 or older	61.8	( 33.5 - 90.1 )	50.4	( 36.9 - 63.8 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	47.6	( 18.2 - 76.9 )	.	.	.	.
	11th	45.3	( 32.4 - 58.1 )	.	.	.	.
	12th	58.2	( 36.5 - 79.8 )	50.4	( 32.5 - 68.2 )	64.5	( 30.7 - 98.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	61.1	( 37.0 - 85.2 )	.	.	.	.
	White Hispanic	47.5	( 36.5 - 58.4 )	43.7	( 26.0 - 61.4 )	51.9	( 30.3 - 73.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 68. Percentage of students who feel it would be sort of easy or very easy to get alcohol if they wanted**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		62.5	( 51.6 - 73.4 )	60.0	( 49.0 - 71.0 )	63.4	( 45.1 - 81.8 )
<b>Age</b>	15 or younger	60.5	( 39.4 - 81.6 )	.	.	.	.
	16 or 17	63.3	( 51.2 - 75.5 )	59.5	( 48.3 - 70.7 )	67.0	( 47.7 - 86.4 )
	18 or older	61.9	( 48.4 - 75.4 )	64.4	( 46.0 - 82.8 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	73.3	( 55.6 - 91.0 )	.	.	.	.
	11th	60.6	( 50.2 - 71.0 )	.	.	68.9	( 49.9 - 87.8 )
	12th	59.7	( 47.1 - 72.3 )	61.7	( 48.7 - 74.7 )	51.9	( 34.8 - 69.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	70.2	( 56.2 - 84.3 )	.	.	.	.
	White Hispanic	59.1	( 48.4 - 69.8 )	61.1	( 46.5 - 75.6 )	57.7	( 38.7 - 76.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 69. Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		34.8	( 18.5 - 51.1 )	33.6	( 16.0 - 51.3 )	36.1	( 14.0 - 58.2 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	36.6	( 22.8 - 50.3 )	36.6	( 17.6 - 55.7 )	37.4	( 12.7 - 62.2 )
	18 or older	23.2	( 6.2 - 40.1 )	23.6	( 0.0 - 47.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	30.9	( 0.0 - 63.8 )	.	.	.	.
	11th	44.9	( 25.6 - 64.2 )	.	.	.	.
	12th	25.1	( 7.6 - 42.7 )	25.6	( 4.1 - 47.1 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	38.5	( 10.8 - 66.2 )	.	.	.	.
	White Hispanic	32.4	( 10.5 - 54.4 )	25.0	( 3.1 - 47.0 )	40.9	( 20.1 - 61.7 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 70. Percentage of students who usually drank in a public setting, on school property, or riding in a car of all student who drank in past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		13.8	( 4.1 - 23.5 )	17.0	( 2.7 - 31.4 )	11.7	( 2.2 - 21.1 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	18.1	( 3.8 - 32.4 )	26.6	( 0.0 - 54.8 )	12.1	( 0.0 - 24.6 )
	18 or older	8.0	( 0.0 - 20.2 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	18.8	( 0.0 - 39.2 )	.	.	.	.
	12th	12.4	( 1.4 - 23.5 )	10.4	( 0.0 - 23.4 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	.	.	.	.	.	.
	White Hispanic	12.8	( 5.0 - 20.6 )	16.2	( 3.7 - 28.6 )	9.4	( 2.3 - 16.5 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 71. Percentage of students who think people who have one or two drinks nearly every day have moderate/great risk of harming themselves**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		62.6	( 44.3 - 81.0 )	52.3	( 30.5 - 74.1 )	70.2	( 52.5 - 87.8 )
<b>Age</b>	15 or younger	80.5	( 70.8 - 90.2 )	.	.	.	.
	16 or 17	61.1	( 38.5 - 83.7 )	49.8	( 25.8 - 73.7 )	69.8	( 48.3 - 91.4 )
	18 or older	56.7	( 41.0 - 72.4 )	48.3	( 25.2 - 71.4 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	60.0	( 29.8 - 90.2 )	.	.	.	.
	11th	63.9	( 37.9 - 89.9 )	.	.	76.8	( 61.5 - 92.2 )
	12th	58.0	( 42.0 - 74.0 )	53.8	( 35.4 - 72.1 )	56.2	( 34.5 - 78.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	56.6	( 24.1 - 89.0 )	.	.	.	.
	White Hispanic	68.1	( 51.8 - 84.4 )	65.0	( 52.3 - 77.7 )	70.4	( 48.6 - 92.1 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 72. Percentage of students who think people who binge drink each weekend have moderate/great risk of harming themselves**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		63.4	( 51.1 - 75.7 )	62.1	( 52.3 - 71.8 )	64.8	( 44.8 - 84.8 )
<b>Age</b>	15 or younger	76.0	( 63.8 - 88.2 )	.	.	.	.
	16 or 17	61.5	( 42.5 - 80.5 )	59.9	( 43.6 - 76.3 )	60.3	( 30.7 - 90.0 )
	18 or older	60.7	( 53.5 - 67.8 )	62.3	( 44.2 - 80.4 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	64.4	( 41.3 - 87.6 )	.	.	.	.
	11th	63.0	( 38.5 - 87.4 )	.	.	73.8	( 48.4 - 99.1 )
	12th	62.4	( 53.2 - 71.5 )	69.8	( 59.9 - 79.6 )	54.0	( 32.1 - 75.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	58.5	( 30.0 - 87.1 )	.	.	.	.
	White Hispanic	69.9	( 61.5 - 78.3 )	67.0	( 52.9 - 81.1 )	73.0	( 54.9 - 91.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 73. Percentage of students who think it is wrong/very wrong for someone their age to drink alcohol regularly (once or twice per month)**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	64.0	( 49.4 - 78.6 )	61.4	( 44.3 - 78.5 )	66.5	( 49.3 - 83.7 )
<b>Age</b>	15 or younger	87.2	( 75.9 - 98.6 )	.	.	.	.
	16 or 17	59.8	( 41.6 - 78.0 )	63.1	( 45.7 - 80.5 )	55.5	( 30.4 - 80.5 )
	18 or older	60.6	( 43.4 - 77.7 )	49.7	( 21.3 - 78.1 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	57.3	( 34.5 - 80.1 )	.	.	.	.
	11th	62.6	( 45.2 - 80.1 )	.	.	56.2	( 24.9 - 87.5 )
	12th	64.3	( 51.3 - 77.4 )	57.7	( 39.5 - 75.9 )	71.2	( 56.4 - 86.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	54.2	( 37.7 - 70.8 )	.	.	.	.
	White Hispanic	70.2	( 57.4 - 82.9 )	65.7	( 50.3 - 81.1 )	74.8	( 63.3 - 86.2 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 74. Percentage of students who think their parents would feel it is wrong/very wrong if they drank alcohol regularly (once or twice per month)**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		76.7	( 68.3 - 85.1 )	80.9	( 78.0 - 83.8 )	72.5	( 55.7 - 89.3 )
<b>Age</b>	15 or younger	87.4	( 76.0 - 98.7 )	.	.	.	.
	16 or 17	73.4	( 62.0 - 84.9 )	81.2	( 74.6 - 87.8 )	66.7	( 46.0 - 87.3 )
	18 or older	77.5	( 69.4 - 85.6 )	79.3	( 66.0 - 92.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	66.8	( 49.2 - 84.5 )	.	.	.	.
	11th	73.3	( 58.9 - 87.6 )	.	.	65.9	( 36.4 - 95.3 )
	12th	78.8	( 72.2 - 85.3 )	80.8	( 73.3 - 88.3 )	78.1	( 63.1 - 93.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	68.6	( 58.7 - 78.4 )	.	.	.	.
	White Hispanic	82.4	( 77.4 - 87.3 )	78.0	( 68.9 - 87.1 )	87.0	( 81.8 - 92.3 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 75. Percentage of students who think adults in their neighborhood would feel it is wrong/very wrong if they used alcohol regularly (at least once or twice per month)**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		75.2	( 68.8 - 81.6 )	77.7	( 67.9 - 87.5 )	71.7	( 59.0 - 84.4 )
<b>Age</b>	15 or younger	81.1	( 65.3 - 97.0 )	.	.	.	.
	16 or 17	77.1	( 70.1 - 84.0 )	76.3	( 63.9 - 88.7 )	76.1	( 68.0 - 84.2 )
	18 or older	68.1	( 50.3 - 85.9 )	75.7	( 58.5 - 92.8 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	77.0	( 64.9 - 89.2 )	.	.	.	.
	11th	72.2	( 65.3 - 79.2 )	.	.	69.0	( 48.6 - 89.4 )
	12th	74.7	( 60.2 - 89.2 )	78.3	( 65.3 - 91.4 )	68.6	( 39.8 - 97.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	72.4	( 67.2 - 77.6 )	.	.	.	.
	White Hispanic	76.4	( 69.0 - 83.8 )	75.0	( 65.5 - 84.6 )	77.2	( 64.8 - 89.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 76. Percentage of students who said police would catch kids drinking alcohol in the neighborhood**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		32.1	( 18.3 - 45.9 )	33.9	( 21.0 - 46.8 )	29.4	( 11.0 - 47.8 )
<b>Age</b>	15 or younger	22.2	( 13.3 - 31.1 )	.	.	.	.
	16 or 17	36.5	( 25.1 - 47.8 )	35.4	( 17.7 - 53.1 )	34.9	( 11.0 - 58.9 )
	18 or older	28.2	( 0.0 - 57.5 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	34.9	( 0.0 - 70.4 )	.	.	.	.
	11th	27.4	( 13.2 - 41.5 )	.	.	16.1	( 0.0 - 33.6 )
	12th	34.3	( 9.9 - 58.7 )	37.2	( 15.3 - 59.1 )	28.9	( 0.0 - 61.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	34.1	( 9.7 - 58.5 )	.	.	.	.
	White Hispanic	34.1	( 18.9 - 49.4 )	34.0	( 23.4 - 44.6 )	32.4	( 4.0 - 60.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 77. Percentage of students who have one or more best friends who have tried alcohol without their parents knowing about it**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	65.9	( 53.0 - 78.8 )	68.0	( 50.6 - 85.3 )	60.6	( 50.4 - 70.7 )
<b>Age</b>	15 or younger	60.0	( 42.9 - 77.1 )	.	.	.	.
	16 or 17	68.0	( 55.1 - 80.9 )	73.1	( 59.3 - 86.8 )	60.4	( 46.1 - 74.7 )
	18 or older	64.8	( 48.0 - 81.6 )	66.5	( 42.7 - 90.3 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	65.0	( 52.1 - 77.9 )	.	.	.	.
	11th	75.7	( 55.7 - 95.7 )	.	.	.	.
	12th	63.2	( 49.4 - 77.0 )	66.1	( 46.8 - 85.3 )	52.8	( 42.8 - 62.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	76.8	( 67.8 - 85.9 )	.	.	.	.
	White Hispanic	58.8	( 50.3 - 67.4 )	63.0	( 47.4 - 78.6 )	53.6	( 39.8 - 67.3 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 78. Percentage of students who used marijuana one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		66.1	( 50.9 - 81.3 )	70.7	( 56.3 - 85.0 )	61.4	( 45.3 - 77.5 )
<b>Age</b>	15 or younger	54.1	( 35.8 - 72.4 )	58.3	( 33.7 - 83.0 )	50.6	( 32.5 - 68.6 )
	16 or 17	67.6	( 51.6 - 83.6 )	69.4	( 57.3 - 81.5 )	65.1	( 44.4 - 85.8 )
	18 or older	70.8	( 56.7 - 84.8 )	78.8	( 63.0 - 94.6 )	62.3	( 43.3 - 81.4 )
<b>Grade</b>	9th	58.8	( 36.8 - 80.8 )	.	.	.	.
	10th	61.8	( 45.6 - 77.9 )	73.7	( 60.7 - 86.8 )	49.5	( 31.2 - 67.8 )
	11th	67.4	( 46.5 - 88.3 )	69.0	( 57.3 - 80.7 )	66.0	( 35.0 - 97.0 )
	12th	68.4	( 56.0 - 80.8 )	72.2	( 57.2 - 87.2 )	64.6	( 50.7 - 78.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	69.2	( 59.9 - 78.6 )	76.9	( 67.9 - 85.9 )	61.0	( 47.1 - 74.9 )
	White Hispanic	65.9	( 42.8 - 89.0 )	70.1	( 46.9 - 93.3 )	61.4	( 39.5 - 83.3 )
	Other	70.3	( 47.8 - 92.8 )	62.2	( 30.4 - 93.9 )	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 79. Percentage of students who tried marijuana for the first time before age 13 years**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		23.9	( 12.8 - 35.0 )	27.5	( 15.9 - 39.1 )	19.3	( 9.4 - 29.1 )
<b>Age</b>	15 or younger	23.5	( 12.1 - 34.9 )	29.3	( 18.3 - 40.4 )	18.3	( 5.0 - 31.7 )
	16 or 17	28.1	( 11.4 - 44.9 )	31.3	( 17.1 - 45.5 )	23.2	( 4.8 - 41.5 )
	18 or older	16.2	( 2.8 - 29.5 )	20.0	( 4.5 - 35.5 )	11.1	( 1.6 - 20.6 )
<b>Grade</b>	9th	24.5	( 13.0 - 36.1 )	.	.	.	.
	10th	25.9	( 16.2 - 35.7 )	38.3	( 22.7 - 54.0 )	14.3	( 1.5 - 27.0 )
	11th	28.0	( 11.1 - 44.9 )	33.2	( 19.6 - 46.9 )	22.5	( 1.6 - 43.4 )
	12th	20.1	( 5.8 - 34.3 )	21.0	( 7.6 - 34.4 )	18.0	( 1.9 - 34.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	23.7	( 13.1 - 34.3 )	26.8	( 10.3 - 43.2 )	19.2	( 13.3 - 25.1 )
	White Hispanic	23.4	( 7.2 - 39.6 )	27.1	( 12.9 - 41.3 )	19.3	( 2.6 - 36.0 )
	Other	29.0	( 14.3 - 43.7 )	28.9	( 7.3 - 50.5 )	29.8	( 11.6 - 48.0 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 80. Percentage of students who used marijuana one or more times during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		42.4	( 26.4 - 58.4 )	47.9	( 34.6 - 61.2 )	36.0	( 18.2 - 53.8 )
<b>Age</b>	15 or younger	34.9	( 9.7 - 60.2 )	35.6	( 10.2 - 61.0 )	34.3	( 3.8 - 64.9 )
	16 or 17	46.2	( 28.6 - 63.7 )	49.2	( 38.3 - 60.1 )	41.8	( 17.6 - 66.1 )
	18 or older	39.9	( 24.9 - 55.0 )	51.4	( 36.3 - 66.6 )	25.3	( 10.0 - 40.6 )
<b>Grade</b>	9th	34.8	( 6.0 - 63.5 )	.	.	.	.
	10th	41.8	( 17.6 - 66.0 )	47.1	( 28.0 - 66.3 )	36.1	( 4.0 - 68.3 )
	11th	49.5	( 27.8 - 71.2 )	51.1	( 40.3 - 61.9 )	47.9	( 14.1 - 81.8 )
	12th	40.7	( 26.3 - 55.1 )	50.0	( 36.9 - 63.0 )	29.0	( 14.5 - 43.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	49.7	( 37.4 - 62.0 )	52.6	( 39.9 - 65.3 )	46.0	( 33.8 - 58.2 )
	White Hispanic	38.4	( 15.3 - 61.6 )	47.6	( 24.6 - 70.5 )	29.3	( 7.6 - 50.9 )
	Other	48.7	( 29.3 - 68.2 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 81. Among students who used marijuana in past 30 days, the percentage that smoked it**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	83.8	( 73.8 - 93.8 )	79.9	( 64.3 - 95.4 )	95.9	( 90.7 - 100.0 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	81.7	( 68.9 - 94.5 )	.	.	.	.
	18 or older	.	.	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	.	.	.	.	.	.
	12th	78.7	( 58.2 - 99.2 )	.	.	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	.	.	.	.	.	.
	White Hispanic	84.7	( 62.1 - 100.0 )	75.6	( 43.2 - 100.0 )	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 82. Percentage of students who feel it would be sort of easy or very easy to get marijuana if they wanted**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		69.4	( 55.4 - 83.5 )	73.6	( 58.7 - 88.6 )	66.4	( 48.3 - 84.6 )
<b>Age</b>	15 or younger	66.3	( 45.1 - 87.6 )	.	.	.	.
	16 or 17	74.9	( 60.6 - 89.2 )	77.8	( 68.1 - 87.4 )	72.6	( 52.1 - 93.1 )
	18 or older	60.3	( 39.0 - 81.6 )	72.3	( 40.1 - 100.0 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	69.9	( 44.4 - 95.4 )	.	.	.	.
	11th	79.9	( 70.2 - 89.5 )	.	.	84.6	( 67.2 - 100.0 )
	12th	63.6	( 46.9 - 80.4 )	74.8	( 58.8 - 90.7 )	51.8	( 31.2 - 72.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	75.2	( 55.9 - 94.5 )	.	.	.	.
	White Hispanic	66.6	( 52.5 - 80.7 )	77.0	( 63.0 - 90.9 )	56.9	( 40.9 - 72.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 83. Among students who used marijuana in past 30 days, the percentage that usually got it at school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		2.2	( 0.0 - 4.7 )	1.0	( 0.0 - 2.7 )	4.0	( 0.0 - 9.5 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	4.5	( 0.3 - 8.7 )	.	.	.	.
	18 or older	.	.	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	.	.	.	.	.	.
	12th	0.0	( 0.0 - 0.0 )	.	.	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	.	.	.	.	.	.
	White Hispanic	3.3	( 0.0 - 7.5 )	.	.	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 84. Percentage of students who used marijuana on school property during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		13.5	( 4.4 - 22.7 )	18.1	( 9.1 - 27.1 )	6.7	( 0.0 - 14.8 )
<b>Age</b>	15 or younger	9.6	( 0.0 - 21.5 )	.	.	.	.
	16 or 17	14.6	( 0.7 - 28.4 )	17.3	( 4.0 - 30.6 )	7.5	( 0.0 - 17.5 )
	18 or older	13.4	( 0.0 - 28.2 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	8.9	( 0.4 - 17.4 )	.	.	.	.
	11th	10.2	( 0.0 - 22.0 )	.	.	5.6	( 0.0 - 13.8 )
	12th	17.1	( 2.7 - 31.5 )	22.6	( 7.2 - 38.0 )	8.0	( 0.0 - 18.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	9.5	( 0.2 - 18.8 )	.	.	.	.
	White Hispanic	15.3	( 1.5 - 29.1 )	20.1	( 6.6 - 33.6 )	10.7	( 0.0 - 25.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 85. Percentage of students who think people who use marijuana once or twice have moderate/great risk of harming themselves**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		27.7	( 13.4 - 41.9 )	22.6	( 7.5 - 37.6 )	32.3	( 17.0 - 47.6 )
<b>Age</b>	15 or younger	37.9	( 21.1 - 54.7 )	.	.	.	.
	16 or 17	23.3	( 6.4 - 40.2 )	16.5	( 0.0 - 35.0 )	26.6	( 7.7 - 45.5 )
	18 or older	31.1	( 15.5 - 46.8 )	24.5	( 10.0 - 38.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	28.7	( 11.1 - 46.3 )	.	.	.	.
	11th	16.2	( 4.3 - 28.2 )	.	.	20.5	( 2.4 - 38.6 )
	12th	32.8	( 16.5 - 49.1 )	26.8	( 9.8 - 43.7 )	40.4	( 18.4 - 62.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	16.3	( 6.3 - 26.4 )	.	.	.	.
	White Hispanic	36.2	( 23.2 - 49.1 )	35.4	( 21.2 - 49.7 )	36.1	( 19.1 - 53.2 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 86. Percentage of students who think people who use marijuana regularly have moderate/great risk of harming themselves**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	33.7	( 13.8 - 53.7 )	27.4	( 10.6 - 44.3 )	40.3	( 16.8 - 63.8 )
<b>Age</b>	15 or younger	55.8	( 29.8 - 81.8 )	.	.	.	.
	16 or 17	29.7	( 10.1 - 49.4 )	24.8	( 7.4 - 42.2 )	31.7	( 6.0 - 57.3 )
	18 or older	30.1	( 8.9 - 51.3 )	19.4	( 5.3 - 33.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	35.2	( 10.0 - 60.4 )	.	.	.	.
	11th	30.2	( 12.2 - 48.2 )	.	.	31.9	( 4.5 - 59.2 )
	12th	33.5	( 13.3 - 53.7 )	24.8	( 5.5 - 44.1 )	44.5	( 21.0 - 68.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	20.7	( 13.8 - 27.6 )	.	.	.	.
	White Hispanic	43.6	( 21.8 - 65.4 )	37.2	( 18.0 - 56.3 )	49.5	( 24.6 - 74.4 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 87. Percentage of students who think it is wrong/very wrong for someone their age to use marijuana**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		44.7	( 23.9 - 65.5 )	37.5	( 14.1 - 60.8 )	50.3	( 28.7 - 71.9 )
<b>Age</b>	15 or younger	62.1	( 30.7 - 93.6 )	.	.	.	.
	16 or 17	38.9	( 17.8 - 59.9 )	36.0	( 18.1 - 53.8 )	39.1	( 11.0 - 67.2 )
	18 or older	47.5	( 23.0 - 71.9 )	32.1	( 2.9 - 61.4 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	45.8	( 17.2 - 74.5 )	.	.	.	.
	11th	32.4	( 5.9 - 59.0 )	.	.	38.0	( 2.0 - 73.9 )
	12th	50.0	( 30.3 - 69.7 )	39.5	( 14.9 - 64.1 )	59.5	( 35.7 - 83.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	37.1	( 19.0 - 55.1 )	.	.	.	.
	White Hispanic	53.3	( 31.5 - 75.0 )	41.0	( 14.1 - 67.9 )	65.6	( 48.8 - 82.5 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 88. Percentage of students who think their parents would feel it is wrong/very wrong if they used marijuana**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		66.7	( 44.2 - 89.3 )	67.7	( 45.1 - 90.3 )	64.5	( 35.9 - 93.1 )
<b>Age</b>	15 or younger	78.0	( 60.8 - 95.2 )	.	.	.	.
	16 or 17	64.9	( 38.5 - 91.3 )	70.0	( 48.9 - 91.2 )	59.0	( 19.8 - 98.2 )
	18 or older	64.7	( 42.8 - 86.6 )	55.3	( 23.3 - 87.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	56.1	( 22.6 - 89.7 )	.	.	.	.
	11th	65.8	( 34.4 - 97.2 )	.	.	62.0	( 17.0 - 100.0 )
	12th	71.1	( 54.6 - 87.6 )	65.9	( 40.0 - 91.8 )	74.3	( 57.1 - 91.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	55.0	( 27.2 - 82.8 )	.	.	.	.
	White Hispanic	76.2	( 58.5 - 93.8 )	71.0	( 49.5 - 92.5 )	81.6	( 65.1 - 98.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 89. Percentage of students who think adults in their neighborhood would feel it is wrong/very wrong if they use marijuana**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		62.4	( 44.0 - 80.8 )	58.1	( 40.5 - 75.6 )	65.6	( 41.6 - 89.6 )
<b>Age</b>	15 or younger	69.0	( 40.9 - 97.0 )	.	.	.	.
	16 or 17	62.7	( 39.3 - 86.1 )	60.9	( 38.5 - 83.4 )	62.7	( 33.7 - 91.7 )
	18 or older	58.2	( 39.8 - 76.6 )	46.1	( 24.5 - 67.7 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	55.2	( 22.7 - 87.7 )	.	.	.	.
	11th	62.5	( 40.0 - 85.1 )	.	.	74.8	( 56.4 - 93.2 )
	12th	65.4	( 52.4 - 78.4 )	59.4	( 40.3 - 78.6 )	72.2	( 54.9 - 89.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	61.2	( 33.3 - 89.1 )	.	.	.	.
	White Hispanic	65.7	( 51.2 - 80.3 )	57.2	( 39.8 - 74.6 )	74.4	( 58.8 - 90.1 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 90. Percentage of students who think police would catch kids using marijuana in the neighborhood**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		26.1	( 15.1 - 37.0 )	27.2	( 16.3 - 38.1 )	26.6	( 11.1 - 42.1 )
<b>Age</b>	15 or younger	27.9	( 17.6 - 38.1 )	.	.	.	.
	16 or 17	26.1	( 20.6 - 31.5 )	26.1	( 12.9 - 39.2 )	27.2	( 17.4 - 37.1 )
	18 or older	24.9	( 0.0 - 55.0 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	22.9	( 12.6 - 33.2 )	.	.	.	.
	11th	21.5	( 10.7 - 32.3 )	.	.	17.7	( 3.3 - 32.2 )
	12th	28.0	( 8.0 - 48.0 )	30.6	( 13.3 - 47.9 )	28.7	( 0.0 - 61.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	22.1	( 7.7 - 36.6 )	.	.	.	.
	White Hispanic	28.0	( 17.0 - 39.1 )	26.9	( 16.8 - 37.0 )	30.0	( 8.9 - 51.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 91. Percentage of students who know anyone with a medical marijuana license**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		54.9	( 33.9 - 75.8 )	51.4	( 28.4 - 74.3 )	57.4	( 33.9 - 80.8 )
<b>Age</b>	15 or younger	41.0	( 20.0 - 62.1 )	.	.	.	.
	16 or 17	56.5	( 34.8 - 78.2 )	48.8	( 27.0 - 70.5 )	65.8	( 38.2 - 93.4 )
	18 or older	58.9	( 33.4 - 84.4 )	60.6	( 24.2 - 96.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	61.5	( 34.4 - 88.5 )	.	.	.	.
	11th	55.9	( 27.6 - 84.2 )	.	.	58.1	( 25.3 - 90.9 )
	12th	53.6	( 36.1 - 71.1 )	50.2	( 22.8 - 77.5 )	56.4	( 35.5 - 77.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	63.7	( 38.4 - 89.1 )	.	.	.	.
	White Hispanic	46.0	( 28.3 - 63.7 )	43.3	( 26.0 - 60.6 )	48.1	( 26.1 - 70.2 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 92. Percentage of students who used any form of cocaine, including powder, crack, or freebase, one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	22.9	( 10.7 - 35.1 )	26.3	( 15.5 - 37.1 )	18.1	( 5.2 - 31.1 )
<b>Age</b>	15 or younger	12.3	( 1.7 - 22.8 )	17.6	( 1.4 - 33.8 )	7.6	( 0.0 - 16.4 )
	16 or 17	24.9	( 9.3 - 40.6 )	25.7	( 15.0 - 36.5 )	22.6	( 2.1 - 43.2 )
	18 or older	25.5	( 15.8 - 35.2 )	32.0	( 17.2 - 46.8 )	16.6	( 7.9 - 25.3 )
<b>Grade</b>	9th	10.2	( 0.0 - 26.1 )	.	.	.	.
	10th	25.1	( 6.1 - 44.0 )	36.1	( 10.3 - 61.8 )	14.8	( 0.0 - 32.6 )
	11th	24.5	( 3.8 - 45.1 )	22.7	( 11.8 - 33.6 )	26.7	( 0.0 - 60.9 )
	12th	23.7	( 13.2 - 34.2 )	29.4	( 18.2 - 40.6 )	15.3	( 4.7 - 25.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	29.5	( 19.2 - 39.8 )	31.9	( 18.2 - 45.5 )	25.1	( 14.5 - 35.7 )
	White Hispanic	18.8	( 5.7 - 31.8 )	24.0	( 8.9 - 39.1 )	13.6	( 1.8 - 25.4 )
	Other	19.7	( 14.0 - 25.4 )	20.5	( 10.4 - 30.6 )	18.6	( 6.4 - 30.8 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 93. Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	14.2	( 8.8 - 19.6 )	13.5	( 6.9 - 20.0 )	14.9	( 7.9 - 21.9 )
<b>Age</b>	15 or younger	13.6	( 5.9 - 21.3 )	12.7	( 2.8 - 22.6 )	14.2	( 1.4 - 27.0 )
	16 or 17	15.4	( 9.6 - 21.2 )	12.9	( 7.7 - 18.1 )	17.7	( 8.7 - 26.7 )
	18 or older	12.2	( 5.5 - 18.9 )	14.8	( 4.2 - 25.4 )	9.2	( 1.5 - 17.0 )
<b>Grade</b>	9th	11.6	( 0.0 - 24.1 )	.	.	.	.
	10th	24.2	( 8.6 - 39.8 )	23.8	( 5.1 - 42.4 )	24.6	( 6.0 - 43.1 )
	11th	11.8	( 4.0 - 19.6 )	7.0	( 0.3 - 13.7 )	17.0	( 4.9 - 29.0 )
	12th	12.0	( 6.7 - 17.2 )	13.4	( 4.7 - 22.2 )	10.8	( 4.4 - 17.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	14.8	( 5.4 - 24.1 )	15.3	( 1.0 - 29.7 )	15.1	( 4.2 - 26.0 )
	White Hispanic	12.6	( 7.4 - 17.7 )	12.1	( 6.1 - 18.0 )	13.3	( 6.5 - 20.0 )
	Other	16.6	( 9.2 - 23.9 )	19.0	( 0.9 - 37.0 )	14.2	( 1.0 - 27.4 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 94. Percentage of students who used heroin one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		5.2	( 1.4 - 9.1 )	7.7	( 1.4 - 14.0 )	2.5	( 0.0 - 5.1 )
<b>Age</b>	15 or younger	4.8	( 0.0 - 11.9 )	8.9	( 0.0 - 23.1 )	1.1	( 0.0 - 2.9 )
	16 or 17	5.0	( 0.7 - 9.3 )	7.5	( 1.5 - 13.4 )	2.5	( 0.0 - 5.7 )
	18 or older	5.9	( 1.4 - 10.4 )	7.6	( 0.0 - 16.1 )	3.6	( 0.0 - 8.9 )
<b>Grade</b>	9th	0.0	( 0.0 - 0.0 )	.	.	.	.
	10th	7.4	( 1.7 - 13.1 )	12.1	( 1.6 - 22.6 )	3.1	( 0.0 - 7.2 )
	11th	3.9	( 0.0 - 8.0 )	4.6	( 0.0 - 10.2 )	3.2	( 0.0 - 7.4 )
	12th	6.5	( 0.5 - 12.5 )	9.7	( 0.0 - 20.3 )	2.7	( 0.0 - 6.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	6.0	( 1.9 - 10.2 )	7.3	( 0.0 - 14.7 )	4.9	( 0.6 - 9.2 )
	White Hispanic	3.9	( 0.0 - 10.1 )	7.7	( 0.0 - 19.9 )	0.4	( 0.0 - 1.0 )
	Other	8.3	( 0.0 - 17.1 )	11.2	( 0.0 - 25.1 )	5.0	( 0.0 - 12.7 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 95. Percentage of students who used methamphetamines one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		7.5	( 3.0 - 12.0 )	10.1	( 4.7 - 15.5 )	4.3	( 0.2 - 8.5 )
<b>Age</b>	15 or younger	3.9	( 0.5 - 7.2 )	4.5	( 0.0 - 10.2 )	3.4	( 0.0 - 7.8 )
	16 or 17	7.2	( 2.4 - 12.1 )	9.6	( 4.4 - 14.8 )	3.9	( 0.0 - 8.3 )
	18 or older	10.0	( 4.4 - 15.7 )	13.7	( 6.3 - 21.0 )	5.9	( 0.0 - 14.3 )
<b>Grade</b>	9th	2.6	( 0.0 - 7.6 )	.	.	.	.
	10th	9.1	( 3.0 - 15.3 )	14.4	( 3.0 - 25.8 )	4.2	( 0.0 - 8.8 )
	11th	5.7	( 0.0 - 11.5 )	7.7	( 0.0 - 15.9 )	3.7	( 0.0 - 8.6 )
	12th	8.6	( 3.6 - 13.6 )	12.1	( 3.8 - 20.3 )	5.0	( 0.0 - 10.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	7.9	( 2.6 - 13.1 )	11.4	( 3.6 - 19.2 )	4.0	( 0.0 - 9.6 )
	White Hispanic	6.7	( 0.0 - 14.2 )	9.6	( 0.0 - 21.8 )	4.1	( 0.0 - 11.2 )
	Other	4.6	( 1.3 - 8.0 )	6.4	( 3.2 - 9.6 )	2.7	( 0.0 - 6.5 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 96. Percentage of students who used ecstasy one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	21.7	( 9.5 - 33.9 )	25.4	( 13.9 - 36.8 )	16.5	( 4.1 - 28.9 )
<b>Age</b>	15 or younger	10.5	( 1.5 - 19.5 )	14.6	( 0.0 - 30.9 )	6.9	( 0.0 - 14.1 )
	16 or 17	22.3	( 8.6 - 35.9 )	23.4	( 14.1 - 32.6 )	19.5	( 1.5 - 37.5 )
	18 or older	27.5	( 13.1 - 41.8 )	34.5	( 15.6 - 53.3 )	17.3	( 4.9 - 29.7 )
<b>Grade</b>	9th	4.6	( 0.0 - 10.4 )	.	.	.	.
	10th	23.2	( 5.4 - 40.9 )	28.3	( 2.0 - 54.7 )	18.4	( 0.0 - 37.5 )
	11th	23.8	( 4.2 - 43.3 )	25.8	( 10.1 - 41.5 )	22.1	( 0.0 - 48.7 )
	12th	23.4	( 12.6 - 34.2 )	29.4	( 16.4 - 42.5 )	14.1	( 4.5 - 23.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	27.7	( 12.5 - 43.0 )	33.0	( 13.3 - 52.6 )	19.5	( 4.8 - 34.3 )
	White Hispanic	17.0	( 4.1 - 29.9 )	20.5	( 5.3 - 35.7 )	13.5	( 1.3 - 25.8 )
	Other	21.6	( 9.4 - 33.7 )	23.6	( 7.4 - 39.8 )	19.7	( 4.3 - 35.2 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 97. Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, codeine, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	30.9	( 16.0 - 45.8 )	37.9	( 25.9 - 49.9 )	22.7	( 3.6 - 41.7 )
<b>Age</b>	15 or younger	18.6	( 4.6 - 32.5 )	25.1	( 7.5 - 42.8 )	12.8	( 0.0 - 25.8 )
	16 or 17	33.4	( 16.1 - 50.7 )	41.1	( 26.8 - 55.4 )	23.5	( 2.6 - 44.4 )
	18 or older	33.7	( 17.1 - 50.2 )	38.8	( 27.4 - 50.3 )	28.5	( 0.0 - 59.3 )
<b>Grade</b>	9th	17.6	( 0.0 - 35.5 )	.	.	.	.
	10th	31.2	( 8.8 - 53.7 )	45.1	( 15.0 - 75.2 )	18.3	( 0.0 - 37.4 )
	11th	35.4	( 11.5 - 59.2 )	37.8	( 24.4 - 51.1 )	32.6	( 0.0 - 70.7 )
	12th	31.3	( 19.1 - 43.5 )	40.1	( 30.5 - 49.8 )	20.3	( 0.0 - 43.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	42.6	( 32.2 - 53.0 )	47.8	( 40.6 - 55.1 )	36.8	( 13.1 - 60.6 )
	White Hispanic	22.9	( 8.3 - 37.4 )	31.7	( 14.7 - 48.6 )	13.9	( 3.0 - 24.8 )
	Other	31.0	( 13.6 - 48.4 )	39.3	( 14.9 - 63.7 )	20.3	( 4.6 - 36.1 )

\*Non-Hispanic.

. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 98. Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	4.8	( 1.3 - 8.3 )	7.8	( 1.0 - 14.6 )	1.2	( 0.1 - 2.3 )
<b>Age</b>	15 or younger	4.8	( 0.0 - 11.9 )	9.0	( 0.0 - 23.3 )	1.2	( 0.0 - 2.9 )
	16 or 17	4.4	( 0.3 - 8.4 )	7.7	( 0.0 - 15.5 )	1.0	( 0.0 - 2.7 )
	18 or older	5.5	( 0.0 - 11.0 )	7.4	( 0.0 - 16.5 )	1.8	( 0.0 - 5.3 )
<b>Grade</b>	9th	0.1	( 0.0 - 0.2 )	.	.	.	.
	10th	4.1	( 1.3 - 6.9 )	6.2	( 0.7 - 11.7 )	2.1	( 0.0 - 4.3 )
	11th	4.3	( 0.0 - 8.9 )	7.2	( 0.0 - 16.2 )	1.4	( 0.0 - 4.8 )
	12th	6.4	( 0.8 - 12.0 )	10.2	( 0.0 - 20.7 )	1.1	( 0.0 - 3.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	4.1	( 0.0 - 8.3 )	6.7	( 0.0 - 14.8 )	1.1	( 0.0 - 3.3 )
	White Hispanic	4.0	( 0.0 - 9.9 )	6.5	( 0.0 - 18.4 )	1.2	( 0.3 - 2.0 )
	Other	10.3	( 0.0 - 20.8 )	18.3	( 1.9 - 34.8 )	0.0	( 0.0 - 0.0 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 99. Percentage of students who feel it would be sort of easy or very easy to get drugs like cocaine, LSD, amphetamines if they wanted**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	35.1	( 23.0 - 47.2 )	42.4	( 26.1 - 58.6 )	27.5	( 17.1 - 37.9 )
<b>Age</b>	15 or younger	22.6	( 9.6 - 35.6 )	.	.	.	.
	16 or 17	37.8	( 21.2 - 54.4 )	44.1	( 25.5 - 62.6 )	29.0	( 14.1 - 43.9 )
	18 or older	35.5	( 29.4 - 41.6 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	27.4	( 3.4 - 51.3 )	.	.	.	.
	11th	39.5	( 23.2 - 55.7 )	.	.	45.6	( 16.2 - 74.9 )
	12th	37.5	( 24.8 - 50.2 )	45.9	( 28.5 - 63.2 )	29.1	( 15.4 - 42.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	38.2	( 26.5 - 49.8 )	.	.	.	.
	White Hispanic	33.2	( 16.4 - 50.1 )	41.4	( 21.0 - 61.8 )	25.9	( 8.7 - 43.1 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 100. Percentage of students who were offered drugs at school during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	16.7	( 13.7 - 19.7 )	19.8	( 16.7 - 23.0 )	12.4	( 8.6 - 16.3 )
<b>Age</b>	15 or younger	16.4	( 6.3 - 26.5 )	16.8	( 3.6 - 30.0 )	16.0	( 3.9 - 28.1 )
	16 or 17	16.6	( 9.3 - 23.8 )	20.5	( 15.4 - 25.6 )	10.2	( 2.3 - 18.1 )
	18 or older	17.1	( 10.3 - 24.0 )	20.2	( 8.4 - 32.0 )	14.5	( 7.7 - 21.3 )
<b>Grade</b>	9th	7.8	( 1.6 - 14.0 )	.	.	.	.
	10th	18.7	( 8.3 - 29.1 )	21.6	( 9.3 - 33.9 )	16.0	( 4.4 - 27.6 )
	11th	18.4	( 9.4 - 27.5 )	24.9	( 17.4 - 32.3 )	11.5	( 1.1 - 21.8 )
	12th	17.0	( 11.4 - 22.5 )	19.7	( 12.7 - 26.8 )	13.0	( 8.8 - 17.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	16.4	( 13.0 - 19.7 )	18.2	( 12.8 - 23.6 )	13.0	( 8.7 - 17.3 )
	White Hispanic	18.1	( 12.4 - 23.7 )	23.4	( 16.2 - 30.7 )	12.8	( 5.6 - 19.9 )
	Other	8.5	( 3.0 - 14.0 )	8.1	( 2.8 - 13.4 )	9.2	( 0.4 - 18.0 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 101. Percentage of students who talked with parent about substance dangers during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		44.3	( 34.6 - 54.0 )	44.4	( 33.7 - 55.0 )	43.7	( 34.6 - 52.8 )
<b>Age</b>	15 or younger	44.8	( 33.4 - 56.3 )	.	.	.	.
	16 or 17	35.4	( 26.0 - 44.8 )	33.9	( 22.1 - 45.7 )	36.5	( 25.2 - 47.7 )
	18 or older	61.2	( 50.3 - 72.1 )	64.2	( 46.8 - 81.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	33.3	( 22.6 - 43.9 )	.	.	.	.
	11th	50.9	( 27.6 - 74.2 )	.	.	46.5	( 29.1 - 64.0 )
	12th	45.7	( 29.6 - 61.7 )	45.6	( 28.1 - 63.1 )	47.0	( 29.6 - 64.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	36.7	( 14.7 - 58.8 )	.	.	.	.
	White Hispanic	52.9	( 42.8 - 63.1 )	56.7	( 39.9 - 73.5 )	49.8	( 39.8 - 59.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 102. Percentage of students who heard, read, or watched an advertisement about preventing tobacco, alcohol, or other drug use sometimes or a lot in past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		71.4	( 59.3 - 83.5 )	68.4	( 46.8 - 89.9 )	75.3	( 66.7 - 83.8 )
<b>Age</b>	15 or younger	78.6	( 58.5 - 98.6 )	.	.	.	.
	16 or 17	71.2	( 59.2 - 83.2 )	65.1	( 45.3 - 84.9 )	78.6	( 67.6 - 89.6 )
	18 or older	67.7	( 51.2 - 84.3 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	65.9	( 46.5 - 85.2 )	.	.	.	.
	11th	78.6	( 67.2 - 90.0 )	.	.	.	.
	12th	68.3	( 55.8 - 80.8 )	71.3	( 46.6 - 96.1 )	66.2	( 49.7 - 82.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	62.6	( 36.6 - 88.6 )	.	.	.	.
	White Hispanic	78.0	( 68.5 - 87.5 )	77.0	( 65.4 - 88.5 )	78.6	( 67.3 - 89.9 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 103. Percentage of students who saw/heard advertisements about preventing use of tobacco, alcohol, or other drugs during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		79.5	( 68.9 - 90.0 )	78.7	( 64.4 - 92.9 )	78.7	( 66.0 - 91.3 )
<b>Age</b>	15 or younger	84.1	( 71.7 - 96.5 )	.	.	.	.
	16 or 17	80.3	( 66.6 - 94.0 )	73.7	( 54.6 - 92.9 )	84.9	( 70.4 - 99.5 )
	18 or older	75.1	( 63.0 - 87.2 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	77.1	( 59.4 - 94.9 )	.	.	.	.
	11th	88.1	( 72.5 - 100.0 )	.	.	.	.
	12th	74.9	( 65.3 - 84.6 )	82.4	( 71.9 - 93.0 )	60.5	( 44.0 - 77.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	82.9	( 62.4 - 100.0 )	.	.	.	.
	White Hispanic	79.7	( 71.5 - 88.0 )	85.2	( 76.9 - 93.5 )	75.3	( 60.7 - 89.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 104. Percentage of students who heard, read, or watched an advertisement about promoting tobacco, alcohol, or other drug use sometimes or a lot in past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	46.7	( 36.7 - 56.7 )	41.2	( 33.9 - 48.6 )	49.7	( 33.1 - 66.3 )
<b>Age</b>	15 or younger	38.4	( 19.6 - 57.1 )	.	.	.	.
	16 or 17	43.0	( 34.5 - 51.4 )	36.7	( 27.5 - 45.8 )	47.9	( 30.8 - 65.0 )
	18 or older	57.9	( 42.5 - 73.4 )	50.1	( 35.4 - 64.7 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	46.0	( 37.1 - 54.9 )	.	.	.	.
	11th	47.0	( 37.8 - 56.1 )	.	.	48.5	( 33.2 - 63.9 )
	12th	49.0	( 31.8 - 66.1 )	38.2	( 27.4 - 48.9 )	56.1	( 33.1 - 79.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	49.7	( 35.0 - 64.4 )	.	.	.	.
	White Hispanic	45.9	( 30.9 - 60.9 )	44.7	( 29.3 - 60.0 )	46.7	( 25.0 - 68.3 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 105. Percentage of students who saw/heard/read advertisements about promoting use of tobacco, alcohol, or other drugs during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		54.5	( 44.6 - 64.4 )	59.2	( 49.9 - 68.6 )	47.4	( 32.7 - 62.2 )
<b>Age</b>	15 or younger	47.1	( 32.1 - 62.0 )	.	.	.	.
	16 or 17	50.4	( 39.1 - 61.8 )	51.9	( 36.0 - 67.8 )	47.8	( 33.6 - 61.9 )
	18 or older	66.9	( 56.4 - 77.4 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	45.0	( 33.3 - 56.6 )	.	.	.	.
	11th	58.1	( 46.7 - 69.4 )	.	.	53.6	( 34.7 - 72.6 )
	12th	56.2	( 44.3 - 68.1 )	56.3	( 44.3 - 68.3 )	49.2	( 29.7 - 68.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	61.6	( 52.4 - 70.8 )	.	.	.	.
	White Hispanic	47.8	( 37.6 - 58.0 )	56.7	( 45.8 - 67.5 )	39.5	( 22.4 - 56.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 106. Percentage of students who ever had sexual intercourse**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		67.3	( 47.8 - 86.8 )	75.3	( 59.8 - 90.9 )	58.0	( 34.6 - 81.4 )
<b>Age</b>	15 or younger	35.8	( 11.0 - 60.5 )	51.9	( 27.2 - 76.7 )	21.9	( 0.0 - 45.5 )
	16 or 17	73.3	( 52.2 - 94.3 )	74.7	( 59.0 - 90.5 )	70.6	( 41.9 - 99.4 )
	18 or older	75.7	( 67.4 - 83.9 )	89.1	( 76.4 - 100.0 )	.	.
<b>Grade</b>	9th	50.7	( 22.4 - 79.0 )	.	.	.	.
	10th	53.6	( 17.2 - 90.0 )	65.7	( 33.6 - 97.8 )	42.5	( 0.0 - 87.5 )
	11th	69.4	( 43.3 - 95.5 )	76.0	( 56.2 - 95.8 )	62.1	( 32.3 - 91.9 )
	12th	76.6	( 69.4 - 83.9 )	84.3	( 72.8 - 95.7 )	67.9	( 58.3 - 77.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	69.1	( 59.6 - 78.7 )	79.6	( 73.7 - 85.6 )	56.8	( 32.1 - 81.5 )
	White Hispanic	63.8	( 33.6 - 94.0 )	69.0	( 42.8 - 95.2 )	58.1	( 26.4 - 89.9 )
	Other	70.1	( 46.0 - 94.2 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 107. Percentage of students who had sexual intercourse for the first time before age 13 years**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		7.4	( 2.4 - 12.4 )	11.0	( 3.7 - 18.3 )	3.0	( 0.0 - 7.0 )
<b>Age</b>	15 or younger	5.7	( 3.2 - 8.2 )	10.5	( 5.2 - 15.7 )	1.7	( 0.0 - 5.7 )
	16 or 17	6.8	( 1.1 - 12.5 )	9.2	( 1.6 - 16.8 )	3.5	( 0.0 - 8.7 )
	18 or older	9.9	( 3.2 - 16.5 )	14.8	( 3.6 - 26.0 )	.	.
<b>Grade</b>	9th	5.4	( 0.2 - 10.6 )	.	.	.	.
	10th	13.6	( 0.7 - 26.5 )	22.9	( 1.8 - 44.0 )	4.8	( 0.0 - 14.3 )
	11th	2.6	( 0.0 - 5.8 )	3.4	( 0.0 - 7.5 )	1.8	( 0.0 - 5.3 )
	12th	6.7	( 2.1 - 11.4 )	11.0	( 1.9 - 20.1 )	1.8	( 0.0 - 5.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	4.9	( 0.0 - 10.9 )	6.7	( 0.0 - 15.0 )	3.0	( 0.0 - 8.1 )
	White Hispanic	7.5	( 0.6 - 14.3 )	11.8	( 3.0 - 20.6 )	3.4	( 0.0 - 9.3 )
	Other	11.0	( 5.0 - 16.9 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 108. Percentage of students who had sexual intercourse with four or more people during their life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		29.6	( 15.6 - 43.6 )	38.2	( 25.4 - 50.9 )	18.9	( 3.6 - 34.1 )
<b>Age</b>	15 or younger	6.8	( 0.1 - 13.5 )	14.9	( 1.9 - 27.9 )	0.1	( 0.0 - 0.4 )
	16 or 17	31.2	( 14.8 - 47.6 )	36.9	( 20.4 - 53.4 )	23.5	( 3.0 - 43.9 )
	18 or older	41.6	( 34.8 - 48.3 )	52.7	( 42.8 - 62.7 )	.	.
<b>Grade</b>	9th	4.8	( 0.0 - 11.7 )	.	.	.	.
	10th	21.7	( 5.7 - 37.7 )	36.5	( 11.0 - 62.0 )	8.2	( 0.0 - 19.8 )
	11th	28.7	( 8.7 - 48.7 )	36.4	( 18.7 - 54.1 )	21.2	( 0.0 - 48.2 )
	12th	38.0	( 26.0 - 50.0 )	46.3	( 30.4 - 62.3 )	25.7	( 13.5 - 37.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	32.0	( 25.7 - 38.3 )	35.1	( 25.4 - 44.8 )	26.9	( 18.8 - 34.9 )
	White Hispanic	25.5	( 4.8 - 46.2 )	39.8	( 17.9 - 61.8 )	11.6	( 0.0 - 27.6 )
	Other	32.3	( 17.4 - 47.2 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 109. Percentage of students who had sexual intercourse with one or more people during the past three months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		48.6	( 32.3 - 65.0 )	56.1	( 42.7 - 69.5 )	39.6	( 20.1 - 59.0 )
<b>Age</b>	15 or younger	19.3	( 4.7 - 33.9 )	29.5	( 9.2 - 49.7 )	11.0	( 0.0 - 23.9 )
	16 or 17	50.8	( 32.3 - 69.3 )	55.0	( 39.1 - 70.8 )	44.9	( 23.3 - 66.4 )
	18 or older	63.5	( 53.4 - 73.6 )	72.2	( 58.2 - 86.2 )	.	.
<b>Grade</b>	9th	27.5	( 7.8 - 47.2 )	.	.	.	.
	10th	37.4	( 12.2 - 62.6 )	52.2	( 26.8 - 77.6 )	23.8	( 0.0 - 49.9 )
	11th	50.6	( 27.4 - 73.7 )	56.2	( 41.0 - 71.4 )	44.0	( 14.0 - 74.0 )
	12th	56.6	( 47.0 - 66.1 )	64.1	( 49.5 - 78.7 )	47.3	( 38.1 - 56.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	53.7	( 39.7 - 67.8 )	58.1	( 45.2 - 71.0 )	48.8	( 24.2 - 73.4 )
	White Hispanic	42.9	( 23.2 - 62.5 )	52.7	( 30.6 - 74.8 )	32.4	( 18.4 - 46.4 )
	Other	54.2	( 37.9 - 70.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 110. Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		29.3	( 19.8 - 38.8 )	36.6	( 24.0 - 49.2 )	16.5	( 1.2 - 31.7 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	28.6	( 14.0 - 43.2 )	34.4	( 7.5 - 61.3 )	19.6	( 0.0 - 39.9 )
	18 or older	33.3	( 20.4 - 46.2 )	43.3	( 20.5 - 66.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	28.3	( 16.8 - 39.7 )	.	.	.	.
	12th	27.6	( 15.1 - 40.2 )	37.5	( 18.8 - 56.2 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	34.7	( 29.4 - 40.1 )	.	.	.	.
	White Hispanic	25.9	( 12.1 - 39.7 )	35.1	( 15.8 - 54.5 )	10.7	( 0.0 - 25.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 111. Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		51.5	( 38.7 - 64.3 )	56.5	( 38.0 - 75.0 )	45.7	( 34.1 - 57.2 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	50.2	( 39.1 - 61.3 )	57.6	( 34.2 - 81.0 )	41.8	( 29.1 - 54.5 )
	18 or older	50.2	( 34.5 - 65.9 )	52.6	( 35.5 - 69.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	44.4	( 23.9 - 65.0 )	.	.	.	.
	12th	50.8	( 34.7 - 67.0 )	53.9	( 30.6 - 77.1 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	47.8	( 32.3 - 63.3 )	.	.	.	.
	White Hispanic	51.8	( 31.1 - 72.5 )	59.2	( 36.8 - 81.5 )	41.6	( 12.9 - 70.3 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 112. Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	20.1	( 5.6 - 34.6 )	21.0	( 10.8 - 31.2 )	18.8	( 0.0 - 45.0 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	13.3	( 5.0 - 21.6 )	15.2	( 5.3 - 25.0 )	11.2	( 0.0 - 25.1 )
	18 or older	36.8	( 10.8 - 62.7 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	11.6	( 0.3 - 22.8 )	.	.	.	.
	12th	28.7	( 5.7 - 51.7 )	29.5	( 15.4 - 43.6 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	31.1	( 12.6 - 49.6 )	.	.	.	.
	White Hispanic	10.9	( 2.1 - 19.8 )	13.5	( 0.2 - 26.9 )	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 113. Among students who had sexual intercourse during the past three months, the percentage who used no method of birth control to prevent pregnancy before last sexual intercourse**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	15.6	( 7.1 - 24.1 )	12.7	( 5.5 - 19.9 )	21.5	( 6.4 - 36.6 )
<b>Age</b>	15 or younger	.	.	.	.	.	.
	16 or 17	18.6	( 9.0 - 28.2 )	15.3	( 4.6 - 26.0 )	23.9	( 7.4 - 40.5 )
	18 or older	9.2	( 0.0 - 20.3 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	.	.	.	.	.	.
	11th	24.3	( 8.1 - 40.6 )	.	.	.	.
	12th	8.5	( 0.0 - 18.6 )	5.7	( 0.0 - 11.6 )	.	.
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	15.1	( 0.1 - 30.0 )	.	.	.	.
	White Hispanic	15.1	( 2.8 - 27.5 )	16.5	( 6.6 - 26.4 )	.	.
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 114. Percentage of students who described themselves as slightly or very overweight**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	31.1	( 22.9 - 39.3 )	25.0	( 18.2 - 31.8 )	37.5	( 25.3 - 49.7 )
<b>Age</b>	15 or younger	29.1	( 16.9 - 41.2 )	19.0	( 6.5 - 31.6 )	38.0	( 17.8 - 58.3 )
	16 or 17	30.7	( 19.5 - 41.8 )	24.5	( 14.4 - 34.6 )	38.0	( 19.6 - 56.4 )
	18 or older	33.2	( 25.6 - 40.9 )	28.9	( 21.8 - 35.9 )	36.0	( 19.9 - 52.2 )
<b>Grade</b>	9th	25.2	( 13.2 - 37.2 )	.	.	.	.
	10th	32.4	( 19.6 - 45.2 )	21.2	( 7.6 - 34.9 )	42.8	( 23.7 - 62.0 )
	11th	29.6	( 18.1 - 41.2 )	23.6	( 13.3 - 33.9 )	35.7	( 19.7 - 51.6 )
	12th	33.4	( 23.8 - 42.9 )	30.6	( 20.6 - 40.6 )	35.8	( 19.8 - 51.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	30.9	( 12.5 - 49.3 )	22.8	( 15.0 - 30.6 )	40.0	( 12.9 - 67.0 )
	White Hispanic	32.6	( 25.8 - 39.4 )	28.5	( 18.7 - 38.3 )	36.2	( 24.8 - 47.7 )
	Other	39.2	( 20.6 - 57.9 )	17.1	( 0.6 - 33.5 )	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 115. Percentage of students who were trying to lose weight**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	43.2	( 33.6 - 52.7 )	28.7	( 17.5 - 39.9 )	58.8	( 52.9 - 64.8 )
<b>Age</b>	15 or younger	53.5	( 38.2 - 68.7 )	33.7	( 11.0 - 56.4 )	71.0	( 56.8 - 85.2 )
	16 or 17	39.4	( 23.6 - 55.2 )	22.3	( 7.2 - 37.3 )	57.9	( 45.1 - 70.6 )
	18 or older	44.2	( 36.0 - 52.4 )	37.1	( 27.5 - 46.7 )	51.6	( 40.1 - 63.2 )
<b>Grade</b>	9th	46.9	( 31.7 - 62.1 )	.	.	.	.
	10th	49.2	( 39.0 - 59.5 )	29.7	( 15.4 - 44.0 )	67.0	( 47.3 - 86.7 )
	11th	43.9	( 26.5 - 61.4 )	24.0	( 6.9 - 41.0 )	64.1	( 57.7 - 70.6 )
	12th	39.4	( 29.8 - 49.0 )	30.3	( 19.5 - 41.1 )	49.5	( 42.5 - 56.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	40.0	( 29.1 - 50.9 )	20.7	( 9.3 - 32.1 )	63.7	( 55.3 - 72.1 )
	White Hispanic	49.3	( 40.9 - 57.7 )	37.1	( 28.3 - 45.9 )	60.2	( 52.0 - 68.4 )
	Other	44.6	( 24.7 - 64.6 )	28.5	( 9.1 - 47.8 )	64.0	( 33.6 - 94.4 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 116. Percentage of students who had a dental exam within the past 24 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		79.8	( 72.1 - 87.6 )	81.7	( 71.7 - 91.7 )	77.6	( 62.7 - 92.6 )
<b>Age</b>	15 or younger	67.4	( 42.3 - 92.6 )	.	.	.	.
	16 or 17	83.6	( 78.1 - 89.0 )	84.9	( 74.5 - 95.2 )	82.1	( 68.2 - 96.0 )
	18 or older	80.1	( 65.7 - 94.4 )	86.7	( 75.9 - 97.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	80.9	( 73.8 - 88.0 )	.	.	.	.
	11th	79.7	( 74.7 - 84.8 )	79.8	( 64.0 - 95.6 )	79.6	( 63.0 - 96.2 )
	12th	81.4	( 70.4 - 92.4 )	83.0	( 71.8 - 94.1 )	79.4	( 59.4 - 99.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	74.0	( 57.0 - 91.0 )	86.0	( 68.8 - 100.0 )	.	.
	White Hispanic	84.5	( 77.9 - 91.2 )	78.6	( 73.5 - 83.8 )	90.2	( 82.0 - 98.4 )
	Other	90.5	( 78.0 - 100.0 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 117. Percentage of students who had a dental exam within the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		68.3	( 57.2 - 79.3 )	70.6	( 57.2 - 83.9 )	65.5	( 45.3 - 85.6 )
<b>Age</b>	15 or younger	51.8	( 25.4 - 78.1 )	.	.	.	.
	16 or 17	71.8	( 65.1 - 78.6 )	75.2	( 59.8 - 90.6 )	68.1	( 45.2 - 90.9 )
	18 or older	71.1	( 53.7 - 88.4 )	74.6	( 55.0 - 94.3 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	73.6	( 63.4 - 83.8 )	.	.	.	.
	11th	74.1	( 67.1 - 81.1 )	73.7	( 52.8 - 94.5 )	74.4	( 59.1 - 89.7 )
	12th	67.4	( 52.0 - 82.8 )	69.4	( 55.7 - 83.1 )	64.8	( 37.2 - 92.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	60.8	( 39.9 - 81.8 )	76.0	( 53.4 - 98.7 )	.	.
	White Hispanic	74.5	( 63.6 - 85.4 )	67.9	( 59.8 - 75.9 )	80.8	( 67.9 - 93.7 )
	Other	73.2	( 56.9 - 89.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 118. Percentage of students who saw a doctor or nurse for a physical exam or check-up within the past 24 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		71.5	( 62.9 - 80.0 )	70.7	( 60.1 - 81.3 )	72.0	( 61.5 - 82.6 )
<b>Age</b>	15 or younger	63.5	( 46.3 - 80.7 )	.	.	.	.
	16 or 17	71.8	( 62.4 - 81.3 )	71.1	( 63.3 - 79.0 )	72.4	( 54.4 - 90.4 )
	18 or older	75.4	( 60.3 - 90.6 )	77.9	( 60.5 - 95.4 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	73.0	( 61.3 - 84.6 )	.	.	.	.
	11th	77.0	( 68.9 - 85.1 )	75.0	( 63.3 - 86.7 )	79.0	( 65.8 - 92.1 )
	12th	72.9	( 62.2 - 83.6 )	77.7	( 62.8 - 92.6 )	67.1	( 45.3 - 88.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	67.9	( 52.9 - 83.0 )	70.7	( 50.7 - 90.6 )	.	.
	White Hispanic	76.0	( 66.5 - 85.5 )	77.3	( 66.7 - 87.9 )	74.7	( 60.3 - 89.1 )
	Other	59.9	( 27.6 - 92.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 119. Percentage of students who saw a doctor or nurse for a physical exam or check-up within the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		57.6	( 47.9 - 67.3 )	55.3	( 45.4 - 65.2 )	59.8	( 47.4 - 72.3 )
<b>Age</b>	15 or younger	48.0	( 31.1 - 64.9 )	.	.	.	.
	16 or 17	59.5	( 46.7 - 72.3 )	58.0	( 47.5 - 68.5 )	60.9	( 41.4 - 80.3 )
	18 or older	59.9	( 46.9 - 72.9 )	62.0	( 48.4 - 75.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	63.7	( 54.6 - 72.7 )	.	.	.	.
	11th	61.2	( 47.7 - 74.6 )	60.3	( 46.1 - 74.4 )	61.6	( 45.5 - 77.8 )
	12th	57.7	( 47.0 - 68.4 )	60.2	( 45.8 - 74.7 )	54.3	( 31.4 - 77.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	49.7	( 35.6 - 63.8 )	49.4	( 37.5 - 61.4 )	.	.
	White Hispanic	64.9	( 52.4 - 77.4 )	64.2	( 51.9 - 76.6 )	65.3	( 47.4 - 83.2 )
	Other	50.2	( 19.0 - 81.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 120. Percentage of students whose doctor or nurse discussed how to maintain a healthy weight at their last check-up**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		44.6	( 36.6 - 52.7 )	45.8	( 37.7 - 53.9 )	43.4	( 31.6 - 55.2 )
<b>Age</b>	15 or younger	49.7	( 35.0 - 64.3 )	.	.	.	.
	16 or 17	41.4	( 27.6 - 55.2 )	39.4	( 28.8 - 50.0 )	43.5	( 24.8 - 62.2 )
	18 or older	47.7	( 37.1 - 58.2 )	52.6	( 36.9 - 68.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	43.8	( 23.1 - 64.5 )	.	.	.	.
	11th	36.8	( 25.4 - 48.3 )	.	.	36.5	( 17.3 - 55.8 )
	12th	48.1	( 37.3 - 59.0 )	51.3	( 32.9 - 69.7 )	43.9	( 36.1 - 51.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	38.9	( 33.4 - 44.4 )	.	.	.	.
	White Hispanic	49.8	( 39.9 - 59.7 )	45.8	( 34.5 - 57.0 )	54.0	( 43.7 - 64.3 )
	Other	38.7	( 25.3 - 52.1 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 121. Percentage of students whose doctor or nurse discussed ways to deal with feelings of sadness or hopelessness at their last check-up**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	23.3	( 15.9 - 30.6 )	14.9	( 3.3 - 26.5 )	31.4	( 22.0 - 40.9 )
<b>Age</b>	15 or younger	28.8	( 13.9 - 43.8 )	.	.	.	.
	16 or 17	25.6	( 13.3 - 37.8 )	16.5	( 3.4 - 29.6 )	34.0	( 20.6 - 47.4 )
	18 or older	16.3	( 5.2 - 27.3 )	6.5	( 0.2 - 12.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	26.1	( 20.1 - 32.0 )	.	.	.	.
	11th	20.8	( 5.1 - 36.5 )	.	.	29.3	( 4.9 - 53.7 )
	12th	25.6	( 12.6 - 38.6 )	14.0	( 0.0 - 28.2 )	38.4	( 18.2 - 58.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	11.9	( 3.1 - 20.8 )	.	.	.	.
	White Hispanic	30.6	( 25.1 - 36.1 )	21.0	( 7.2 - 34.7 )	39.5	( 22.9 - 56.1 )
	Other	15.4	( 6.8 - 24.1 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 122. Percentage of students who ate fruit 1+ times per day in the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		38.6	( 31.2 - 46.0 )	37.1	( 27.3 - 46.8 )	41.1	( 32.6 - 49.6 )
<b>Age</b>	15 or younger	40.2	( 25.2 - 55.2 )	49.3	( 30.8 - 67.8 )	32.6	( 16.9 - 48.3 )
	16 or 17	37.5	( 31.5 - 43.4 )	33.4	( 26.7 - 40.0 )	42.3	( 31.5 - 53.2 )
	18 or older	39.8	( 25.4 - 54.2 )	37.2	( 16.4 - 58.1 )	45.3	( 30.5 - 60.1 )
<b>Grade</b>	9th	36.2	( 20.0 - 52.4 )	.	.	.	.
	10th	38.0	( 28.7 - 47.3 )	39.9	( 20.2 - 59.7 )	36.4	( 23.6 - 49.1 )
	11th	38.1	( 28.1 - 48.1 )	39.7	( 30.8 - 48.6 )	36.4	( 16.6 - 56.3 )
	12th	40.3	( 30.1 - 50.5 )	34.1	( 15.7 - 52.5 )	49.6	( 42.0 - 57.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	41.2	( 25.7 - 56.7 )	38.8	( 20.6 - 56.9 )	46.2	( 31.6 - 60.8 )
	White Hispanic	38.6	( 34.9 - 42.2 )	36.0	( 27.5 - 44.5 )	40.7	( 34.3 - 47.2 )
	Other	41.3	( 33.3 - 49.3 )	35.6	( 18.1 - 53.1 )	48.7	( 33.7 - 63.8 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 123. Percentage of students who ate fruit 2+ times per day in the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		26.1	( 21.5 - 30.7 )	26.0	( 19.0 - 33.1 )	26.3	( 21.4 - 31.2 )
<b>Age</b>	15 or younger	27.7	( 15.7 - 39.7 )	34.7	( 15.8 - 53.5 )	21.9	( 12.7 - 31.0 )
	16 or 17	25.4	( 20.8 - 30.0 )	25.0	( 18.8 - 31.2 )	26.0	( 19.9 - 32.1 )
	18 or older	26.2	( 19.2 - 33.3 )	23.5	( 14.5 - 32.5 )	30.6	( 19.1 - 42.1 )
<b>Grade</b>	9th	32.8	( 14.4 - 51.2 )	.	.	.	.
	10th	24.3	( 16.7 - 31.9 )	25.2	( 14.0 - 36.3 )	23.5	( 11.5 - 35.6 )
	11th	27.3	( 18.5 - 36.2 )	31.2	( 22.2 - 40.2 )	23.1	( 7.9 - 38.2 )
	12th	24.9	( 16.9 - 33.0 )	21.5	( 10.2 - 32.9 )	29.5	( 22.1 - 36.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	25.1	( 17.0 - 33.3 )	22.9	( 14.3 - 31.5 )	28.6	( 14.4 - 42.8 )
	White Hispanic	27.5	( 22.3 - 32.7 )	28.1	( 20.2 - 36.0 )	26.5	( 20.8 - 32.3 )
	Other	33.3	( 27.1 - 39.4 )	31.0	( 16.2 - 45.8 )	36.6	( 18.4 - 54.9 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 124. Percentage of students who ate vegetables 1+ times per day in the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	40.3	( 32.1 - 48.4 )	42.7	( 33.3 - 52.2 )	37.4	( 28.5 - 46.3 )
<b>Age</b>	15 or younger	42.2	( 24.8 - 59.6 )	50.4	( 29.0 - 71.9 )	35.2	( 16.8 - 53.6 )
	16 or 17	38.9	( 32.1 - 45.6 )	37.1	( 29.9 - 44.4 )	40.0	( 31.0 - 49.0 )
	18 or older	41.7	( 29.0 - 54.5 )	48.4	( 30.1 - 66.7 )	33.2	( 20.2 - 46.2 )
<b>Grade</b>	9th	43.9	( 27.5 - 60.3 )	.	.	.	.
	10th	33.6	( 27.6 - 39.6 )	33.9	( 16.4 - 51.4 )	33.3	( 19.5 - 47.2 )
	11th	39.2	( 26.0 - 52.4 )	39.3	( 27.3 - 51.4 )	38.9	( 18.5 - 59.3 )
	12th	43.4	( 34.6 - 52.2 )	46.9	( 29.5 - 64.2 )	38.5	( 25.4 - 51.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	49.8	( 41.2 - 58.3 )	47.6	( 30.1 - 65.0 )	52.8	( 40.1 - 65.5 )
	White Hispanic	34.1	( 27.7 - 40.6 )	38.4	( 25.3 - 51.4 )	29.5	( 23.3 - 35.7 )
	Other	38.4	( 27.3 - 49.4 )	41.9	( 24.3 - 59.5 )	35.2	( 13.6 - 56.9 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 125. Percentage of students who ate vegetables 2+ times per day in the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	29.5	( 20.7 - 38.3 )	33.4	( 21.8 - 45.0 )	24.6	( 18.6 - 30.5 )
<b>Age</b>	15 or younger	29.1	( 13.5 - 44.6 )	35.1	( 15.0 - 55.1 )	23.9	( 10.1 - 37.8 )
	16 or 17	29.1	( 20.5 - 37.6 )	30.1	( 20.4 - 39.9 )	26.9	( 18.6 - 35.3 )
	18 or older	30.6	( 15.3 - 45.8 )	38.2	( 16.9 - 59.5 )	19.7	( 7.6 - 31.8 )
<b>Grade</b>	9th	41.0	( 23.1 - 58.9 )	.	.	.	.
	10th	17.6	( 12.6 - 22.7 )	22.7	( 12.8 - 32.7 )	13.2	( 6.2 - 20.2 )
	11th	28.8	( 13.1 - 44.6 )	32.1	( 16.4 - 47.8 )	25.2	( 3.7 - 46.6 )
	12th	32.2	( 21.6 - 42.8 )	35.3	( 16.4 - 54.2 )	26.9	( 17.6 - 36.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	38.3	( 28.5 - 48.1 )	40.0	( 23.7 - 56.3 )	35.1	( 28.3 - 42.0 )
	White Hispanic	23.7	( 16.6 - 30.8 )	27.0	( 12.5 - 41.4 )	19.7	( 14.6 - 24.8 )
	Other	29.7	( 19.3 - 40.1 )	31.9	( 20.8 - 42.9 )	27.9	( 8.1 - 47.7 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 126. Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		29.7	( 20.2 - 39.2 )	34.0	( 24.0 - 44.1 )	24.7	( 13.8 - 35.6 )
<b>Age</b>	15 or younger	20.1	( 6.5 - 33.6 )	27.4	( 4.6 - 50.1 )	14.0	( 6.0 - 22.0 )
	16 or 17	28.7	( 18.6 - 38.7 )	32.6	( 27.6 - 37.6 )	22.9	( 9.6 - 36.1 )
	18 or older	37.4	( 26.3 - 48.5 )	39.8	( 17.9 - 61.8 )	37.3	( 12.1 - 62.6 )
<b>Grade</b>	9th	28.3	( 11.6 - 45.1 )	.	.	.	.
	10th	20.7	( 10.1 - 31.3 )	27.7	( 13.9 - 41.5 )	14.8	( 0.0 - 31.0 )
	11th	20.4	( 12.5 - 28.2 )	25.4	( 17.2 - 33.6 )	15.3	( 7.3 - 23.4 )
	12th	38.2	( 23.9 - 52.5 )	42.0	( 22.8 - 61.2 )	34.2	( 18.2 - 50.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	36.6	( 29.3 - 43.8 )	40.2	( 27.4 - 52.9 )	32.5	( 12.8 - 52.2 )
	White Hispanic	25.7	( 12.6 - 38.9 )	29.5	( 13.5 - 45.4 )	22.3	( 10.0 - 34.6 )
	Other	25.5	( 12.1 - 39.0 )	31.0	( 9.6 - 52.4 )	17.9	( 4.4 - 31.5 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 127. Percentage of students who ate breakfast on all of the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	22.9	( 11.0 - 34.8 )	25.3	( 15.5 - 35.0 )	20.7	( 4.6 - 36.8 )
<b>Age</b>	15 or younger	26.9	( 11.8 - 42.1 )	28.8	( 10.3 - 47.2 )	25.4	( 10.2 - 40.6 )
	16 or 17	24.4	( 8.6 - 40.2 )	25.8	( 14.5 - 37.0 )	23.4	( 1.7 - 45.2 )
	18 or older	17.5	( 11.3 - 23.6 )	22.6	( 7.9 - 37.4 )	11.1	( 2.2 - 19.9 )
<b>Grade</b>	9th	22.7	( 14.8 - 30.7 )	.	.	.	.
	10th	28.9	( 1.9 - 55.8 )	29.2	( 8.5 - 49.8 )	28.6	( 0.0 - 61.8 )
	11th	22.0	( 9.6 - 34.4 )	23.4	( 12.2 - 34.6 )	21.0	( 6.2 - 35.7 )
	12th	22.1	( 12.8 - 31.3 )	26.8	( 16.4 - 37.1 )	17.0	( 2.0 - 32.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	15.7	( 7.5 - 23.9 )	19.4	( 7.5 - 31.2 )	12.2	( 1.9 - 22.5 )
	White Hispanic	26.4	( 8.6 - 44.2 )	27.8	( 11.7 - 43.9 )	24.6	( 3.5 - 45.7 )
	Other	29.2	( 12.2 - 46.3 )	22.1	( 8.9 - 35.4 )	38.0	( 10.6 - 65.3 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 128. Percentage of students who usually got breakfast at school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		21.1	( 9.1 - 33.1 )	21.4	( 6.5 - 36.3 )	21.0	( 8.2 - 33.7 )
<b>Age</b>	15 or younger	29.1	( 10.8 - 47.3 )	.	.	.	.
	16 or 17	25.8	( 11.4 - 40.2 )	26.7	( 7.6 - 45.8 )	25.0	( 11.7 - 38.3 )
	18 or older	8.2	( 0.0 - 18.2 )	10.0	( 0.0 - 23.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	23.0	( 9.8 - 36.3 )	.	.	.	.
	11th	26.8	( 8.8 - 44.8 )	29.2	( 3.0 - 55.3 )	24.6	( 6.7 - 42.6 )
	12th	18.1	( 5.8 - 30.4 )	18.5	( 2.8 - 34.2 )	17.9	( 5.1 - 30.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	17.6	( 1.8 - 33.4 )	18.3	( 0.0 - 40.7 )	.	.
	White Hispanic	23.6	( 10.8 - 36.4 )	22.9	( 10.5 - 35.4 )	24.4	( 6.3 - 42.5 )
	Other	6.6	( 0.0 - 17.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 129. Percentage of students who ate lunch on all of the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		47.7	( 42.9 - 52.5 )	49.6	( 41.9 - 57.3 )	45.5	( 40.5 - 50.5 )
<b>Age</b>	15 or younger	51.2	( 38.2 - 64.2 )	.	.	.	.
	16 or 17	47.9	( 39.5 - 56.3 )	51.6	( 37.8 - 65.3 )	44.3	( 34.5 - 54.2 )
	18 or older	45.3	( 29.5 - 61.1 )	45.2	( 28.6 - 61.8 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	51.8	( 42.0 - 61.6 )	.	.	.	.
	11th	43.6	( 32.6 - 54.6 )	55.8	( 39.8 - 71.7 )	30.3	( 11.8 - 48.9 )
	12th	48.5	( 34.7 - 62.4 )	44.3	( 28.7 - 59.9 )	52.9	( 38.0 - 67.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	46.1	( 40.0 - 52.2 )	48.7	( 36.1 - 61.3 )	.	.
	White Hispanic	52.8	( 47.5 - 58.1 )	57.3	( 50.9 - 63.6 )	48.9	( 43.0 - 54.8 )
	Other	34.2	( 13.9 - 54.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 130. Percentage of students who usually got lunch at school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		41.0	( 30.1 - 52.0 )	42.8	( 29.8 - 55.7 )	39.3	( 26.7 - 51.9 )
<b>Age</b>	15 or younger	45.6	( 21.9 - 69.2 )	.	.	.	.
	16 or 17	46.8	( 30.4 - 63.3 )	51.2	( 30.1 - 72.2 )	42.3	( 27.1 - 57.5 )
	18 or older	28.2	( 14.2 - 42.1 )	29.6	( 15.8 - 43.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	50.2	( 35.0 - 65.5 )	.	.	.	.
	11th	51.2	( 31.0 - 71.4 )	.	.	41.2	( 14.5 - 67.9 )
	12th	30.2	( 16.2 - 44.2 )	27.4	( 6.8 - 47.9 )	33.9	( 22.0 - 45.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	49.7	( 38.1 - 61.3 )	54.2	( 39.5 - 69.0 )	.	.
	White Hispanic	36.8	( 27.5 - 46.1 )	34.6	( 20.1 - 49.0 )	39.1	( 26.8 - 51.4 )
	Other	17.1	( 0.4 - 33.9 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 131. Percentage of students who drank a can, bottle, or glass of diet soda or pop one or more times per day during the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		12.5	( 4.4 - 20.7 )	13.5	( 6.3 - 20.7 )	11.2	( 0.0 - 25.3 )
<b>Age</b>	15 or younger	10.5	( 0.0 - 23.0 )	.	.	.	.
	16 or 17	12.9	( 5.2 - 20.5 )	16.6	( 10.9 - 22.3 )	9.0	( 0.0 - 20.2 )
	18 or older	13.2	( 1.7 - 24.6 )	10.0	( 0.0 - 20.1 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	12.6	( 0.0 - 26.5 )	.	.	.	.
	11th	10.2	( 3.3 - 17.1 )	15.5	( 5.4 - 25.6 )	4.4	( 0.0 - 9.8 )
	12th	15.6	( 2.6 - 28.7 )	13.9	( 2.2 - 25.5 )	16.9	( 0.0 - 41.5 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	18.5	( 4.7 - 32.3 )	16.9	( 7.8 - 26.0 )	.	.
	White Hispanic	7.8	( 0.7 - 14.9 )	9.6	( 0.0 - 19.9 )	6.2	( 1.7 - 10.6 )
	Other	6.2	( 0.0 - 13.4 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 132. Percentage of students who drank a can, bottle, or glass of a sports drink one or more times per day during the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		11.6	( 4.5 - 18.7 )	13.8	( 5.7 - 21.8 )	9.2	( 0.1 - 18.3 )
<b>Age</b>	15 or younger	11.9	( 0.2 - 23.5 )	.	.	.	.
	16 or 17	11.0	( 2.2 - 19.8 )	12.4	( 0.0 - 24.8 )	9.7	( 0.0 - 21.5 )
	18 or older	12.4	( 2.5 - 22.3 )	16.0	( 0.0 - 35.8 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	17.2	( 0.5 - 33.9 )	.	.	.	.
	11th	6.6	( 0.2 - 13.0 )	7.4	( 0.0 - 16.4 )	5.7	( 0.5 - 10.9 )
	12th	11.6	( 0.5 - 22.8 )	13.3	( 0.0 - 27.6 )	9.9	( 0.0 - 22.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	10.8	( 0.0 - 22.3 )	8.9	( 0.3 - 17.5 )	.	.
	White Hispanic	12.1	( 2.7 - 21.6 )	17.6	( 3.0 - 32.1 )	7.1	( 2.5 - 11.7 )
	Other	17.8	( 0.0 - 38.2 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 133. Percentage of students who drank a can, bottle, or glass of an energy drink one or more times per day during the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		10.4	( 0.4 - 20.3 )	11.4	( 3.1 - 19.7 )	9.3	( 0.0 - 25.5 )
<b>Age</b>	15 or younger	13.0	( 0.0 - 30.9 )	.	.	.	.
	16 or 17	8.2	( 0.0 - 17.4 )	7.7	( 1.0 - 14.5 )	8.8	( 0.0 - 21.6 )
	18 or older	12.7	( 2.3 - 23.1 )	14.2	( 5.2 - 23.3 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	16.2	( 0.0 - 32.3 )	.	.	.	.
	11th	6.7	( 0.0 - 14.4 )	11.2	( 0.0 - 22.6 )	1.6	( 0.0 - 5.6 )
	12th	13.1	( 0.0 - 26.7 )	12.6	( 1.2 - 24.0 )	13.8	( 0.0 - 39.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	15.7	( 0.0 - 33.3 )	.	.	.	.
	White Hispanic	6.5	( 0.0 - 13.0 )	10.5	( 2.1 - 18.9 )	2.7	( 0.0 - 8.2 )
	Other	6.2	( 0.0 - 13.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 134. Percentage of students who drank a can, bottle, or glass of some other sugar-sweetened beverage one or more times per day during the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		18.1	( 13.7 - 22.6 )	23.8	( 18.5 - 29.2 )	11.8	( 3.7 - 19.9 )
<b>Age</b>	15 or younger	9.3	( 2.5 - 16.1 )	.	.	.	.
	16 or 17	18.0	( 13.5 - 22.5 )	24.1	( 14.4 - 33.7 )	11.7	( 5.7 - 17.7 )
	18 or older	23.9	( 10.0 - 37.8 )	30.4	( 14.4 - 46.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	16.5	( 3.8 - 29.2 )	.	.	.	.
	11th	17.9	( 13.0 - 22.8 )	24.9	( 16.9 - 33.0 )	10.2	( 0.4 - 20.0 )
	12th	20.9	( 13.1 - 28.6 )	28.4	( 17.7 - 39.1 )	12.3	( 1.4 - 23.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	19.6	( 12.2 - 27.1 )	22.4	( 14.6 - 30.2 )	.	.
	White Hispanic	15.3	( 10.1 - 20.5 )	21.1	( 11.8 - 30.4 )	9.9	( 5.2 - 14.7 )
	Other	25.8	( 0.0 - 61.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 135. Percentage of students who drank a bottle or glass of plain water one or more times per day during the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		62.8	( 53.7 - 72.0 )	65.5	( 54.9 - 76.1 )	60.0	( 49.9 - 70.1 )
<b>Age</b>	15 or younger	44.1	( 16.5 - 71.8 )	.	.	.	.
	16 or 17	67.6	( 61.6 - 73.7 )	70.7	( 59.3 - 82.1 )	64.3	( 54.5 - 74.0 )
	18 or older	65.6	( 47.2 - 84.1 )	70.6	( 49.6 - 91.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	60.7	( 44.2 - 77.1 )	.	.	.	.
	11th	72.7	( 64.0 - 81.5 )	69.1	( 55.4 - 82.7 )	76.6	( 63.5 - 89.8 )
	12th	64.8	( 57.7 - 71.8 )	74.0	( 58.2 - 89.7 )	54.8	( 48.2 - 61.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	67.0	( 46.5 - 87.5 )	70.7	( 50.0 - 91.4 )	.	.
	White Hispanic	62.6	( 51.7 - 73.5 )	67.8	( 56.7 - 78.9 )	57.6	( 42.5 - 72.7 )
	Other	52.0	( 24.0 - 80.1 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 136. Percentage of students who went hungry sometimes, most of the time, or always because of lack of food at home**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		19.2	( 12.3 - 26.0 )	21.8	( 12.2 - 31.5 )	16.2	( 7.9 - 24.5 )
<b>Age</b>	15 or younger	17.7	( 1.2 - 34.3 )	.	.	.	.
	16 or 17	17.1	( 10.4 - 23.8 )	17.8	( 9.3 - 26.3 )	16.5	( 4.7 - 28.2 )
	18 or older	23.5	( 9.6 - 37.4 )	30.2	( 12.6 - 47.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	22.7	( 3.8 - 41.7 )	.	.	.	.
	11th	19.6	( 12.7 - 26.4 )	11.1	( 0.0 - 26.4 )	29.3	( 8.6 - 50.1 )
	12th	18.0	( 6.3 - 29.6 )	26.5	( 9.6 - 43.5 )	8.1	( 0.3 - 15.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	15.5	( 8.2 - 22.8 )	11.6	( 0.0 - 23.6 )	.	.
	White Hispanic	19.8	( 9.1 - 30.4 )	25.1	( 13.5 - 36.8 )	14.8	( 5.3 - 24.2 )
	Other	24.4	( 0.0 - 51.3 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 137. Percentage of students who could walk or ride a bike, scooter, or skateboard to school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		34.7	( 23.4 - 46.0 )	43.0	( 26.6 - 59.3 )	25.6	( 11.2 - 40.0 )
<b>Age</b>	15 or younger	43.3	( 19.8 - 66.8 )	.	.	.	.
	16 or 17	30.3	( 20.0 - 40.6 )	37.6	( 25.0 - 50.2 )	22.8	( 7.8 - 37.8 )
	18 or older	37.4	( 22.3 - 52.5 )	47.6	( 18.6 - 76.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	40.5	( 21.6 - 59.5 )	.	.	.	.
	11th	26.9	( 13.5 - 40.3 )	33.7	( 10.7 - 56.6 )	19.7	( 8.0 - 31.4 )
	12th	36.0	( 23.0 - 49.1 )	44.0	( 21.5 - 66.4 )	27.1	( 6.9 - 47.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	34.4	( 17.2 - 51.7 )	45.2	( 13.4 - 76.9 )	.	.
	White Hispanic	35.9	( 25.3 - 46.5 )	43.6	( 32.9 - 54.4 )	28.9	( 14.8 - 42.9 )
	Other	40.1	( 13.2 - 66.9 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 138. Percentage of students who walk or ride to school 1 or more days in an average week**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		25.6	( 16.3 - 34.9 )	29.0	( 19.2 - 38.9 )	21.3	( 9.7 - 32.9 )
<b>Age</b>	15 or younger	25.4	( 8.9 - 41.9 )	.	.	.	.
	16 or 17	26.4	( 18.2 - 34.7 )	34.1	( 22.0 - 46.2 )	18.5	( 5.7 - 31.3 )
	18 or older	24.0	( 7.5 - 40.5 )	23.8	( 6.4 - 41.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	28.8	( 7.5 - 50.2 )	.	.	.	.
	11th	23.8	( 12.3 - 35.2 )	30.5	( 8.3 - 52.8 )	16.4	( 5.0 - 27.8 )
	12th	24.9	( 14.5 - 35.3 )	25.6	( 13.1 - 38.1 )	23.4	( 9.7 - 37.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	18.7	( 8.6 - 28.7 )	22.0	( 12.5 - 31.5 )	.	.
	White Hispanic	30.2	( 15.6 - 44.9 )	35.9	( 18.9 - 52.9 )	25.1	( 8.9 - 41.3 )
	Other	20.2	( 0.7 - 39.7 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 139. Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		32.5	( 26.0 - 39.1 )	43.0	( 36.7 - 49.3 )	22.7	( 15.8 - 29.6 )
<b>Age</b>	15 or younger	23.9	( 10.5 - 37.3 )	37.5	( 17.2 - 57.8 )	12.1	( 3.1 - 21.1 )
	16 or 17	34.6	( 28.8 - 40.3 )	45.3	( 36.6 - 53.9 )	24.9	( 18.3 - 31.4 )
	18 or older	33.9	( 23.3 - 44.5 )	41.9	( 32.8 - 50.9 )	26.2	( 4.9 - 47.5 )
<b>Grade</b>	9th	35.9	( 12.9 - 58.8 )	.	.	.	.
	10th	24.2	( 13.4 - 35.0 )	41.8	( 23.6 - 60.1 )	9.2	( 4.1 - 14.2 )
	11th	37.2	( 27.8 - 46.6 )	46.1	( 38.8 - 53.5 )	28.5	( 14.8 - 42.3 )
	12th	33.0	( 23.2 - 42.7 )	42.8	( 34.0 - 51.7 )	23.7	( 9.6 - 37.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	38.3	( 28.1 - 48.6 )	45.1	( 32.0 - 58.2 )	32.5	( 18.9 - 46.1 )
	White Hispanic	29.3	( 22.7 - 35.8 )	42.2	( 31.7 - 52.7 )	17.7	( 11.2 - 24.3 )
	Other	27.3	( 13.2 - 41.4 )	32.9	( 11.7 - 54.1 )	21.7	( 1.9 - 41.5 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 140. Percentage of students who were physically active for a total of at least 60 minutes per day on none of the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	25.2	( 16.9 - 33.5 )	20.7	( 10.9 - 30.5 )	30.3	( 19.6 - 41.1 )
<b>Age</b>	15 or younger	26.3	( 6.5 - 46.1 )	16.2	( 1.6 - 30.9 )	35.1	( 10.6 - 59.5 )
	16 or 17	24.5	( 19.4 - 29.5 )	21.5	( 10.7 - 32.4 )	26.8	( 17.4 - 36.1 )
	18 or older	26.0	( 15.0 - 37.1 )	21.4	( 9.9 - 32.9 )	34.5	( 18.7 - 50.3 )
<b>Grade</b>	9th	16.4	( 5.1 - 27.7 )	.	.	.	.
	10th	34.1	( 16.2 - 52.1 )	15.7	( 4.4 - 27.1 )	49.8	( 25.7 - 74.0 )
	11th	20.4	( 14.8 - 26.0 )	20.8	( 10.5 - 31.1 )	18.7	( 4.5 - 32.8 )
	12th	25.5	( 16.5 - 34.6 )	20.9	( 10.5 - 31.3 )	33.1	( 19.3 - 46.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	24.7	( 4.3 - 45.1 )	22.1	( 6.2 - 37.9 )	29.8	( 1.0 - 58.6 )
	White Hispanic	21.8	( 15.3 - 28.2 )	14.9	( 6.8 - 23.0 )	27.8	( 16.7 - 38.9 )
	Other	34.3	( 11.0 - 57.6 )	39.0	( 3.9 - 74.2 )	29.2	( 0.0 - 65.1 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 141. Percentage of students who were physically active for a total of at least 60 minutes per day on all seven of the past seven days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	17.6	( 13.3 - 22.0 )	23.4	( 17.5 - 29.4 )	12.2	( 7.8 - 16.6 )
<b>Age</b>	15 or younger	11.6	( 4.1 - 19.0 )	23.2	( 7.3 - 39.2 )	1.5	( 0.2 - 2.8 )
	16 or 17	20.3	( 15.8 - 24.8 )	27.9	( 20.8 - 35.0 )	13.2	( 7.7 - 18.7 )
	18 or older	16.2	( 7.8 - 24.7 )	16.0	( 3.4 - 28.5 )	18.1	( 5.9 - 30.2 )
<b>Grade</b>	9th	24.5	( 3.2 - 45.9 )	.	.	.	.
	10th	11.1	( 6.9 - 15.3 )	20.6	( 11.0 - 30.2 )	3.0	( 1.0 - 5.0 )
	11th	18.0	( 12.7 - 23.2 )	25.2	( 17.3 - 33.0 )	10.8	( 2.6 - 19.1 )
	12th	18.9	( 10.5 - 27.3 )	22.0	( 10.5 - 33.5 )	16.7	( 8.4 - 25.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	21.6	( 14.3 - 28.8 )	26.0	( 12.0 - 40.0 )	17.4	( 7.5 - 27.4 )
	White Hispanic	16.4	( 12.5 - 20.3 )	24.0	( 17.0 - 31.0 )	9.7	( 6.2 - 13.1 )
	Other	11.2	( 2.7 - 19.8 )	14.0	( 1.8 - 26.2 )	8.5	( 0.0 - 20.8 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 142. Percentage of students who watched three or more hours per day of TV on an average school day**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	27.1	( 21.9 - 32.2 )	29.2	( 23.3 - 35.2 )	24.5	( 15.7 - 33.3 )
<b>Age</b>	15 or younger	34.1	( 20.9 - 47.4 )	39.7	( 26.1 - 53.3 )	29.4	( 12.5 - 46.2 )
	16 or 17	24.4	( 18.2 - 30.5 )	24.2	( 19.5 - 29.0 )	22.7	( 10.1 - 35.3 )
	18 or older	28.0	( 19.8 - 36.2 )	32.5	( 18.7 - 46.3 )	24.7	( 14.7 - 34.7 )
<b>Grade</b>	9th	39.2	( 18.5 - 60.0 )	.	.	.	.
	10th	26.6	( 18.8 - 34.5 )	24.0	( 15.1 - 32.8 )	28.8	( 16.9 - 40.8 )
	11th	21.3	( 13.0 - 29.5 )	16.9	( 4.3 - 29.6 )	25.3	( 11.0 - 39.7 )
	12th	27.0	( 22.0 - 32.0 )	31.8	( 27.3 - 36.2 )	21.8	( 11.7 - 31.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	27.3	( 16.3 - 38.2 )	26.1	( 11.5 - 40.6 )	28.5	( 11.5 - 45.5 )
	White Hispanic	25.1	( 18.7 - 31.5 )	30.6	( 24.1 - 37.1 )	20.0	( 10.5 - 29.6 )
	Other	23.2	( 13.1 - 33.3 )	21.8	( 6.1 - 37.5 )	24.7	( 6.9 - 42.5 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 143. Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	33.9	( 27.2 - 40.6 )	38.9	( 26.1 - 51.7 )	28.8	( 22.4 - 35.2 )
<b>Age</b>	15 or younger	41.6	( 28.0 - 55.2 )	37.3	( 19.1 - 55.4 )	45.2	( 23.9 - 66.5 )
	16 or 17	33.7	( 26.2 - 41.2 )	42.7	( 27.3 - 58.1 )	25.8	( 22.3 - 29.4 )
	18 or older	29.7	( 20.3 - 39.0 )	33.2	( 18.5 - 48.0 )	22.4	( 12.2 - 32.6 )
<b>Grade</b>	9th	43.6	( 27.0 - 60.1 )	.	.	.	.
	10th	39.1	( 26.3 - 51.8 )	35.1	( 21.4 - 48.9 )	42.3	( 19.8 - 64.8 )
	11th	28.2	( 15.9 - 40.5 )	30.7	( 11.3 - 50.0 )	26.1	( 14.2 - 38.1 )
	12th	32.6	( 23.6 - 41.7 )	41.4	( 27.1 - 55.7 )	21.8	( 12.1 - 31.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	38.4	( 27.6 - 49.1 )	41.0	( 11.7 - 70.3 )	34.2	( 20.1 - 48.2 )
	White Hispanic	31.4	( 22.4 - 40.3 )	35.7	( 21.0 - 50.4 )	27.9	( 20.1 - 35.6 )
	Other	23.0	( 14.9 - 31.1 )	31.4	( 23.7 - 39.2 )	14.2	( 0.7 - 27.8 )

\*Non-Hispanic.

. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 144. Percentage of students who havd screen time for 3 or more hours per day on an average school day**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		58.1	( 48.4 - 67.8 )	63.3	( 50.5 - 76.2 )	52.1	( 41.5 - 62.7 )
<b>Age</b>	15 or younger	64.7	( 54.5 - 75.0 )	64.9	( 49.6 - 80.1 )	64.6	( 49.2 - 80.1 )
	16 or 17	54.8	( 42.7 - 66.9 )	62.9	( 46.5 - 79.2 )	45.9	( 31.7 - 60.2 )
	18 or older	60.5	( 48.2 - 72.8 )	63.5	( 43.4 - 83.6 )	55.9	( 44.4 - 67.4 )
<b>Grade</b>	9th	68.6	( 55.9 - 81.3 )	.	.	.	.
	10th	57.1	( 47.1 - 67.0 )	55.6	( 39.5 - 71.7 )	58.3	( 41.9 - 74.7 )
	11th	50.9	( 36.6 - 65.3 )	54.5	( 29.3 - 79.8 )	47.2	( 31.3 - 63.0 )
	12th	59.1	( 45.1 - 73.1 )	68.1	( 52.8 - 83.4 )	47.7	( 27.8 - 67.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	62.5	( 47.8 - 77.3 )	63.1	( 34.6 - 91.7 )	60.4	( 52.1 - 68.7 )
	White Hispanic	54.3	( 42.8 - 65.8 )	61.7	( 48.4 - 75.0 )	47.9	( 30.5 - 65.3 )
	Other	45.8	( 29.2 - 62.4 )	52.9	( 38.2 - 67.6 )	37.3	( 9.7 - 64.9 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 145. Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		36.0	( 20.2 - 51.8 )	42.2	( 26.0 - 58.5 )	29.0	( 10.9 - 47.1 )
<b>Age</b>	15 or younger	31.8	( 4.3 - 59.2 )	.	.	.	.
	16 or 17	34.4	( 13.3 - 55.6 )	38.2	( 20.4 - 56.0 )	30.8	( 4.7 - 56.9 )
	18 or older	41.6	( 32.9 - 50.3 )	53.6	( 32.6 - 74.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	35.1	( 6.9 - 63.3 )	.	.	.	.
	11th	35.6	( 10.4 - 60.9 )	43.0	( 18.1 - 67.9 )	27.9	( 5.4 - 50.4 )
	12th	35.2	( 22.3 - 48.1 )	40.1	( 21.0 - 59.1 )	29.0	( 15.9 - 42.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	41.5	( 20.7 - 62.3 )	.	.	.	.
	White Hispanic	34.2	( 18.0 - 50.4 )	42.0	( 28.1 - 55.8 )	26.9	( 5.5 - 48.4 )
	Other	28.6	( 0.0 - 62.4 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 146. Percentage of students who played on one or more sports teams during the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		35.8	( 25.0 - 46.6 )	40.7	( 25.4 - 55.9 )	29.5	( 21.3 - 37.7 )
<b>Age</b>	15 or younger	33.2	( 18.3 - 48.1 )	47.3	( 24.3 - 70.4 )	21.2	( 11.3 - 31.0 )
	16 or 17	38.7	( 28.9 - 48.5 )	42.7	( 26.8 - 58.7 )	33.9	( 24.6 - 43.1 )
	18 or older	32.0	( 18.0 - 45.9 )	33.7	( 14.1 - 53.2 )	26.5	( 12.8 - 40.2 )
<b>Grade</b>	9th	38.1	( 16.7 - 59.4 )	.	.	.	.
	10th	32.4	( 19.2 - 45.6 )	47.4	( 33.0 - 61.8 )	20.5	( 8.0 - 33.0 )
	11th	32.9	( 20.0 - 45.9 )	26.0	( 8.1 - 43.9 )	40.7	( 21.4 - 60.0 )
	12th	39.2	( 25.8 - 52.5 )	43.9	( 27.8 - 60.1 )	30.3	( 15.8 - 44.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	25.2	( 11.0 - 39.5 )	25.9	( 6.3 - 45.4 )	20.3	( 11.7 - 29.0 )
	White Hispanic	43.0	( 35.7 - 50.2 )	50.7	( 45.0 - 56.4 )	35.9	( 26.7 - 45.1 )
	Other	35.6	( 15.7 - 55.4 )	30.5	( 13.4 - 47.7 )	40.3	( 5.9 - 74.6 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 147. Percentage of students who had ever been taught in school about AIDS or HIV infection**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		77.8	( 68.8 - 86.8 )	78.1	( 69.7 - 86.4 )	77.0	( 66.6 - 87.3 )
<b>Age</b>	15 or younger	71.5	( 59.7 - 83.4 )	63.5	( 43.7 - 83.3 )	78.5	( 62.2 - 94.7 )
	16 or 17	78.0	( 68.1 - 88.0 )	78.4	( 65.7 - 91.0 )	77.2	( 68.3 - 86.2 )
	18 or older	81.4	( 64.9 - 97.9 )	85.5	( 74.6 - 96.4 )	75.0	( 47.2 - 100.0 )
<b>Grade</b>	9th	74.7	( 67.7 - 81.6 )	.	.	.	.
	10th	79.0	( 61.5 - 96.5 )	81.3	( 69.4 - 93.3 )	77.2	( 52.1 - 100.0 )
	11th	78.7	( 70.9 - 86.4 )	75.1	( 65.7 - 84.5 )	82.1	( 72.9 - 91.3 )
	12th	77.9	( 65.4 - 90.4 )	82.4	( 71.4 - 93.5 )	71.6	( 52.7 - 90.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	81.9	( 73.2 - 90.6 )	77.8	( 67.6 - 87.9 )	85.4	( 78.7 - 92.2 )
	White Hispanic	77.4	( 66.4 - 88.5 )	79.4	( 68.7 - 90.1 )	75.7	( 62.9 - 88.4 )
	Other	67.6	( 49.5 - 85.6 )	62.2	( 34.7 - 89.7 )	74.1	( 55.8 - 92.3 )

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 148. Percentage of students who used indoor tanning device in the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		11.5	( 5.4 - 17.7 )	10.7	( 5.0 - 16.4 )	12.1	( 0.1 - 24.2 )
<b>Age</b>	15 or younger	6.9	( 0.0 - 17.9 )	.	.	.	.
	16 or 17	10.0	( 4.6 - 15.4 )	6.9	( 2.0 - 11.8 )	13.2	( 0.3 - 26.1 )
	18 or older	17.4	( 5.5 - 29.3 )	15.9	( 8.5 - 23.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	9.9	( 0.4 - 19.3 )	.	.	.	.
	11th	5.7	( 1.6 - 9.7 )	9.9	( 0.0 - 20.3 )	0.9	( 0.0 - 3.3 )
	12th	18.1	( 7.7 - 28.6 )	12.8	( 4.6 - 20.9 )	23.5	( 2.9 - 44.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	16.1	( 4.1 - 28.1 )	.	.	.	.
	White Hispanic	6.2	( 2.4 - 10.0 )	8.1	( 3.7 - 12.4 )	4.4	( 0.2 - 8.6 )
	Other	20.4	( 0.0 - 40.7 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 149. Percentage of students who had ever been told by a doctor or nurse that they had asthma**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		20.3	( 15.7 - 24.8 )	21.1	( 13.8 - 28.4 )	19.1	( 13.2 - 25.0 )
<b>Age</b>	15 or younger	25.0	( 7.0 - 43.1 )	.	.	.	.
	16 or 17	21.5	( 17.9 - 25.2 )	20.5	( 15.0 - 26.0 )	22.7	( 15.7 - 29.6 )
	18 or older	14.9	( 8.1 - 21.7 )	20.1	( 9.7 - 30.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	20.2	( 8.9 - 31.5 )	.	.	.	.
	11th	25.7	( 18.5 - 32.9 )	26.8	( 17.9 - 35.7 )	24.9	( 10.7 - 39.2 )
	12th	14.2	( 8.8 - 19.6 )	17.2	( 6.4 - 27.9 )	10.0	( 0.0 - 20.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	25.3	( 10.6 - 40.1 )	.	.	.	.
	White Hispanic	15.6	( 10.1 - 21.0 )	14.5	( 2.6 - 26.5 )	16.7	( 7.7 - 25.7 )
	Other	20.3	( 6.0 - 34.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 150. Percentage of students who sleep 8 or more hours per night on average school nights**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		28.2	( 22.9 - 33.6 )	25.7	( 16.0 - 35.4 )	31.3	( 22.5 - 40.1 )
<b>Age</b>	15 or younger	40.2	( 28.7 - 51.7 )	.	.	.	.
	16 or 17	24.6	( 17.1 - 32.1 )	23.8	( 10.5 - 37.2 )	25.4	( 15.2 - 35.7 )
	18 or older	27.3	( 16.7 - 38.0 )	21.4	( 9.3 - 33.6 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	29.0	( 12.8 - 45.1 )	.	.	.	.
	11th	30.9	( 22.4 - 39.4 )	27.8	( 14.2 - 41.5 )	34.7	( 22.0 - 47.3 )
	12th	21.4	( 12.6 - 30.2 )	15.8	( 3.5 - 28.1 )	27.8	( 15.9 - 39.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	30.7	( 23.3 - 38.1 )	.	.	.	.
	White Hispanic	26.8	( 20.1 - 33.5 )	25.5	( 9.8 - 41.3 )	28.1	( 17.3 - 38.9 )
	Other	33.8	( 16.0 - 51.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 151. Percentage of students who participated in organized community services as a non-paid volunteer 1 or more times during the past 30 days**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		32.8	( 23.1 - 42.5 )	26.0	( 14.6 - 37.4 )	40.1	( 29.3 - 50.9 )
<b>Age</b>	15 or younger	33.7	( 16.5 - 50.9 )	.	.	.	.
	16 or 17	32.4	( 23.8 - 41.0 )	21.5	( 8.0 - 35.0 )	43.3	( 33.4 - 53.2 )
	18 or older	33.0	( 19.9 - 46.2 )	28.8	( 14.7 - 43.0 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	39.8	( 23.9 - 55.7 )	.	.	.	.
	11th	31.0	( 14.7 - 47.2 )	17.7	( 3.4 - 32.0 )	45.9	( 27.8 - 63.9 )
	12th	34.6	( 24.6 - 44.7 )	29.8	( 18.2 - 41.5 )	39.5	( 22.5 - 56.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	27.6	( 11.0 - 44.2 )	.	.	.	.
	White Hispanic	37.1	( 29.1 - 45.1 )	27.7	( 22.4 - 32.9 )	46.1	( 35.4 - 56.8 )
	Other	34.1	( 10.3 - 57.9 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 152. Percentage of students who strongly agree or agree that teachers care about them and encourage them**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	75.7	( 68.0 - 83.3 )	77.6	( 72.1 - 83.1 )	73.7	( 61.1 - 86.3 )
<b>Age</b>	15 or younger	65.7	( 50.5 - 81.0 )	.	.	.	.
	16 or 17	73.9	( 62.5 - 85.3 )	82.4	( 70.2 - 94.5 )	65.6	( 49.0 - 82.2 )
	18 or older	85.0	( 78.7 - 91.2 )	80.5	( 72.7 - 88.2 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	78.5	( 67.9 - 89.2 )	.	.	.	.
	11th	78.6	( 66.9 - 90.4 )	85.8	( 73.6 - 97.9 )	71.7	( 53.1 - 90.3 )
	12th	76.5	( 64.4 - 88.6 )	80.1	( 67.5 - 92.8 )	72.0	( 57.9 - 86.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	82.2	( 65.7 - 98.8 )	.	.	.	.
	White Hispanic	73.7	( 67.1 - 80.2 )	78.7	( 66.6 - 90.9 )	69.2	( 56.3 - 82.1 )
	Other	59.0	( 35.4 - 82.6 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 153. Percentage of students who have someone to go to for help with a serious problem**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		82.8	( 73.6 - 92.1 )	81.4	( 70.4 - 92.4 )	84.3	( 75.2 - 93.3 )
<b>Age</b>	15 or younger	72.6	( 54.9 - 90.4 )	.	.	.	.
	16 or 17	85.4	( 79.7 - 91.1 )	88.1	( 80.9 - 95.4 )	82.5	( 71.1 - 93.9 )
	18 or older	84.7	( 70.2 - 99.2 )	78.8	( 57.8 - 99.9 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	86.3	( 79.0 - 93.7 )	.	.	.	.
	11th	86.9	( 79.6 - 94.2 )	92.1	( 84.1 - 100.0 )	80.8	( 58.9 - 100.0 )
	12th	83.2	( 69.0 - 97.4 )	78.0	( 61.2 - 94.8 )	89.0	( 76.9 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	87.6	( 77.2 - 98.1 )	.	.	.	.
	White Hispanic	82.1	( 71.9 - 92.2 )	77.6	( 66.4 - 88.8 )	86.2	( 76.7 - 95.7 )
	Other	61.5	( 22.7 - 100.0 )	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 154. Percentage of students who described their grades as mostly A's or B's over the past 12 months**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		61.2	( 39.0 - 83.5 )	51.7	( 32.2 - 71.2 )	69.7	( 45.0 - 94.3 )
<b>Age</b>	15 or younger	56.1	( 17.0 - 95.1 )	.	.	.	.
	16 or 17	61.4	( 39.6 - 83.2 )	52.0	( 33.1 - 71.0 )	70.7	( 44.8 - 96.5 )
	18 or older	63.5	( 27.9 - 99.0 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	65.5	( 36.9 - 94.2 )	.	.	.	.
	11th	66.7	( 54.2 - 79.2 )	.	.	.	.
	12th	61.4	( 33.4 - 89.3 )	43.9	( 18.2 - 69.6 )	80.6	( 54.0 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	60.1	( 25.1 - 95.1 )	.	.	.	.
	White Hispanic	63.3	( 40.5 - 86.1 )	59.8	( 42.3 - 77.3 )	66.2	( 33.5 - 99.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 155. Percentage of students who participate in extracurricular activities**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		35.9	( 19.6 - 52.2 )	39.0	( 22.8 - 55.2 )	33.4	( 11.3 - 55.5 )
<b>Age</b>	15 or younger	43.3	( 17.4 - 69.1 )	.	.	.	.
	16 or 17	37.5	( 19.9 - 55.0 )	42.2	( 23.8 - 60.6 )	33.6	( 8.3 - 58.9 )
	18 or older	29.2	( 18.2 - 40.3 )	31.1	( 11.1 - 51.1 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	33.5	( 1.2 - 65.8 )	.	.	.	.
	11th	37.5	( 13.6 - 61.3 )	.	.	37.6	( 9.3 - 65.9 )
	12th	37.0	( 24.2 - 49.8 )	38.6	( 20.7 - 56.5 )	36.1	( 20.0 - 52.2 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	22.7	( 6.2 - 39.1 )	.	.	.	.
	White Hispanic	41.0	( 27.8 - 54.2 )	43.5	( 25.4 - 61.7 )	38.8	( 17.1 - 60.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 156. Percentage of students who skipped 1+ whole days of school during last 4 weeks**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		35.8	( 22.3 - 49.2 )	36.7	( 28.5 - 44.9 )	33.1	( 16.3 - 49.9 )
<b>Age</b>	15 or younger	24.4	( 10.7 - 38.1 )	.	.	.	.
	16 or 17	37.1	( 20.7 - 53.6 )	33.4	( 21.8 - 45.0 )	35.8	( 17.1 - 54.6 )
	18 or older	39.1	( 12.4 - 65.7 )	50.2	( 32.5 - 67.8 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	32.0	( 20.7 - 43.2 )	.	.	.	.
	11th	31.6	( 16.8 - 46.4 )	.	.	32.8	( 15.4 - 50.2 )
	12th	39.7	( 19.9 - 59.4 )	45.3	( 32.8 - 57.9 )	31.6	( 7.9 - 55.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	28.0	( 5.7 - 50.3 )	.	.	.	.
	White Hispanic	39.0	( 21.9 - 56.1 )	42.9	( 23.8 - 62.1 )	33.6	( 14.4 - 52.9 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 157. Percentage of students who feel school work/assignments are often/almost always important and meaningful**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		52.7	( 48.7 - 56.8 )	49.8	( 43.3 - 56.4 )	53.4	( 46.1 - 60.7 )
<b>Age</b>	15 or younger	49.2	( 39.0 - 59.5 )	.	.	.	.
	16 or 17	55.0	( 44.4 - 65.6 )	51.6	( 37.9 - 65.3 )	58.0	( 43.2 - 72.8 )
	18 or older	50.4	( 37.7 - 63.2 )	43.5	( 18.3 - 68.7 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	52.3	( 34.7 - 69.9 )	.	.	.	.
	11th	50.0	( 40.8 - 59.1 )	.	.	56.7	( 43.1 - 70.3 )
	12th	51.5	( 45.9 - 57.1 )	45.8	( 34.6 - 57.0 )	54.6	( 32.3 - 76.9 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	52.6	( 39.6 - 65.6 )	.	.	.	.
	White Hispanic	53.4	( 46.2 - 60.5 )	55.2	( 44.7 - 65.7 )	50.4	( 35.7 - 65.2 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 158. Percentage of students who feel that most courses are very interesting or stimulating/quite interesting**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		37.5	( 25.0 - 49.9 )	38.5	( 22.4 - 54.6 )	36.6	( 23.6 - 49.6 )
<b>Age</b>	15 or younger	31.4	( 9.8 - 53.1 )	.	.	.	.
	16 or 17	38.5	( 23.8 - 53.2 )	34.6	( 13.6 - 55.6 )	43.1	( 31.8 - 54.3 )
	18 or older	38.5	( 19.4 - 57.6 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	36.2	( 25.6 - 46.7 )	.	.	.	.
	11th	39.9	( 19.0 - 60.9 )	.	.	37.3	( 21.3 - 53.4 )
	12th	35.8	( 16.3 - 55.4 )	34.2	( 15.5 - 52.9 )	37.7	( 4.1 - 71.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	34.3	( 16.5 - 52.1 )	.	.	.	.
	White Hispanic	39.3	( 25.8 - 52.8 )	37.4	( 25.4 - 49.5 )	39.2	( 22.5 - 56.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 159. Percentage of students who feel things they are learning in school now are going to be very/quite important later in life**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	55.9	( 45.6 - 66.2 )	49.8	( 37.1 - 62.4 )	59.8	( 49.9 - 69.8 )
<b>Age</b>	15 or younger	58.5	( 41.3 - 75.7 )	.	.	.	.
	16 or 17	50.2	( 39.0 - 61.5 )	38.1	( 21.8 - 54.4 )	60.9	( 51.4 - 70.3 )
	18 or older	65.1	( 49.7 - 80.4 )	63.0	( 42.4 - 83.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	56.9	( 46.3 - 67.5 )	.	.	.	.
	11th	54.1	( 44.6 - 63.5 )	.	.	61.3	( 41.2 - 81.4 )
	12th	54.9	( 36.9 - 72.9 )	48.4	( 28.2 - 68.7 )	59.6	( 38.0 - 81.1 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	50.4	( 41.2 - 59.6 )	.	.	.	.
	White Hispanic	58.7	( 45.6 - 71.7 )	53.7	( 36.8 - 70.7 )	62.0	( 47.8 - 76.2 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 160. Percentage of students who often/almost always enjoyed being in school over the past year**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		43.0	( 32.7 - 53.4 )	50.4	( 42.9 - 57.9 )	37.1	( 15.5 - 58.8 )
<b>Age</b>	15 or younger	42.4	( 22.5 - 62.2 )	.	.	.	.
	16 or 17	41.9	( 30.0 - 53.8 )	45.9	( 34.5 - 57.2 )	39.5	( 9.2 - 69.8 )
	18 or older	45.4	( 25.8 - 64.9 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	29.2	( 15.3 - 43.0 )	.	.	.	.
	11th	50.5	( 36.6 - 64.4 )	.	.	52.9	( 29.6 - 76.2 )
	12th	43.7	( 29.3 - 58.1 )	52.3	( 43.1 - 61.5 )	36.1	( 13.5 - 58.8 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	40.1	( 25.4 - 54.9 )	.	.	.	.
	White Hispanic	45.5	( 31.8 - 59.2 )	50.3	( 37.8 - 62.9 )	40.6	( 14.0 - 67.3 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 161. Percentage of students who often/almost always hated being in school over the past year**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		30.6	( 21.9 - 39.4 )	27.0	( 17.5 - 36.4 )	30.7	( 19.5 - 42.0 )
<b>Age</b>	15 or younger	30.9	( 11.7 - 50.1 )	.	.	.	.
	16 or 17	32.9	( 25.3 - 40.5 )	32.5	( 21.0 - 44.0 )	30.4	( 20.4 - 40.5 )
	18 or older	26.4	( 11.9 - 40.9 )	24.0	( 4.7 - 43.4 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	30.2	( 19.8 - 40.6 )	.	.	.	.
	11th	26.4	( 21.8 - 31.1 )	.	.	36.5	( 17.3 - 55.8 )
	12th	31.1	( 18.7 - 43.4 )	35.2	( 22.6 - 47.8 )	19.2	( 10.9 - 27.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	36.8	( 31.9 - 41.6 )	.	.	.	.
	White Hispanic	24.4	( 12.7 - 36.1 )	24.1	( 9.5 - 38.7 )	24.3	( 13.2 - 35.4 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 162. Percentage of students who often/almost always tried to do their best work in school over the past year**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		69.7	( 57.5 - 81.9 )	63.6	( 46.8 - 80.4 )	75.9	( 63.9 - 87.9 )
<b>Age</b>	15 or younger	82.7	( 65.3 - 100.0 )	.	.	.	.
	16 or 17	71.4	( 62.6 - 80.2 )	64.6	( 52.5 - 76.8 )	75.7	( 60.6 - 90.9 )
	18 or older	59.6	( 39.3 - 79.9 )	57.0	( 27.5 - 86.5 )	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	75.9	( 51.4 - 100.0 )	.	.	.	.
	11th	73.3	( 63.4 - 83.2 )	.	.	81.7	( 66.4 - 96.9 )
	12th	63.8	( 50.1 - 77.4 )	60.9	( 41.0 - 80.9 )	68.1	( 46.6 - 89.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	72.9	( 60.9 - 84.8 )	.	.	.	.
	White Hispanic	69.5	( 52.2 - 86.8 )	61.8	( 38.4 - 85.2 )	75.7	( 56.4 - 95.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 163. Percentage of students who think there are lots of chances to help decide things like class activities and rules**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		69.5	( 60.1 - 78.9 )	73.7	( 60.3 - 87.0 )	65.1	( 58.2 - 72.0 )
<b>Age</b>	15 or younger	68.7	( 56.0 - 81.5 )	.	.	.	.
	16 or 17	67.1	( 50.3 - 84.0 )	69.8	( 40.7 - 98.8 )	65.6	( 55.2 - 76.0 )
	18 or older	74.3	( 66.5 - 82.1 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	65.6	( 53.2 - 78.0 )	.	.	.	.
	11th	76.6	( 65.3 - 88.0 )	.	.	77.7	( 65.8 - 89.5 )
	12th	64.1	( 51.2 - 77.0 )	71.7	( 57.3 - 86.0 )	54.0	( 37.4 - 70.6 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	76.8	( 63.0 - 90.6 )	.	.	.	.
	White Hispanic	64.5	( 55.0 - 74.0 )	72.8	( 60.6 - 85.0 )	56.9	( 45.0 - 68.9 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 164. Percentage of students who think that teachers ask them to work on special classroom projects**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		57.4	( 46.2 - 68.6 )	58.4	( 44.6 - 72.2 )	53.2	( 39.2 - 67.3 )
<b>Age</b>	15 or younger	57.5	( 33.5 - 81.5 )	.	.	.	.
	16 or 17	59.1	( 43.5 - 74.7 )	58.8	( 35.5 - 82.2 )	56.6	( 41.7 - 71.6 )
	18 or older	54.1	( 48.6 - 59.6 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	59.7	( 48.5 - 70.9 )	.	.	.	.
	11th	56.6	( 46.0 - 67.2 )	.	.	57.4	( 38.9 - 76.0 )
	12th	55.8	( 41.4 - 70.1 )	57.2	( 33.9 - 80.6 )	47.0	( 29.7 - 64.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	66.8	( 52.9 - 80.8 )	.	.	.	.
	White Hispanic	50.7	( 34.8 - 66.6 )	48.2	( 28.3 - 68.0 )	52.6	( 38.3 - 67.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 165. Percentage of students who think there are lots of chances for students in their school to get involved in sports, clubs, or other school activities outside of class**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		59.3	( 42.3 - 76.4 )	66.7	( 54.3 - 79.0 )	52.5	( 25.3 - 79.7 )
<b>Age</b>	15 or younger	72.8	( 51.2 - 94.5 )	.	.	.	.
	16 or 17	57.2	( 43.2 - 71.3 )	62.0	( 46.2 - 77.7 )	55.2	( 33.1 - 77.3 )
	18 or older	56.3	( 24.8 - 87.8 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	58.2	( 32.4 - 84.0 )	.	.	.	.
	11th	53.6	( 28.1 - 79.0 )	.	.	.	.
	12th	59.9	( 38.5 - 81.4 )	66.1	( 53.2 - 78.9 )	52.0	( 12.3 - 91.7 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	38.9	( 22.3 - 55.5 )	.	.	.	.
	White Hispanic	71.6	( 61.4 - 81.9 )	72.8	( 61.9 - 83.8 )	69.5	( 53.5 - 85.6 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 166. Percentage of students who think there are lots of chances for students to talk with teachers one-on-one**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		85.5	( 76.6 - 94.4 )	81.1	( 71.0 - 91.2 )	89.1	( 77.2 - 100.0 )
<b>Age</b>	15 or younger	91.4	( 82.2 - 100.0 )	.	.	.	.
	16 or 17	85.8	( 76.0 - 95.6 )	79.7	( 65.7 - 93.8 )	90.2	( 79.4 - 100.0 )
	18 or older	81.5	( 64.0 - 99.1 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	85.6	( 67.9 - 100.0 )	.	.	.	.
	11th	85.5	( 73.6 - 97.4 )	.	.	96.0	( 90.6 - 100.0 )
	12th	83.2	( 73.2 - 93.2 )	79.1	( 67.6 - 90.5 )	86.9	( 71.6 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	93.7	( 85.9 - 100.0 )	.	.	.	.
	White Hispanic	81.6	( 71.0 - 92.1 )	75.3	( 64.3 - 86.2 )	87.8	( 70.5 - 100.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 167. Percentage of students who think there are lots of chances to be a part of class discussions/ activities**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		88.6	( 79.3 - 97.9 )	89.2	( 77.4 - 100.0 )	87.6	( 77.3 - 97.9 )
<b>Age</b>	15 or younger	91.0	( 81.7 - 100.0 )	.	.	.	.
	16 or 17	85.4	( 70.6 - 100.0 )	84.3	( 65.1 - 100.0 )	85.3	( 72.4 - 98.2 )
	18 or older	93.6	( 85.4 - 100.0 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	89.4	( 72.9 - 100.0 )	.	.	.	.
	11th	87.4	( 74.0 - 100.0 )	.	.	91.7	( 87.7 - 95.8 )
	12th	87.8	( 76.2 - 99.5 )	89.3	( 78.3 - 100.0 )	85.1	( 66.4 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	95.4	( 87.1 - 100.0 )	.	.	.	.
	White Hispanic	84.9	( 72.9 - 96.9 )	87.7	( 74.7 - 100.0 )	82.8	( 65.7 - 99.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.

. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 168. Percentage of students who feel safe at school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	86.7	( 78.8 - 94.6 )	84.2	( 73.7 - 94.8 )	89.7	( 79.4 - 100.0 )
<b>Age</b>	15 or younger	89.1	( 72.4 - 100.0 )	.	.	.	.
	16 or 17	87.3	( 77.3 - 97.4 )	86.4	( 73.8 - 99.0 )	90.5	( 79.5 - 100.0 )
	18 or older	84.3	( 75.2 - 93.3 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	83.4	( 61.1 - 100.0 )	.	.	.	.
	11th	87.6	( 71.8 - 100.0 )	.	.	.	.
	12th	85.4	( 80.0 - 90.8 )	85.1	( 78.1 - 92.0 )	87.6	( 77.0 - 98.3 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	89.7	( 78.5 - 100.0 )	.	.	.	.
	White Hispanic	84.6	( 68.7 - 100.0 )	82.5	( 64.1 - 100.0 )	86.0	( 67.0 - 100.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 169. Percentage of students who think it is important to finish high school**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		95.3	( 91.0 - 99.5 )	95.4	( 90.3 - 100.0 )	95.2	( 89.1 - 100.0 )
<b>Age</b>	15 or younger	100.0	( 100.0 - 100.0 )	.	.	.	.
	16 or 17	96.1	( 91.0 - 100.0 )	95.5	( 89.7 - 100.0 )	96.4	( 90.9 - 100.0 )
	18 or older	91.2	( 85.7 - 96.7 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	95.0	( 86.4 - 100.0 )	.	.	.	.
	11th	94.7	( 90.0 - 99.4 )	.	.	97.7	( 92.5 - 100.0 )
	12th	94.5	( 89.3 - 99.8 )	95.8	( 89.4 - 100.0 )	93.3	( 81.1 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	99.2	( 97.9 - 100.0 )	.	.	.	.
	White Hispanic	93.5	( 85.1 - 100.0 )	92.7	( 83.8 - 100.0 )	95.0	( 82.2 - 100.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 170. Percentage of students who think it is important to go to college**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		85.5	( 76.1 - 94.9 )	81.6	( 74.5 - 88.8 )	88.0	( 76.6 - 99.4 )
<b>Age</b>	15 or younger	92.3	( 82.9 - 100.0 )	.	.	.	.
	16 or 17	83.2	( 71.3 - 95.0 )	82.1	( 74.0 - 90.2 )	82.9	( 65.4 - 100.0 )
	18 or older	86.2	( 72.2 - 100.0 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	81.3	( 70.4 - 92.3 )	.	.	.	.
	11th	89.5	( 83.6 - 95.4 )	.	.	96.4	( 90.5 - 100.0 )
	12th	81.9	( 64.3 - 99.4 )	76.1	( 61.6 - 90.5 )	86.2	( 63.8 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	86.1	( 72.8 - 99.4 )	.	.	.	.
	White Hispanic	85.0	( 73.1 - 96.9 )	81.9	( 72.3 - 91.5 )	87.4	( 70.6 - 100.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 171. Percentage of students who think it is important to be successful in a job or career**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		96.9	( 92.9 - 100.0 )	96.5	( 92.4 - 100.0 )	97.1	( 89.8 - 100.0 )
<b>Age</b>	15 or younger	96.2	( 86.0 - 100.0 )	.	.	.	.
	16 or 17	97.0	( 90.6 - 100.0 )	99.0	( 97.4 - 100.0 )	95.0	( 82.9 - 100.0 )
	18 or older	97.0	( 91.0 - 100.0 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	96.0	( 88.0 - 100.0 )	.	.	.	.
	11th	98.9	( 97.2 - 100.0 )	.	.	100.0	( 100.0 - 100.0 )
	12th	95.3	( 88.5 - 100.0 )	96.5	( 89.9 - 100.0 )	93.3	( 76.6 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	100.0	( 100.0 - 100.0 )	.	.	.	.
	White Hispanic	95.2	( 87.6 - 100.0 )	95.3	( 87.8 - 100.0 )	95.0	( 82.2 - 100.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 172. Percentage of students who feel the rules in their family are clear**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		83.8	( 75.0 - 92.7 )	86.1	( 75.7 - 96.4 )	82.0	( 72.9 - 91.1 )
<b>Age</b>	15 or younger	89.4	( 79.4 - 99.5 )	.	.	.	.
	16 or 17	82.3	( 67.0 - 97.6 )	82.9	( 63.9 - 100.0 )	80.5	( 65.4 - 95.6 )
	18 or older	83.8	( 71.5 - 96.1 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	89.1	( 77.5 - 100.0 )	.	.	.	.
	11th	82.3	( 69.3 - 95.3 )	.	.	90.7	( 79.2 - 100.0 )
	12th	82.0	( 70.4 - 93.5 )	87.7	( 77.8 - 97.6 )	76.2	( 57.0 - 95.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	83.3	( 77.3 - 89.4 )	.	.	.	.
	White Hispanic	84.7	( 71.9 - 97.5 )	87.6	( 74.2 - 100.0 )	82.6	( 68.6 - 96.7 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.



**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 173. Percentage of students whose parents/guardians give lots of chances to do fun things with them**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		71.8	( 58.1 - 85.4 )	70.9	( 62.6 - 79.2 )	73.1	( 54.0 - 92.2 )
<b>Age</b>	15 or younger	79.3	( 69.1 - 89.5 )	.	.	.	.
	16 or 17	77.9	( 69.9 - 85.8 )	76.3	( 72.1 - 80.5 )	79.8	( 65.6 - 93.9 )
	18 or older	56.2	( 31.0 - 81.4 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	85.4	( 71.6 - 99.2 )	.	.	.	.
	11th	77.9	( 67.0 - 88.7 )	.	.	78.7	( 64.0 - 93.4 )
	12th	63.2	( 44.0 - 82.4 )	60.7	( 48.6 - 72.8 )	64.3	( 28.5 - 100.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	71.2	( 46.5 - 95.9 )	.	.	.	.
	White Hispanic	71.2	( 58.6 - 83.8 )	65.8	( 47.3 - 84.2 )	76.5	( 62.2 - 90.8 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 174. Percentage of students whose parents consult them before making family decisions**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
Total		63.1	( 49.4 - 76.7 )	67.8	( 58.6 - 76.9 )	57.5	( 36.4 - 78.6 )
<b>Age</b>	15 or younger	69.6	( 49.9 - 89.3 )	.	.	.	.
	16 or 17	65.5	( 55.7 - 75.3 )	67.7	( 55.2 - 80.3 )	63.0	( 47.4 - 78.6 )
	18 or older	55.0	( 27.2 - 82.8 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	76.3	( 63.2 - 89.4 )	.	.	.	.
	11th	68.5	( 62.1 - 74.8 )	.	.	68.9	( 56.9 - 80.9 )
	12th	56.3	( 36.8 - 75.7 )	62.8	( 49.5 - 76.0 )	43.3	( 14.5 - 72.0 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	57.9	( 34.0 - 81.8 )	.	.	.	.
	White Hispanic	66.3	( 54.2 - 78.4 )	73.0	( 62.7 - 83.3 )	59.1	( 43.2 - 75.0 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.

**2013 HEALTHY KIDS COLORADO SURVEY RESULTS**  
Colorado Alternative High School Summary Tables - Weighted Data

**Table 175. Percentage of students who could ask parents/guardians for help with a personal problem**

		Total		Male		Female	
		Percentage	95% confidence interval	Percentage	95% confidence interval	Percentage	95% confidence interval
	Total	74.4	( 65.6 - 83.3 )	76.7	( 63.9 - 89.6 )	75.9	( 67.2 - 84.6 )
<b>Age</b>	15 or younger	74.0	( 60.6 - 87.5 )	.	.	.	.
	16 or 17	78.7	( 73.6 - 83.7 )	80.1	( 72.2 - 88.1 )	79.1	( 67.8 - 90.4 )
	18 or older	66.3	( 44.0 - 88.6 )	.	.	.	.
<b>Grade</b>	9th	.	.	.	.	.	.
	10th	75.6	( 57.7 - 93.4 )	.	.	.	.
	11th	79.6	( 66.3 - 92.9 )	.	.	75.4	( 60.2 - 90.6 )
	12th	67.8	( 54.4 - 81.2 )	69.8	( 46.8 - 92.8 )	74.3	( 64.2 - 84.4 )
<b>Race/Ethnicity</b>	American Indian/Alaska Native*	.	.	.	.	.	.
	Asian*	.	.	.	.	.	.
	Black/African American*	.	.	.	.	.	.
	Native Hawaiian/Other Pacific Islander*	.	.	.	.	.	.
	White*	72.8	( 51.9 - 93.6 )	.	.	.	.
	White Hispanic	76.3	( 67.1 - 85.5 )	74.8	( 55.0 - 94.6 )	77.0	( 65.9 - 88.1 )
	Other	.	.	.	.	.	.

\*Non-Hispanic.  
. = Less than 50 students in the subgroup.